

Helmingfors, Nov. 1/80.



My dear Doctor

To day I give, "fact tot discrimina rerum",
finished the determination of your mosses;
here is enclosed the long list, which could
not be sent earlier, because the whole
summer I have been abroad, and at my
return I had, of course, lots of work
accumulated.

A very unexpected discovery for your
country you here made in Veisvina Vime-
meri, hitherto found only in alpine regions.

Please tell me as soon as possible what
has gathered the living fruiting Lunularia,
and sent it to me in spirits by post!
Probably yourself, thanks, many thanks!
But tell me the day and locality where
it was collected!

Especially I beg you to look

Strongly out for n. 85, which seems
to be a new species, the proper time
for its collection ought to be just
now or in December. It is nearest
to the British F. tamerindifolius Willd.
Please gather it in complete specimens,
and send of them to me, that I may
be able to describe it properly, and
you can not send too much of it.

I hope you have received, care of
Mr Newton, a copy of my Illustration
navici.

My best compliments to Mr Moller.

Believe me to be, Dear Doctor,

Your most affectionate

S. O. Lindberg.

- + 120. *Hypnum cupressiforme*.
 + 121. *Philonotis rigida*.
 + 122. *Bryozethacium salicorum*.
 + 123. *Rhyssolobozia rosiformis*.
 + 124. *Bryum* sp., ster. perf. indeterminabile!
 + 125. *Ulnaria Seligera*.
 + 126. *Gymnostomum calcaratum*.
 + 127. *Philonotis rigida* var. β .
 + 128. *Bryum murale*.
 + 129. *Bryozethacium velutinum*.
 + 130. *Sphagnum subsecundum*.
 + 131. " " "
 + 132. *Sph. acutifolium*.
 + 133. " " "
 + 134. *Polytrichum commune*.
 X 135. *Sphagnum (helveticum) cymbifolium*.
 + 136. *Dicranum scoparium*.
 X 137. *Hydium lamellosum*.
 X 138. *Fissidens rupestris*.
 + 139. *Bryozethacium violaceum*.
 + 140. *Hypnum cupressiforme*.
 + 141. *Fissidens serrulatus*.
 + 142. *Pogonatum alaidis*.
 + 143. " " "
 + 144. *Fragmum albicans*.
 + 145. *Ulnaria punctatella*.
 + 146. *Philonotis fontana*.
 + 147. *Pterogobryum lucense*.
 + 148. *Tetraria hypnoides*.
 + 149. *Thamnum alopecurum*.
 + 150. *Dicranella varia*.

- + 151. *Weissia Wimmeri!*
 + 152. *Polytrichum commune.*
 + 153. *P. formosum.*
 + 154. *Bryum atropurpureum.*
 + 155. *Polytrichum formosum f.*
 + 156. *Thuidium tamariscianum.*
 + 157. *Bryum alpinum.*
 + 158. *Webbia elongata.*
 + 159. *Phaeomitrium lasiocarpum.*
 + 160. *Hedwigium ciliatum.*
 x 161. *Bryum capillare.*
 + 162. *Polytrichum formosum f.*
 + 163. *Thuidium tamariscianum.*
 + 164. *Funaria hypomitrica.*
 + 165. *Antitrichia curtipendula + Pterogonium.*
 + 166. *Barbula aloides.*
 x 167. *Amblyotrium riparium.*
 + 168. *Weissia Wimmeri!*
 + 169. *Dicranella varia.*
 170. *Trichotomen barbula.*
 + 171. *Bryum torquerosum.*
 + 172. *Barbula unguiculata.*
 + 173. *Bryum capillare var.*
 + 174. *Dicranella varia.*
 x 175. *Bryum alpinum.*
 x 176. *Pyilanotis fontana.*
 177. *Sphagnum subsecundum - contortum cf.*
 + *Sph. acutifolium stw.*

Helmingsforsid, Nov. 1/80

S. O. L.