

I N D E X.

- An fermenta caulinum & radicum phy ibid.
- Carpesium & cubebe Arabum an idem 1010, 2.
- Galenii & Quinti medici an idem ibid.
- Carpobalsamum ad nos adfertur 1000, 1.
- Ejus odor & sapor cur cito perit ibid.
- An adulteratur ibid.
- Κάρπ⊙ semem aliquando significat 966, 2.
- Κάρπ⊙ & sperma differunt 8, 2.
- Veteres aliquando confundunt ibid.
- Καρπ⊙ quid 428, 2. 1176, 2.
- Cartagena cur spartaria dicta 21, 2.
- Carthamum an πολύκαυλ⊙ 613, 2.
- Ejus descriptio 615, 1.
- Carthami cærulei descriptio 615, 2.
- An cnicus sylvestris ibid.
- Carthamus crocus spinosus 819, 1.
- An crocus spinosus 824, 2.
- Duo ejus species 819, 1.
- Carthegon an buxi semen 232, 1.
- Καρτὸν quid 466, 2.
- Carum unde dictum 744, 2.
- An carota ibid.
- Ejus descriptio ibid.
- Κάρυον vox late antiquis fumitur 57, 1.
- Κάρυος vox late patet 225, 1.
- Unde dicta ibid.
- Κάρυον Juglandes καὶ ἐξέχην denotat 57, 1.
- Κάρυα qui fructus 89, 1.
- Κάρυωτον palmæ genus 101, 2.
- Κάρυον παλαιὸν quid 173, 2. 174, 1.
- Κάρυων species quot 225, 1.
- Caryophyllata 368, 1.
- Caryophyllon 369, 1.
- Unde dictum 992, 2.
- Veteribus cur incognitum ibid.
- Quis primus descripsit ibid.
- Qualis arbor ibid.
- Est flos induratus 993, 1.
- Quomodo colligitur 993, 2.
- Non est garyophyllum Plinii 994, 1.
- Dentatum quod 996, 2.
- Caryophyllorum ramuli sunt cinamonum veterum 992, 2.
- Caryophyllorum ramuli 993, 1.
- Folia 993, 2.
- Folia variant 993, 1.
- Ramuli tenues sunt cinamonum veterum 992, 2.
- Caryophylli fructus est maturus aut immaturus 993, 2.
- Ubi nascuntur ibid.
- Cur ad antiquos non deferebantur ibid.
- Arbor unde enascitur ibid.
- Arbor est longæva ibid.
- Arbor an malum citrium Indicum 996, 1.
- Arbor an faitaragi Avicennæ 996, 2.
- Caryophyllorum & nucis moscatæ arbor an idem 993, 2.
- Caryopum Plinii an gummi inter caryophyllos repertum 993, 2.
- Caryophylleus flos unde dictus 668, 1. 667, 2.
- An betonica Dioscoridis ibid.
- An jovis flos ibid.
- An cantabria Plinii 668, 1.
- An veteribus cognitus ibid.
- Ejus species plures ibid.
- Descriptio ibid.
- Serendi modus ibid.
- An iphyon 669, 1.
- Sylvestris ibid.
- Κάσμιον & κάσσιον differunt 1059, 1.
- Cassia 367, 2. 369, 1. 546, 2.
- Cassia, cinnamonum, thus myrrha ubi gignuntur 974, 2.
- Cassia aromatica ubi provenit 558, 1.
- Non est cneoron ibid.
- Cassia herba ubi provenit 558, 1. 2.
- Cassia fistula non semper purgatricem denotat 293, 2. 986, 1.
- Unde dicta 294, 1.
- Non est species acatiæ ibid.
- An est coronia Theophrasti ibid.
- Recens est noxia 294, 2.
- Ejus descriptio ex Alpino ibid.
- Ejus descriptio ex Garcia 295, 1.
- Ejus descriptio ex Monardo ibid.
- Ex Cristophoro Acofta ibid.
- Cassia tenella saccharo conditur 295, 1.
- Quomodo colligitur ibid.
- Quæ optima ibid.
- Quo acrior eo melior ibid.
- Quot ejus genera ibid.
- Non est acanthus nigra 306, 1.
- Non est acatia 306, 2.
- In quibus differunt ibid.
- Cassia fistulæ flos 63, 1.
- Cassia folia 48, 2. 985, 1.
- Cassia duo genera 549, 2.
- Eorum differentia ibid.
- Cassia, cinamomi, & aromatum historia antiquis cur incerta 984, 2.
- Cassia unde dicta 984, 1.
- Cassia lignea unde dicta 987, 1.
- Cassia unde canella dicta 985, 2.
- Cassia veterum canella dicta 985, 1.
- Cassia cur fistula dicta 987, 2. 988, 1.
- Cassia ubi nascitur, an in Arabia 985, 1.
- Cassia fistula Myrepsi est canella 985, 2.
- Cassia optima 986, 1. 2.
- Cassia cur daphnitis dicta 986, 2.
- An cortice lauri adulteretur ibid.
- An forma cinamomo similis ibid. 987, 1.
- Cassia corruptioni facile obnoxia ibid.
- Cassia nigra 987, 2.
- Cassia albicans 988, 1.
- Cassia duplici cortice munita 987, 2.
- Cassia & cinamonum an idem 991, 1. 2.
- Quomodo differunt 991, 2.
- An ex una arbore ibid.
- An ex ejusdem arboris diversa parte 992, 1.
- Cassia & cinamonum sunt res diversæ, ex diversa arbore 992, 1.
- Cassia nomen pluribus plantis tributum 984, 1.
- Cassia virgulta an cum cinamomi descriptione convenient 992, 1.
- Cassia plura genera, non differunt specie sed bonitate 985, 1.
- Cassia descriptio ibid.
- Folia ibid.
- Cassia color varius unde 985, 2.
- Cassia sapor 986, 2.
- Cassiam colligendi verus modus 985, 1.
- Cassiam legendi fabula 984, 2.
- Cassia & cinamonum ex India & Arabia in Syriam deportantur 1004, 2.
- Cassianus Bassus est Geoponicorum auctor 28, 2. & alibi.
- Cassia-

I N D E X.

- Cassiani Bassi codex corrigitur 29, 1. 88, 2. 156, 1. 232, 2. 236, 1. 264, 2. 314, 1. 360, 1. 462, 2. 497, 1. 2. 501, 2. 567, 1. 577, 1. 756, 1. 1113, 1.
- Cassianus Bassus & Theophrastus conciliantur 733, 1.
- Cassius Dionisius Uticensis non est auctor Geoponicon 73, 2. 110, 2.
- Castanea 122, 2. 367, 2. 368, 2.
An montibus gaudet 123, 2.
An florem ferat 129, 2.
Est nux euboica 521, 2. 179, 1. 2.
Est *Ν* *Βάλαν* 227, 1.
Quomodo germinat 130, 2.
Quomodo fructificat ibid.
+ Quomodo alvum ducit 173, 2.
Unde dicta 173, 1. 2.
Ejus descriptio 174, 1.
Ejus genera 174, 2.
Equina quæ 175, 1.
Ad nucum classem referenda ibid.
Materies incurvatur 530, 2.
Materies qualis 519, 2.
Frangi se sonitu prænuntiat 530, 2. 531, 1.
Est durabilis 521, 2.
Ad quæ utilis 534, 2.
- Cataputia 965, 2.
Unde dicta 1088, 1.
Major semen ricini 1089, 2.
- Cate arbor 355, 2.
An lycium 356, 1.
- Catenatio quid 520, 2.
Καταχύσματα quid 125, 1.
Κατνάδης olivæ 313, 2.
- Catonis codex corrigitur 371, 2. 1115, 1.
- Caucalis unde dicta 812, 1.
Ejus descriptio ibid.
- Caucamum & cancamum differunt 836, 1.
- Caudex quid 4, 2. 6, 1.
Ejus definitio ibid.
- Caulis quid 4, 2. 5, 2. 6, 1.
Ejus definitio ibid.
Magnus quid Dioscoridi 824, 1.
Alius perpetuus, alius annuus 4, 2.
- Caulis differentia in plantis 5, 1.
Annus & ejus differentia ibid.
Quorundam æqualitatem sortitur 17, 2.
- Caulem an omnes plantæ habent 5, 2.
An omnes herbæ habent 4, 2.
- Caules prototomi 775, 1.
- Caule an careant quæ sub terra distenduntur 36, 2.
- Caulis cur plantis datus 869, 1.
- Caulis alius floris causa, alius nullius floris causa, alius floris & fructus causa 865, 2. 866, 2.
- Caulis brassica dicta 774, 2.
- Caulium genera duo 866, 1.
- Caulis cichorei 853, 2.
- Caulis fabæ cur calamus dictus 913, 1.
- Caulis intubi 853, 2.
- Καύλα* late accipi debet 28, 1.
Est filphii planta 590, 1.
- Caulia succus 967, 2. 969, 1.
- Causa cur quædam mature quædam fero ferenda 909, 2.
- Κέκιδά* quid in robore 145, 1.
- Cecrops quando vixit 434, 2.
- Κέρον* & *κέγγρον* 127, 1.
- Cedria plurima conservantur 971, 2.
- Cedria an pix an refina sit 971, 1, 2.
- Cedria mortuorum vita cur dicta 971, 2.
- Cedrus 8, 1. 17, 2. 124, 1. 138, 2. 190, 2. 197, 2. 964, 2.
- Cedrus in deliciis Circes 45, 1.
Minuscula ibid.
Major quæ floret fructum non fert 116, 2.
In Cilicia & Syria exuberat 121, 2.
Non est larix 198, 2.
Montes amat 123, 1.
Ubi nascitur 527, 1.
Est perpetuo folio 124, 2.
Non cæsa altissima fit 539, 1.
Taxo adulteratur 160, 2.
Quomodo hoc dignoscitur 176, 2.
Archentus non vocatur 195, 1.
Major & minor 197, 1.
- Cedrus phænicea 198, 1. 199, 1.
Non est oxycedrus ibid.
- Cedrus lycia est oxycedrus 199, 1.
- Cedrum majorem novit Theophr. 539, 1.
- Cedrus major ubi nascitur 199, 1.
An thya 524, 1.
- Cedrus in Syria quibus locis nascitur 368, 2.
Est præstantissima 538, 2.
Est perpetuæ naturæ, & cariem non sentit 521, 2. 544, 2.
Deciso cacumine interit 505, 2.
Navibus aptissima 533, 2.
- Cedri folia 48, 2. 49, 2. 52, 2. 53, 1.
- Fabula 197, 2.
Majoris descriptio 198, 1.
Minoris descriptio 198, 2.
Fructus erectus in ramis consistit 8, 1.
Fructus 197, 2. 200, 2.
Materies durabilis 539, 1. 544, 2. 541, 2.
Conus qualis 198, 2.
Oleum à tinea & carie præservat 198, 1.
Majoris genus 200, 1.
Historia 190, 2. 197, 2.
Lignum quomodo dignoscitur à taxi ligno 176, 2.
- Cedro inscripta Adag. 971, 2.
Κέγγρον 383, 1.
- Celastrum ad quæ utilis 534, 2.
- Celastrus 122, 2. 124, 2.
An cultum expetat 15, 1.
Ejus descriptio 537, 1.
Quando fructificat 130, 2.
Ejus materies qualis 530, 2.
- Celastrinus an aphaca 133, 2.
Ubi optime provenit 283, 2.
Est perpetuo folio 124, 2.
- Celii error 289, 1.
- Celtis 17, 2. 23, 41, 304, 2. 321, 2. 324, 1.
- Celtis medulla 23, 2.
Descriptio 321, 2. 324, 1.
Genera ibid.
Vinum non est durabile 321, 2. 325, 1.
Ligni usus ibid.
Radicis usus ibid.
Materies qualis 517, 2. 521, 2.
- Celtim Græci *λωτον* vocant 25, 1.
- Cemos Plinii est leontopodium Diosc. 846, 1.
- Centaureum 367, 2. 964, 2.
Ubi magis sæcundum 124, 2.
Minus ubique frequens 129, 2.
Minus culturam & hortos respuit 87, 2. 1047, 1.
- Centaurei minoris descriptio 1047, 1.
- Centaurei minus an purgandi vim habet 1047, 2. +
Magnum 965, 2.
- Majus in Lusitania frequens 129, 2. +
- Centaurei magni descriptio 1044, 2. 1045, 1.
Magni duo genera 1045, 1.
Magni radix quantum durat 1112, 2.
Magni radix pro rhapsontico venditur 1046, 1. +
Ejus varia nomina ibid.

I N D E X.

- Centaurium quomodo antiquitus colligendum 1041, 2.
 Unde dictum. Chironium cur dictum 1044, 1.
 + Vulnere potenter glutinat ibid.
 Ejus genera quot ibid.
 Vulgare an panacis genus 1071, 1.
 An lysimachium purpureum 699, 1.
 Centrum in lapide quid 515, 1. 516, 1. 2.
 In ligno quid 516, 1.
 Centrinæ 113, 2. 114, 1. 115, 1.
 Cerpæa an anagallis aquatica 751, 1.
 An becabunga ibid.
 Ejus descriptio ibid.
 κεφαλη quid in herbis 309, 2.
 κεφαλαῖ botanicorum quid 647, 2.
 κεφάλια botanicis quid ibid.
 κεφάλιον quomodo differt à καρδία 704, 2.
 Cephalocroustes animalculum 125, 1.
 Cera unde fit 149, 1.
 Ex quibus floribus apes conficiunt 19, 2.
 Cerasus 19, 1. 964, 2.
 Præcoces fert fructus, non tamen est bifera 68, 1.
 Infitione gaudet 209, 1.
 + Ad calculum est remedium 207, 1.
 Cerasus marina 18, 1.
 Cerasus an veteribus cognita 207, 2.
 Cerasi descriptio 205, 2. 208, 1.
 Etymon 207, 1. 209, 2. 208, 1.
 Flos 208, 2.
 Magnitudo 205, 2.
 Materies qualis 527, 2.
 Humor 965, 2.
 Cortex 205, 2.
 Cerasorum genera 209, 2. 1.
 Cerasa diospyra 209, 2.
 Duracina 207, 1.
 + Ceraso qualis detrahitur cortex 503, 2. 504, 2.
 Cerastra vermis 522, 2.
 Cerastes vermis 494, 2. 496, 2.
 Ceraсте 960, 2.
 Ceratinum 1002, 1.
 Ceratium est filiqua arboris 293, 1.
 Ceraunium tuberis genus 32, 1.
 Unde dictum ibid.
 Cerea pruna 318, 2.
 Cerealia quæ 906, 2.
 Cerevisiæ malignitas ex lolio 942, 2.
 Cerina pruna 318, 2.
 Cerinthe quid 716, 2.
 Unde nomen 717, 1.
 Ejus descriptio ibid.
 An leucographis Plinii 717, 2.
 Ceronia arbor diversa à ceratonia 18, 1.
 An fycomoros Ægypti 68, 1.
 Κέρκισ unde dicta 219, 2.
 Cercis 220, 1.
 An populus lybica 219, 2.
 Ceres tedifera 169, 2.
 Cerrus 152, 2. 161, 1. 171, 2.
 Cerri historia 153, 2.
 Cerri & quercus differentia 154, 1.
 Cerrus an cultis non nascitur 147, 2.
 Cerrus an siccis an in humidis magis corrumpatur 527, 2.
 Κέρρον quid 672, 1. 1184, 2.
 Betonica cur vocatur 671, 2. 672, 1.
 Ceterach unde dictum 1164, 2.
 Est asplenium ibid.
 Χαίτη quid 230, 2.
 Chali non est halimus 510, 2.
 Ejus vires ibid.
 Chalcheos 588, 2.
 Chalta an tussilago 877, 2.
 Χαίμαι quid in compositionibus 416, 1.
 Chamecerasus 242, 2.
 Chamecistus Alpini an helenium minus 683, 2.
 Chamedaphne 560, 2.
 Ejus descriptio 255, 2.
 Chamedrys an sic veterū 1060, 2.
 Chamedrys unde dicta 1060, 2.
 Chamedrys 89, 1.
 Ejus descriptio 1060, 2.
 An ἰερα βότανη 1060, 2.
 An teucrium ibid.
 Chamedrys laciniato folio an chamepithys altera 826, 2.
 Chamedryos facultates 1052, 2.
 Chameleuce an tussilago 822, 1.
 Est tussilago dicta 877, 1.
 Chamelæa 1184, 2.
 Chamelæa Germanica an cneorum album 560, 2. 561, 2. 1184, 2.
 Chamelææ descriptio 561, 2. 1185, 1.
 Chamelæa tricoccus, ejus descriptio 1185, 2.
 Chameleon 588, 2. 611, 1. 613, 2.
 Ejus descriptio 613, 2.
 Non est ixias 624, 1.
 Albus cur ixine vocatur 623, 1.
 An cneoron 1185, 1.
 Chameleon & ixine Theophrasti an eadem planta 662, 1. 663, 1.
 Albus an ixine 627, 1.
 An ixias Dioscoridis 662, 2.
 Albus Dioscoridis est ixine 663, 1.
 Albus Mathioli est carlina humilis 625, 1.
 Ejus descriptio ibid.
 Albus Maranthæ est ixine Fabii 625, 2.
 Albus & niger quomodo differunt 627, 1.
 Albus 626, 1.
 Albus & niger 1093, 2.
 Utriusque vires ibid.
 Utriusque descriptio 1095, 1.
 Radices & vires differunt 1193, 2.
 Chameleon an carlina 1094, 1.
 Unde dictus ibid.
 Est duplex ibid.
 Quando ixia dicitur 1094, 2.
 Est carlina ἀκαυλῶ 1095, 1.
 Ejus descriptio ibid.
 Theophrasti an carlina ἀκαυλῶ 1096, 1.
 Niger an ixias Dioscoridis 1096, 1. 2.
 Niger Theophrasti an carduus pineus 1096, 2.
 Niger Diosc. an carlina caulescens 1097, 1.
 Niger cortusii an niger Diosc. ibid.
 Theophrasti an notus ibid.
 Chameleontis radix quam diu durat 1112, 2.
 Chamemelon flos 65, 2.
 Chamemeli genera 833, 2. 686, 2. 687, 1.
 An floribus purpureis reperitur 833, 1.
 Descriptio 686, 2.
 Chamomela fœtida. odorata 687, 1.
 Chamepithys unde dicta 164, 1. 826, 1.
 Ajuga vel abiga cur dicta 826, 1.
 Iva arthetica cur dicta ibid.
 Ἴβνια cur dicta ibid.
 Πιτυύνη dicta ibid.
 Ebrietatem arcet ibid.
 Chamepitheos nomine plures gaudent plantæ 826, 2.
 Cha-

I N D E X.

- Chamepitheos genera ibid.
 Prioris descriptio ibid.
 Secundæ descriptio ibid.
 An chamedrys laciniato folio ibid.
 Tertia 828, 1.
 Spuria an botrys 827, 1.
 Chamerepis 93, 2. 108, 1. 109, 1.
 Historia & icon 108, 2.
 Est palma humilis ibid.
 Cæsa an repullulat 109, 1.
 Cor aut cerebrum habet in parte quæ radici proprior est ibid.
 Usus in Italia 109, 2.
 Ubi nascitur ibid.
 Chamefyce unde dicta 109, 1.
 An florem aut semen ferat ibid.
 Chare aut coræ radix an lampfana 1120, 2.
 Cur stapheline dicta ibid.
 Charta quando inventa 433, 2.
 καρτη unde dicta 435, 1.
 Χάρτη vel χάρτι coma, pro folio 1167, 1.
 Charta è palmarum foliis 434, 1.
 è lino 944, 1.
 Plumbea 435, 1.
 Chartæ materies 435, 2.
 Antiquorum preparatio 433, 2.
 Χερουπι quæ dicuntur 908, 1.
 Chelidonia unde dicta 893, 1.
 Ejus varia nomina 893, 2.
 Cæli donum chymicis dicta ibid.
 Pœonia cur dicta ibid.
 Quomodo ab astris dependet 893, 1.
 An oculos hirundinum restituit 893, 2.
 Chelidonia ventus 893, 1.
 + Chelidoniæ essentia quomodo fit à chymicis 894, 1.
 Ex descriptione Cratonis ibid.
 Chelidoniæ sal, aër, ignis, aqua ibid.
 Eorum vires mirabiles ibid.
 Chelidoniæ genera 894, 2.
 Majoris & minoris descriptio ibid.
 Chelidonia minor triticum sylvestre dictum ibid.
 Scrophularia cur dicta ibid.
 Majo mense integre perit 893, 2.
 Vulgaris an antiquorum 895, 1.
 An amellus Virgilii ibid.
 An malocociffus 895, 2.
- Cheledonium Græcorum est curcuma Arabum 468, 2.
 Cheledonium vena tinctoria dictum 452, 2.
 Chelidonium 965, 2.
 Cheledonium pratense an caltha 822, 1.
 Χηναία flos cypri 179, 1.
 Cherifolium unde dictum 807, 2.
 An myrrhis ibid.
 An oreoselinum 808, 2.
 Chermes 235, 1.
 Unde dictum 238, 1.
 Chermesinum omnibus coloribus attribuitur 868, 1.
 Chermesinum unde fit 238, 1.
 Chermesinus color 835, 2.
 Chia melus 293, 1.
 Chimia an Pythagoræ cognita 510, 2.
 Chirurgia à Chirone dicta 1074, 1.
 χλωρός color 896, 2. 897, 1. 982, 2.
 χλωρο quid 101, 2.
 χόρο quid botanicis 811, 2.
 Chondrilla unde dicta 811, 2. 857, 1.
 Quando floret 823, 1.
 An Deus leonis Monspeliensium 858, 2.
 Chondrilla 854, 2.
 Est duplex 857, 2.
 Ejus descriptio ibid. 858, 1.
 Non est cichorium verrucarium 858, 2.
 An rhacyntha Mathioli ibid.
 Rhawolphi an Diosc. ibid.
 Chondrillæ alterius descriptio ibid.
 An cichorium Theophr. ibid.
 Alia species 859, 1.
 An sesamoides parvum ibid.
 Christophoriana an elleborus niger 1066, 1.
 χρυσίλλης quid 83, 1.
 Quomodo generetur 84, 2.
 Ex eruca quomodo fit ibid.
 Chrysanthemum unde dictum 833, 2.
 Ejus descriptio ibid. 835, 1.
 An buphtalmus 834, 1.
 An alyfma 701, 1.
 An ranunculi species 834, 2.
 An calendula ibid.
 An batrachium ibid.
 Caltha dicta 822, 1.
 Chryfobalanus ex palmarum genere 107, 1.
 An fit nux myristica ibid.
- Χυδαίον palmæ genus 101, 2.
 Χυλός proprie succus 59, 1. 60, 1.
 Aliquando pro chymo sumitur 60, 1.
 Χυλός quid 704, 1. 965, 1.
 Χύλισμα quid quomodo instituendus 1039, 2.
 χυμηνή tingit pallido colore 721, 1.
 Non est cnici flos ibid.
 Est lutea cretica ibid.
 Ejus descriptio ibid.
 An strution 720, 2.
 χυμός quid 965, 1.
 Est proprie sapor 59, 1. 60, 2.
 Aliquando pro chylo sumitur 60, 1.
 χυμών quatuor genera 60, 1.
 χύρο quid 477, 1.
 Κισσάριον quid 439, 2. 440, 1.
 Cicer 962, 2.
 Quomodo provenit 910, 2.
 Quomodo optime provenit 941, 2.
 Quomodo ferendum 909, 1.
 Quot diebus perficitur 912, 2.
 Ut majus nascatur 83, 2.
 Quod firmitus 940, 2.
 Cur Neptunus invenisse dicitur 922, 1.
 Ερέβινθ quid cur dictum 922, 2.
 Venerem excitat ibid.
 Arietinum 938, 2. 922, 2.
 Ervinum 938, 2.
 Orobeum 922, 2. 938, 2.
 An ab Adversariorum auctoribus descriptum 922, 2.
 Sylvestre 922, 2. 938, 2.
 Sylvestre herbariorum 923, 1.
 Ejus descriptio ibid.
 Sylvestre verius Advers. ibid.
 An cicer sylvestre Dioscoridis ibid.
 Cicer satum facile ab aqua læditur 939, 2.
 Ciceri quid proprium 941, 2.
 Ciceris descriptio 922, 2.
 Ciceris differentia 937, 2. 938, 2.
 Cicer & lens in India non nascuntur 347, 2.
 Cicer Ciceroni nomen dedit 922, 2.
 Ciceronis codex corrigitur 386, 2.
 Locus explicatur ibid.
 Cicero defenditur 875, 1. 1107, 1. 1111, 1.
 Cicera 919, 1. 947, 2.
 Cicerbita est fonchus 857, 1.
 Cicer-

I N D E X.

- Cicercula latifolia est clymenum 919, 2.
 Cichoracea annuo folio constant 853, 2.
 Cichoraceæ herbæ quæ 811, 1.
 Cichoracea quæ botanicis 812, 1.
 Quomodo germinant 853, 2.
 Cichorei nomen apud Græcos est varium 811, 1.
 Est nomen Ægyptium ibid.
 Cichoreum est feris sativa 811, 1.
 Cichorea 842, 2.
 Cichoreum sylvestre est intybum 855, 1.
 Vulgatum an Theophrasti ibid.
 Ejus descriptio ibid.
 Cichoreum est duplex 855, 2.
 An picris dictum ibid.
 Cur pancratium dictum 876, 1.
 Cur mori contumax 856, 1.
 Theoph. an condrilla 858, 2.
 Luteum an aphace Theoph. 859, 2.
 † Cichorei flores horam diei demonstrent 855, 2.
 Flos miraculi quid ostendit ibid.
 Caulis 853, 2.
 Cichorei verrucarii descriptio 858, 2.
 Cier *ϖυμεν* 319, 1.
 Cici & cnici differentia 614, 1.
 Cincinni quid 144, 1.
 Ciconia quomodo ova à vespertilionibus servat 407, 2.
 Cicuta dicitur quælibet canna intus cava 1146, 1.
 † Cicuta quomodo calida vocatur 9, 1.
 † An frigida an calida 1146, 2.
 Cicuta 17, 2. 550, 2.
 An lathyris apud poetas 1080, 2.
 Cicutæ descriptio 1145, 2. 1146, 1.
 Cicutæ succus ex radice validior 1117, 2.
 Cicuta non est omnibus animalibus venenum 1146, 2.
 Cur sturnos non lædit ibid.
 Cur capras pinguescit ibid.
 † Cur in Batavia non tam venenosa 1147, 2.
 Ubi maxime efficax 1145, 2.
 Quomodo præparanda ibid.
Καυεσση cur dicta 1145, 1.
 Anæsiædes cur dicta 1145, 2.
 † Vinum est ejus antidotum 1146, 2.
 Vino soluta cur citius interficit 1147, 1.
 Cinnamonum 367, 2. 369, 1.
 Cinnamonum, casia, thus, myrrha ubi gignuntur 974, 2.
 Cinnamonum legendi fabula 984, 2.
 Unde dictum 984, 1. 992, 2.
 Est virgultum 988, 2. 989, 2.
 An diu bonitatem servat 989, 2.
 Album 990, 1.
 Mentitium 990, 2.
 An canella 991, 1.
 Est præstantius casia 991, 1.
 Officinarum est inferius casia ibid.
 Non est cortex 991, 2.
 Veterum sunt ramuli caryophyllorum 992, 2.
 Negliguntur hodei ibid.
 Non est tamalapatræ ramulus 992, 1.
 Cinamonum & casia ex India & in Syriam deportantur 1004, 2.
 Cinnamonum & casia sunt res diversæ, ex diversa arbore 992, 1.
 An ex ejusdem arboris diversa parte ibid.
 Est diversum à cassiæ virgultis 1180, 1.
 Cinamomum & casia an idem 991, 1. 2.
 Quomodo differunt 991, 2.
 Cinamomum & canella confunduntur à junioribus Græcis 991, 1.
 Cinnamomi, casia, & aromatum historia cur antiquis incerta 984, 2.
 Cinnamomi genera ex Theoph. 985, 2.
 Genera ex Dioscoride quomodo differunt 988, 1.
 Cinnamomi color est niger 988, 2.
 Sapor qualis 989, 1.
 Cinnamonum avis 984, 2.
 Cinaræ est scolymus Theophrasti 621, 1.
 Non est scolymus Dioscoridis 620, 2.
 Est spinosa aut spinis carens 621, 1.
 Quando spinis carebit 621, 2.
 Quando & quomodo plantanda 622, 1.
 Unde dicta ibid.
 Mastichem frundit 622, 2.
 An cactus 629, 1.
 Non est cactus Siciliæ 628, 2.
 Est carduus Romanorum ibid. 629, 1.
 Cinaræ pediculi sale conditi 621, 2.
 Radices conditæ ibid.
 Quales radices usui optimæ 622, 1.
Κίππος & *ἑρβεγί* sunt diversa 1007, 2.
 Circumactio abietis quid 141, 1. 142, 2.
 Crateres ex ea fiunt 141, 1.
 Cistus unde dicta 274, 2.
 Cistus 546, 2.
 Cisti flos 549, 2. 551, 2. 552, 1.
 Duo genera 549, 2. 551, 2.
 Genera recentiorum 551, 2.
 Maris quot genera ibid.
 Fœminæ quot genera ibid.
 Descriptio 552, 1.
 Cistus Theophrasti est suffrutex 551, 1.
 Theophrasti & Diosc. non est Galeni ibid.
 Cistus ladanifera & ejus descriptio 554, 1.
 Cistus ledum Cretense ibid.
 Nerbonense 555, 1.
 Hispanicum ibid.
 Quam late spirat odorem ibid.
 Ex hac purissimum ladanum 555, 2.
 Citinus quid, an hypocistus 552, 2.
 Citocacia quid 1080, 2.
 Citrigo an melissa 576, 2.
 Citrangulum quid 344, 2.
 Citrium 124, 1.
 Antiquis non edebatur 342, 2. 522, 1.
 à tincis præservat vestes ibid.
 Non turbat alvum 345, 1.
 Per poros educit venenum ibid.
 Ejus cortex anhelis medetur senibus ibid.
 Oris bonum halitum facit ibid.
 Est perpetuo folio 124, 2.
 An *ἑρβον* Homer i 523, 1.
 Citrium malum Cedromelum Dioscoridi dicitur 337, 1.
 Citri arbor quot modis feritur 73, 1.
 Plantatio 343, 2.
 Arboris descriptio 344, 1.
 Fructus descriptio ibid.
 differentiæ 344, 2.
 Si inoculetur sterilis est 343, 2.
 Fructum fert omni anni tempore ibid.
 Fructus quomodo diversas formas suscipit 344, 1.

I N D E X.

- Folinum 342, 1.
 Citri nomine duæ arbores apud Latinos gaudent 337, 1. 342, 1. 541, 1.
 Citrys non est sapor acerrimus 60, 2.
 Citria rubra ut fiant 345, 2.
 Citrus arbor an odorata 523, 1.
 An veteribus cognita 523, 2.
 Ubi nascitur 527, 1.
 Citrulli descriptio 783, 1.
 Κλάδ@ etymon 5, 1.
 Est vox antiqua ibid.
 An semper furculum denotat 6, 2.
 Est furculus minor 12, 1.
 Clathrus 536, 2.
 Clava quid 73, 1.
 Clavicula quid 144, 1.
 Claviculæ vitis 95, 1. 144, 1.
 Claudy Jolai error 442, 1.
 Clematis altera an pathos 719, 1.
 Ejus descriptio ibid.
 Κλητρεα 16, 2.
 Clibatis parietaria dicta 816, 2.
 Climenum unde dictum 891, 1.
 An calendula ibid.
 An betonica aquatica 759, 1.
 An scorpiurus 892, 2.
 Ejus descriptio 891, 1.
 Est cicercula latifolia 919, 2.
 Clymenum & periclymenum an idem 1163, 1.
 Clymeni fructus infæcundos facit 1154, 2.
 Clinopodium Dodonæi an helanium minus 683, 2.
 An marum veterum 690, 1.
 An ocimastrum Fuscii 758, 2.
 Κλινότροχ@ 183, 2.
 Cluacina venus quæ 378, 2.
 Clusius notatur 328, 2.
 Clypeus quid 350, 1.
 Differt a scuto ibid.
 Clytea herba an heliotropium minus 893, 1.
 Cnecus 588, 2.
 Cneci genera tria Theophrasti 612, 2. 613, 2.
 Sylvestris & domestici discrimen 612, 2.
 Descriptio ibid.
 Cneci genera quot Dioscoridi 613, 2.
 Descriptio ex Theophrasti 614, 1.
 Ex Plinio ibid.
 Ex Dioscoride 614, 2.
 Cnecus sylvestris an attractilis 614, 1. 618, 1.
 Cneci aut cnici & cici differentia ibid.
 Cneoron 558, 1.
 Differt à thymelea 546, 2.
 Ejus duo genera 558, 1.
 Non est casia aromatica 558, 2.
 Cneoron album an thymelea 561, 2.
 An lavendula 558, 2. 560, 2.
 An chamelæon 1185, 1.
 An chamolea Germanica ibid.
 Cneoron nigrum an rosmarinum ibid.
 An laureola ibid.
 Mathioli, & ejus descriptio 562, 1.
 Κνηκάνθιον 614, 2.
 Cneci flos 64, 2.
 Non est χυμείνη 721, 1.
 Cneci & cici differentia 614, 1.
 Cnicus sylvestris an acanthium Diosc. 616, 1. 2.
 Cneci seu carthami descriptio 615, 1.
 Cnicus sylvestris an primus Theophrasti 616, 1.
 An Carlina Dodonæi 615, 2.
 Cnidium unde dictum 1184, 1.
 Cnipes 113, 2.
 Κνίπαι quid 144, 1.
 Κέκκ@ quid 392, 1.
 Κοκκον@ quid 312, 2.
 Κοκκόμηλον unde dictum 316, 2.
 Cocco-melea non est prunus ibid.
 Coccum gnidium unde dictum 1184, 1.
 Ejus medulla maxime purgatrix 1186, 1.
 Coccum quod optimum 238, 2.
 Quomodo gignatur 237, 1. 2.
 Veteribus an cognitum ibid. 238, 2.
 Coccinus color & hyginus differunt 239, 2.
 Coccinus color 711, 2.
 Coccygiæ descriptio 234, 2.
 Cochliaria an britannica 676, 2.
 Ejus descriptio ibid.
 Κωδία est caput papaveris 439, 1. 1098, 1.
 Differt à capitulo 704, 2.
 Κωδίων quid 702, 1.
 Codius bulbus est criophorus Theoph. ibid.
 Codonium quid 341, 1.
 Differt à cydoneo ibid.
 Cœli donum chelidonia dicta chimicis 893, 2.
 Coelum & solum quanta possunt ad fructuum perfectio-

nem 913, 2. 932, 2. 936, 1. 960, 1.

Coelum & solum parit diversitates in plantis 16, 2. 528, 2. 22, 1. 907, 2.

Coelum & solum maxime conducunt plantis 371, 2. 895, 1.

Coeli conditio quædam recusat nasci in regionibus 322, 2.

Coeli mollities facit ad germinationem 137, 2.

Coeruleus color 868, 1.

Coely Aureliani codex corrigitur 391, 2. 877, 1.

Coitum inhibentia & juvantia 1154, 2.

Κοιξ 880, 1.

Coici folia 48, 2.

Κοιλός quid 100, 2.

Colchicum 48, 2.

Colchicum recentiorum an ephemerum venenum 1143, 2.

An veterum 1144, 1.

Colchici descriptio 1143, 2.

Radix an venenata 1144, 1.

An hermodactylus 1144, 2.

An dulcis 1144, 1.

Κόλλα 627, 1.

Color αζρός & χρυσοειδης differunt 652, 1.

Albus & niger quis Dioscoridis 1037, 1.

Albus & niger unde 378, 1.

Amaracinus 720, 1.

Asmius 1173, 2.

Coccinus 711, 2. 239, 2.

Coeruleus 868, 1.

Colossenus 1060, 1.

Chermesinus 835, 2. 868, 1.

Χλάρ@ 896, 2. 897, 1.

Consensile 238, 1.

Croceus 904, 2.

Κυάνη@ 966, 2.

Ferrugineus 712, 1.

Flammeus 696, 2.

Fulvus 698, 1. 213, 2. 241, 2.

Glasteus 724, 1.

Glaucus 642, 1. 892, 2. 894, 2. 966, 2.

Helvetus 658, 2.

Helvatus 569, 1.

Helucus ibid.

Hyginus 711, 2. 239, 2.

Isatidis varie sumitur 724, 1.

Ligni 742, 1. 752, 1. 841, 2.

Luteus 722, 2.

Lycophæus 966, 2.

Μήλιη@ 703, 2. 1020, 2.

Μηλίζον 904, 2.

I N D E X

- Nigelinus 213, 2.
 Ωχρ⊙ 877, 1. 867, 2.
 Pallidus 696, 2. 896, 2.
 Præfusus 546, 2. 787, 2.
 πρᾶσινος 787, 2.
 πρᾶσινον χρώμα 546, 2.
 Color purpureus 711, 2. 868, 1.
 867, 2. 966, 2.
 Ruffus 698, 1. 664, 2. 741, 2.
 Russeus, ruffus 1175, 2.
 Rutulus 213, 2.
 Vinofus 241, 2. 988, 2.
 Vitreus 724, 1.
 Xanthus 194, 1. 303, 1. 664, 1. 2.
 Zee groen 724, 1.
 Colore flammeo novæ nuptæ caput cur velcbatur 696, 2.
 Colocasia unde dicta 443, 1. 861, 1.
 Ejus descriptio ibid.
 Duabus plantis convenit 443, 1. 441, 2. 442, 1. 2.
 Cur radices ejus multiplican-
 tur 445, 1.
 Cur faba Ægyptia dicta ibid.
 Non est faba Ægyptia ibid. 2.
 Faba Ægyptia 438, 1. 439, 1.
 Non est aron aut culcas 442, 2.
 Quomodo differunt ibid.
 Ejus folia poculi vicem præ-
 bent 441, 2.
 Radix est faba Ægyptia dicta
 442, 2.
 Est aron cyrenense 860, 2.
 Est aron Ægyptium 442, 2.
 An caulem ferat ibid.
 Colocynthis & colocynthida
 differunt 783, 1.
 Colmina & colmiana oliva 315, 1.
 Columbas oliva 313, 2.
 Columbas oliva condita 632, 1.
 Colophonía 971, 1.
 Κολίφραγα 176, 2.
 Colossenus color 1060, 1.
 Columella defenditur 125, 2. 804.
 2. 805, 1.
 à contradictione defenditur
 936, 1. 957, 1.
 Columellæ codex corrigitur 125.
 1. 316, 1. 329, 2. 273, 1. 396, 1.
 408, 2. 410, 1. 507, 1. 601, 1.
 712, 2. 789, 1. 938, 2.
 Columella explicatur 176, 2.
 Columella & Dioscorides con-
 ciliantur 811, 1.
 Columella & Galenus concilian-
 tur 919, 1.
 Columella & Theophrastus con-
 ciliantur 111, 1. 733, 1.
 Columellæ commentator nota-
 tur 601, 1.
 Columna abiogna est inepta one-
 ri ferenda 530, 1.
 Ex robore præstantior 531, 1.
 Colus 617, 2.
 Colytea descriptio 214, 2. 248, 2.
 250, 1.
 Colytea vulgaris non est Theo-
 phraſti 250, 1.
 Ejus genera ibid.
 Non est fenna ibid.
 Non est anagyris 251, 1.
 Siliquosa ibid.
 Ejus genera & descriptio ibid.
 Colytron 382, 1.
 Coma herbarum quid 727, 2. 728.
 1. 998, 2.
 Pro foliis & fronde arborum
 728, 1. 998, 2.
 Comacum duplex 996, 1.
 Comacum quid 1009, 2.
 Comaci duo genera 1004, 2.
 Κόμαρ⊙ 242, 1.
 Dioscoridis & Theophrasti an
 una 243, 1.
 Comarus arbuti fructus 19, 1.
 Come 815, 1.
 Commoron 1136, 2.
 Compillare quid 454, 2.
 Comythes quid 468, 2.
 Concha mensura 1001, 1.
 Conchilium pro litterum varie-
 tate variat 237, 2.
 Condrilla an perdicium 38, 1.
 Congius mensura liquida 1001, 1.
 Conus quid 56, 2.
 Κων⊙ quid 168, 1. 973, 1.
 Conus abietis 135, 1.
 Cedri 198, 2.
 Coniferæ arbores cariem vel ve-
 rustatem non sentiunt 544, 2.
 Ex semine tantum propagan-
 tur 74, 2.
 Quomodo transplātandæ 88, 1.
 Transplantationem non ferunt
 75, 1.
 Confiligo an elleborus niger
 1066, 2.
 Consolida regalis an cyminum
 sylvestre 755, 1.
 Ejus descriptio 714, 1.
 An anthora ibid.
 An hyacinthus poëtarum ibid.
 Constantinus cæsar non est Geo-
 ponicon auctor 84, 1.
 Constantinopolitanus flos 716,
 1.
 Consuetudo quantū valet 1148,
 2.
 Contingens & possibile 70, 2.
 Differunt 71, 2.
 Contortum quid 1161, 1.
 Contrajervæ radix & descriptio
 1142, 1.
 Devorata à capris an bezoar
 concipiant capræ ibid.
 Convolvulus an smilax levis Dio-
 scorides 64, 1.
 Anjafione 63, 1.
 Majoris descriptio 64, 1.
 Flores quomodo perpetui
 ibid.
 Semen quomodo lupini simi-
 le ibid.
 Est malacocissus Damocratis
 64, 2.
 Convolvulus animal uvas præro-
 dens 501, 1.
 Convolutio in arboribus quid
 516, 1.
 Κόμης arbor cædua 13, 2.
 Conyza 842, 2.
 Conyza duo genera 550, 2. 578, 1.
 Ejus differentiæ ibid.
 Descriptio 579, 2. 581, 2.
 Folium 887, 2.
 Qualitas 580, 2.
 Conyza fugat bestias venenatas
 580, 2.
 Unde dicta 577, 2.
 Hippocratis 581, 1.
 Helenitis 582, 1.
 Cor plantarum 10, 2.
 Coralli etymon 419, 2.
 Generatio 420, 2.
 Præparatio 421, 2.
 Primum rudimentum ibid.
 Corallum optimum 420, 2.
 Nigrum 421, 1.
 Album 422, 1.
 Est efficax adversus incantatio-
 nes 421, 2.
 Coræ aur charæ radix an lampsa-
 na 1120, 2.
 An staphyline dicta ibid.
 Κόρημα quid 1176, 1.
 Corchorus an hieracium muro-
 rum 817, 1.
 An molochia Alpini ibid.
 An anagallis ibid.
 Ejus vires ibid.
 Unde dictus 817, 2.
 Est anagallis ibid.
 Corchorus inter olera Adag. 817,
 1.
 Cornu cervi repens an coronop-
 pus 831, 2.
 Cornus 41. 1. 122, 2. 138, 2.
 Montibus non est propria 123,
 1.
 Mas & fœmina 130, 2. 190, 2.
 Quando

I N D E X.

- Quando germinat 130, 2.
 Quando fructificat ibid.
 Unde dicta 193, 1.
 Descriptio 194, 2.
 Culta mitescit, sed degenerat 87, 2.
 Mas magis fructificat 521, 2.
 Fœmina an virga sanguinea 134, 1.
 Est validissima 533, 2. 535, 1.
 Corni medulla 23, 2. 25, 1. 531, 1.
 Flos 63, 1.
 Fructus sylvestres meliores, dulciores, mitiores, & majores sunt 120, 2. 121, 1. 2. 194, 1, 2.
 Fœmine descriptio 194, 2.
 Materies qualis 130, 2. 190, 2. 193, 1, 519, 2.
 Coriandri usus virentis nocet 747, 1.
 Succus est venenatus ibid.
 Herba est innoxia ibid.
 Folia pro ætatis ratione variant 747, 2.
 Genera ibid.
 An sylvestre datur ibid.
 Descriptio ibid.
 Semen firmiter ad perdurandum 795, 2. 796, 1.
 Coriannum proventu contumax 731, 2.
 Non nisi præmaceratum provenit ibid. 732, 2. 735, 1. 2.
 An inter olera recensendum 746, 2.
 An odoratum 747, 2.
 Coris descriptio 1050, 1.
 Unde dicta 1050, 2.
 Corion quid 1050, 2.
 Coris Mathioli 1051, 1.
 Coris an hypericum septentri-
 narium ibid.
 Ejus descriptio ibid.
 Corona ex fructu pruni 317, 2.
 Volubilis ibid.
 Tortilis ibid.
 Naucralites 377, 1.
 Hypothymides ibid.
 E papyro 431, 2.
 Antinoia 440, 2. 441, 1.
 Amarinthina D. Petri 746, 1.
 Coronariæ plantæ bifariam divi-
 duntur 645, 1.
 An omnes odoratæ, & quæ ibid.
 Corona Theophrast. an cassia fi-
 stula 294, 1.
 Coronopus repens an ambrosia 827, 2.
 Veterum quæ 830, 2.
 An Brunsweldi ibid.
 An gramen ischænon Lobelii
 ibid.
 An Dodonæi ex codice Cæsa-
 rio ibid.
 An trifolium creticum Alpini
 831, 1.
 An cornu cervi repens ibid.
 An herba stella ibid.
 An verrucaria seu heliotro-
 pium 832, 1.
 Unde dicta 830, 1.
 Ejus descriptio 830, 2.
 Coronopi nomina spuria 832, 1.
 Cornu cervi cur dicta ibid.
 Sanguinaria cur dicta ibid.
 Astrion cur dicta ibid.
 Herba stella cur dicta ibid.
 Anemones cur dicta ibid.
 Corpora quomodo diminuuntur
 8, 1.
 Quibus condiuntur 902, 1.
 Corruca 545, 2. 588, 2. 601, 1.
 An asperagus 601, 1.
 Corrudago quid 602, 2.
 Ejus tria genera 604, 1.
 Corsicum loti radix 438, 2. 450, 1.
 Ejus descriptio ibid.
 Corsion Strabonis an cubebe
 1010, 1.
 Cortex quid 8, 2.
 Ex quibus constat 9, 2.
 Arboribus vetustis, est crassior
 19, 1.
 Novelli roboris ad coria den-
 sanda 19, 1.
 Sambuci 206, 2.
 Arborum dupliciter conside-
 randus 433, 1.
 Præcipuus arboris κύριος di-
 ctus 504, 1.
 Rosæ quid Plinio 648, 2.
 Cortex & medulla an similis 7, 1.
 Corticis definitio 11, 2.
 Corticis casus in arboribus unde
 497, 1.
 Corticis & cutis differentiæ 10, 2.
 Corticem an omnes plantæ ha-
 bent 5, 2.
 Cortinæ sunt minuti angues in
 Alpibus Rheticis, sub lapidi-
 bus 347, 2.
 Cortusa indica 366, 2.
 Corylus 11, 2.
 Nimio cultu sterilescit 78, 2.
 Ejus species quatuor 224, 1.
 Corylus avellana arbor 226, 2.
 Ejus genera 228, 2.
 Corymbe aut coramble Colu-
 mellæ non est lychnis seu
 crambe 715, 2.
 Κάρυκος quid Theophrasto 216, 2.
 Κορυνή quid 140, 1. 602, 2.
 Cosciliium quid 238, 1.
 Costus quid 496, 1.
 Costus 369, 1.
 Unde dictus 1035, 2.
 Ubi nascitur 836, 2.
 Quis optimus 1035, 2.
 Dulcis & amarus 1036, 1.
 Amarus an veterum ibid.
 An helénii species ibid.
 Dulcis an veterum ibid.
 Falsus est radix thapsiæ mayo-
 ris ibid.
 An Winterani cortex 1062, 2.
 An iris indica redolens ibid.
 An Zedoaria 1037, 1.
 Costi quot differentiæ 1036, 1.
 Descriptio à Garcia an vera
 ibid.
 Non est veterum 1036, 2.
 Folia 1036, 1.
 Costo adolevit antiquitas 1035, 2.
 Costus herba 815, 1.
 Cotinus 123, 1. 224, 2.
 Ejus usus ibid.
 Cotoneum malum est malum au-
 reum seu hesperidum 338.
 2. 339, 2. 340, 1.
 Est veneri gratum 340, 1.
 Est amoris tessera 340, 2.
 Ante citri inventionem cog-
 nitum ibid.
 Sponsæ ante concubitum cur
 dabatur ibid.
 Odor ejus coctione perit 327, 1.
 Cotula alba an bupstalmus 687, 1.
 Ejus descriptio & genera ibid.
 Lutea ibid.
 Fœtida ibid.
 An parthemium ibid.
 Cotyledo unde dictum 898, 1.
 Ejus descriptio 898, 2.
 Cotyledon stellata an tertium
 semperviū minus Diosc. 897, 2.
 Couphoxolia 210, 2.
 Cracca an aphaca 951, 1.
 Cradæ 41, 42, 2. 73, 2.
 Κράδιον varia significat 42, 2.
 Κράδιον quid 496, 2.
 Κράδιον quid ibid.
 Cradon quid 494, 2.
 Κράδιον unde dicta brassica 774, 1.
 Est brassica sylvestris 775, 1.
 776, 1.
 Crambe bis cocta mors Adag.
 776, 1.
 Κράβη unde dicta 193, 1.
 Κράβη quid 25, 2. 29, 2.

I N D E X:

- C**ranium an radice caret 24, 2. 25.
27.
Cranolaptes animal 125, 1.
Crassificorticis materies quando
cædenda 511, 2.
Κράτα quid 109, 1.
Κρατίπαλλοι 387, 2.
Crategos & crategonon diffe-
runt 1161, 2.
Crategonon unde dictum ibid.
Crategoni genera & descriptio
1154, 2.
Crategonon ad conceptum facit
1162, 1.
An holostium Ruellii 1162, 2.
An gramen leucanthemum
ibid.
An hydropiper ibid.
An planta quæ Narbonæ, An-
gliæ Sabaudia vulgaris ibid.
Ejus descriptio ibid.
Cratægus quid 224, 2.
Radicum usus ibid.
Descriptio 223, 2.
Crategon non est aquifolium
223, 1. 326, 1.
Dioscoridis & Theophrasti est
diversum ibid.
Crateogonum an hyssopus vete-
terum 728, 2.
Unde dictum ibid.
Est feminis generalis quasi fer-
mentum ibid.
Crateuæ error 563, 2.
Crateres ex circumactione abie-
tis 141, 2.
Κρατήρ ἐλένης 1118, 1.
Cremium quid 12, 2.
Κρέμασρα quid 235, 2.
Creta cypressum familiariter fert
118, 2. 119, 2. 371, 1.
Κρίν quid denotat 655, 1.
Crinonia quid 46, 1.
Κρήνη unde dicta 932, 2.
Crocodili & croci antipathia
663, 2.
Croceus color 904, 2.
Crocii radix 24, 2. 33, 2.
Crocus 48, 2. 644, 2. 842, 2.
Gaudet calcari 644, 2. 663, 2.
Quis optimus 38, 1. 664, 1. 2.
665, 1. 2.
Ubi optimus nascitur 667, 1.
An inter plantas sponte na-
scentes referri debeat 38, 1.
Quis odoratior 665, 2.
Ubi odoratior 649, 1.
Acanthodes an carthamum
819, 1. 824, 1.
Ejus duæ species 819, 1.
Albus 824, 2.
Montanus ibid. 667, 2.
Sylvestris 667, 2.
Sylvestris an fativus quis me-
lior 666, 2.
Coricius duplex est 664, 1.
Crocus dialeucos 664, 2.
Ἀθραυσις ibid.
Ευθραυσις ibid.
Crocus venerem stimulat 661, 2.
Ad luxum facit 662, 2.
Caput lædit ibid.
Crapulam arcet 663, 1.
Ebrietatem excitat 663, 2.
Nimius ejus usus periculosus
663, 1.
Unde dictus 662, 1.
Cur spica califfa dicatur 662,
1. 2.
An semen ferat 682, 2.
Fructum non parit 866, 2.
Quomodo adulteratur 666, 2.
Crocii fabula 662, 1.
Descriptio 662, 2.
Natura 876, 2.
Folium 865, 2.
Montani & fativi differentia
730, 2.
Croco theatra fluebant 662, 2.
Crocium unguentum quod op-
timum 663, 1.
Κροκολευκίον 354, 2.
Crocus skens puzmen 318, 2.
Crotona 41.
Κροτύλον narcissus cur dictus
659, 1.
Crucifera ejus descriptio 286, 2.
Cruciata gentiana minor 1046, 1.
Unde dicta 1047, 1.
Ejus descriptio ibid.
Cruditus quid 115, 1.
Κρόμμιον unde dictum 784, 2.
Κρήδων quid 514, 2. 515, 1. 358, 1.
Cubebe an comacum 1009, 2.
An Myrtidanum Hipp. ibid.
An corsion Strabonis 1010, 1.
An piper rotundum Theoph.
ibid.
An amonum ibid. 1016, 2.
An cardamomum 1010, 1.
An rusci bacca ibid.
An viticis semen ibid.
An garyophyllon Plinii ibid.
An carpesium ibid.
Cubebe Arabum & carpesium an
idem 1010, 2.
Cubebe maturæ & immaturæ
1010, 1.
Ejus descriptio 1009, 1.
Cubitus major & minor 439, 1.
Minor quis 107, 1. 439, 1.
Cucumis quando provenit 731, 2.
734, 2.
Cucumeris flos 65, 2.
Cucumeris incrementum quid
prohibet ibid.
Cucumis magna an pepo 741,
2.
Cucumer agrestis 367, 2. 781, 1.
842, 2. 1117, 2.
Cucumer sylvestris & fativus
810, 2.
Cucumer oleum odit 782, 1.
Aquam amat ibid.
Quando multum crescit ibid.
Ut dulcis fiat 760, 2.
An differentiam novit 761, 2.
An venerem accendat 781, 2. +
Unde dictus ibid.
In quamcumque formam ut
fiat 760, 2.
Cucumeris genera 761, 2. 782, 1.
Quomodo præstantiora ibid.
Notæ ex Theophrasto 781, 2.
Semen infirmum ad perduran-
dum 795, 2. 796, 1.
Cucumis & cucurbita in quibus
differunt 783, 2.
Cucumeres vescens lanam texe
Adag. 781, 2.
Cucumeris sylvestris facultates +
1053, 2. 1060, 2.
Cucumeris asinini fructus colli- +
gendi noxa 1042, 1.
Cucuphorus arbor 288, 2.
Cucurbitæ flos 65, 2.
Cucurbita quando provenit 731,
2. 734, 2.
Ut dulcis fiat 760, 2.
An differentias novit 761, 2.
Ejus genera 763, 1.
Indica quæ 783, 2.
Unde dicta ibid.
Cucurbitæ genera an plura ibid.
Fructus variat ibid.
Notæ ex Theoph. ibid.
Sativæ duo genera ex Plinio
784, 1.
Magnitudo ibid. 2.
Semen infirmum ad perduran-
dum 795, 2. 796, 1.
Culcas & colocasia est aron cy-
renense 860, 2.
Culcas colocasia dicta ibid.
Est aron ægyptium 442, 2. 861, 2.
Quomodo differt ab ægyptia
faba ibid.
An faba ægyptia 443, 2.
Cum flore 443, 1.

I N D E X.

- Sine flore 443, 2.
 An florem ferat ibid. 444, 1.
 Cur loco patrio florem non fert 444, 2.
 Cur loco peregrino florem fert 445, 1.
 An aron dici posset 444, 2.
 Est radice longa & rotunda 441, 2.
 Quomodo differunt ibid.
 Culices exterminare 577, 1. 579, 2.
 Ficariz unde gignantur 113, 2. 114, 1.
 Centrinz 113, 2. 114, 1. 115, 1.
 + Remediū contra culices 113, 2.
 Culices plantarum 498, 2. 500, 2.
 In quibus arboribus, & unde fiant ibid.
 Plantas lædunt 501, 1.
 Culminea oliva 315, 1.
 Culta quæ dicuntur 16, 2.
 Cultura magnam facit in plantis diversitatem 10, 2. 11, 2.
 Cultura arboribus comunis & propria 92, 2.
 Cultura arbores aut urbanæ aut sylvestres fiunt 14, 2.
 Cultura facit ad agri fertilitatem 946, 2.
 + Cultus agri in Babylonia qualis & quantum valet 942, 2.
 Cunilæ semen firmiter perdurat 796, 1.
 Curcuma unde dicta 467, 2.
 An crocus indicus 468, 1.
 Pilos detrahit ibid.
 Arabum est Græcorum chelidonium 468, 2.
 Est cyperus indica 467, 2.
 Cutio quid 416, 1.
 Κύαμ quid 440, 2.
 Non est faba vulgaris 163, 1.
 Unde faba dicta 915, 1.
 An testiculum denotet 916, 1.
 Κυάμ nomine quid intellexit Pythagoras 915, 2.
 Cyanus vulgaris an papaver spumeum 1103, 1.
 Ejus descriptio 1103, 2.
 Cybala dea 164, 1.
 Cyclamen vernale & autumnale 701, 2.
 Cyclaminis facultates 1052, 2.
 Cyclamen inde dictum 1059, 1.
 Cur panis porcini dictū ibid.
 Inebriat 1060, 2.
 Ejus genera 1060, 1.
 Ejus descriptio 1060, 1. 1059, 2.
 Cydromelinum 340, 2.
 Cydonea strutia quæ 79, 1. 341, 2.
 Parva an magna meliora ibid.
 Cydonea commode in oxyacantha inseritur 263, 2.
 Cydoneum quid 341, 1.
 Est malum aureum seu hesperidum 338, 2. 339, 2. 340, 1.
 Differt a codoneo 341, 1.
 Cur nec Theophrastus nec Dioscorides descripserint ibid.
 Ejus descriptio 341, 2.
 Ejus genera ibid.
 Minora sunt meliora ibid.
 Cydoneorum inventor Bacchus 398, 1.
 Cydoneorum caro ex quibus fiebat 341, 1.
 Κύμα quid 135, 2. 100, 2. 602, 1. 774, 2. 1120, 1.
 Cynocrambe mercurialis sylvestris 1161, 2.
 Cyminum fecundum 741, 2. 752, 1.
 Cum maledictione seritur, ut copiosius proveniat ibid. 1041, 2.
 Unde dictum 752, 2.
 Est sativum & sylvestre ibid.
 Quod optimum ibid, 753, 1.
 Æthiopicum an amni 753, 1.
 Regium ibid.
 Halitum oris foetidum emendat ibid.
 Vulgare an sit veterum 753, 2.
 Galaticum acre ibid.
 Æthiopicum dulce ibid.
 Pallorem cutis inducit ibid.
 Quando & quomodo prodit 941, 1.
 Imber ei nocet ibid.
 Cymini descriptio 753, 2.
 Sylvestris duo genera ibid.
 Primi descriptio 754, 1.
 An amni ibid.
 Secundi descriptio 754, 2.
 Non est cyminum sylvestre ibid.
 Cyminum sylvestre adversariorum 755, 1.
 Cyminum Adversariorum ibid.
 Cyminum sylvestre an consolida regalis ibid.
 Κυμινόπερα qui 752, 2.
 Cynocephalinum an anthirrhinum 820, 2.
 Cynoglossum vulgare an lycopsis quarta 839, 2.
 Alterum Mathioli an lycopsis 838, 2.
 An plantago media Dodonzi 849, 1.
 An duo genera 1073, 1.
 Ejus descriptio 849, 2.
 An caulem vel florem ferat ibid.
 Tertio aut quarto anno a satione florē producit 1073, 1.
 Cynops an in sensu herbario 819, 1. 2.
 Est psyllium 820, 1.
 Cur cynocephalinum dictum ibid.
 Cynosbatus an sit eglenteria 272, 1.
 Cynosbati fructus quomodo antiquitus colligendus 1041, 2.
 Sine periculo effoditur 1042, 1.
 Cynospasti terrestris descriptio 1043, 1.
 Quomodo colligitur ibid.
 Colligendi modus fabulam sapit 1044, 1.
 An pœonia 1043, 2.
 Cyparissus 8, 1.
 Est perpetuo folio 124, 2.
 Κύπαρ quid 132, 1. 140, 1.
 Cyperus 17, 2. 19.
 Cyperi radix 33, 2. 34, 1. 35, 2.
 Κύπερ quid juncus 708, 2.
 Κύπερον 23, 2.
 Κύπερος & Κύπερος an idem 465, 1.
 Ejus varia significatio ibid.
 Κύπερο gladiolus 708, 2. 709, 1.
 Cyperus non est gladiolus 466, 1.
 Ciperi vires 461, 1.
 Descriptio ibid. 2. 467, 1.
 Quæ optima ibid. 2.
 Radix an dulcis 467, 1.
 Ubi optima ibid. 2.
 Ejus genera ibid.
 Quomodo dulcis aut amara radix 451, 2.
 Historia & cur mori pertinax 454, 2.
 Ubi nascitur ibid.
 Cyperus indicus est curcuma 467, 2.
 Rotundus ægyptius ibid.
 Vulgaris ibid.
 Longus 467, 1.
 Sceptri idem non habet 465, 2.
 Cypressus 17, 2. 19, 24, 41, 43, 44, 122, 129, 304, 26, 27.
 Stolonibus propagatur. 27.
 Quomodo provenit 74, 2.
 Quomodo transplantari debet ibid. 75, 1.
 In montibus sparsim nascitur 75, 2. 368, 2.
 Kkkkk 2 Recifa

I N D E X.

- Recifa crassior recrefcit 75, 2.
 Est perpetuo folio 124, 2.
 Deciso cacumine interit 505, 2.
 Cæsa an renascitur 370, 1.
 Cæsa repullulat 372, 1.
 Ubi nascitur 370, 2.
 In Creta familiariter nascitur
 118, 2. 119, 2. 120, 2.
 An locis calidis nascitur 368, 2.
 Cur læta dicitur 369, 2.
 An læta dici possit 370, 1.
 Diti vel Plutoni sacra ibid.
 Mas & femina 371, 2.
 Quibus locis proveniat 283, 2.
 Cypressus femina an sterelis 372,
 2.
 Quomodo ab ordinibus pino-
 rum distinguitur ibid.
 Conifera quid 373, 1.
 Ter anno fructum fert ibid.
 Resinam fundit ibid.
 An Dioscoridis sabina 375, 1.
 Cypressi radix 24, 2.
 Duplex nomen 369, 2.
 Unde dictum ibid.
 Satio ex Catone 371, 2.
 Ex Theophrasto 372, 1.
 Terra naturalis 371, 1.
 Fructus galbula dictus 372, 2.
 Fructus an inutilis 372, 1.
 Descriptio 373, 1.
 Lignum cariem non sentit
 ibid.
 Est durable 526, 1.
 Semē formicis gratum 373, 1.
 Materies quamdiu durare po-
 test 521, 2.
 Ex ea opera lautiora fiunt
 ibid.
 Est reliquis lignis diuturnior
 & cur 525, 2. 527, 1.
 Cyprus an ligusticum 63, 1. 178,
 1.
 Cyprus & philurea quomodo
 differunt 177, 2.
 Cyprus latifolia angustifolia 178,
 2.
 Ejus historia & descriptio ibid.
 Ex cypri foliis pulvis fit pro
 ornamento manus 63, 2.
 Cyrena flores omnes odoratio-
 res producit 643, 2.
 Cyrenæ urbs quando condita
 120, 2. 596, 2.
 à quo condita 597, 1.
 Κύριον quid 66, 2. 391, 2. 1. 393, 2.
 1024, 2. 1080, 2.
 Quid Theophrasto 67, 1.
 Cytisus adnascens arborem necat
 506, 2.
 Unde dicta 507, 1.
 Lactis plurimum mammillis
 præbet ibid.
 An omnis medullam nigram
 habet 519, 1.
 Remedium adversus artritum
 508, 2.
 Cytisi varia nomina 507, 1.
 Descriptio Maranthæ 507, 2.
 Pœnæ 508, 1.
 Bellonii 508, 2.
 Marcelli Emp. ibid.
 Cor nigrum ebum imitatur
 508, 1.
 Medulla 23, 2. 531, 1.
 Medulla est materia spissa 517,
 2.
 Cyzicus insula 904, 1.

D.

Daci & Dalmatæ telis vene-
 natis cervos inficiunt,
 caro esui est apta 1118,
 1.
 Δάκρυον quid 965, 1.
 Dactylus vox antiquis incognita
 96, 1.
 An myrobalanus 97, 2.
 Dactylus cyprius an muza 353, 1.
 Dalecampius est autor magnæ
 historię plantarum 529, 2.
 Defenditur 127, 1.
 Notatur 27, 1. 382, 2. 606, 1. 2.
 702, 1. 711, 1.
 Damascena pruna 318, 2.
 An sunt tamarindus ibid.
 An alvum compefcant 318, 1.
 Damocrates & Dioscorides con-
 ciliantur 869, 1.
 Daphne laurus 188, 1.
 Unde dicta 185, 2. 187, 2. 560, 2.
 Ladonis 185, 1.
 Daphne historia 185, 1. 2.
 Daphnides fructus lauri 188, 1.
 Daphnoides vires 560, 2. 561, 1.
 Unde dicta 560, 2.
 Δας quid 169, 2.
 Datura est species solani maniaci
 1079, 1. 2.
 Differt à stramonio 1079, 1.
 Ejus descriptio ibid.
 Ejus genera duo 1079, 2.
 Ejus feminis vis ibid.
 Ejus radicis vis ibid.
 Datura Ægyptia 179, 2.
 Daucus sylvestris ejus descriptio
 1122, 2.
 An pastinaca erratica ibid.
 Philtrum cur dictum ibid.
 Daucus an pastinaca 1122, 1.
 Unde dictus 1119, 2.
 Est species pastinacæ ibid.
 Dauci cretici descriptio 1121, 1. 2.
 1122, 1.
 Ubi nascitur ibid.
 Dauci secundi descriptio ibid.
 Daucus tertius an sefeli pratense
 1122, 2.
 Dauci genera quot Theophrasto
 1121, 1.
 Quot Dioscoridi ibid. 2.
 Quot Plinio ibid.
 Decacumatio quid 505, 1.
 Decumana pruna 319, 1.
 Defectus & diminutio differunt
 3, 2.
 Defunctorum sepulchra olim
 floribus & coronis sperge-
 bant 717, 2.
 Delphinii descriptio 714, 1.
 An vaccinium dictum ibid.
 An hyacinthus alter poetarum
 ibid.
 Demonstres plus olei quam vini
 consumpsit 311, 2.
 Δείνη efficax 919, 1.
 Δειροδελικον non est thuris arbor
 559, 2.
 Unde dictum ibid.
 Dens caninus est lilium purpu-
 reum Theoph. 697, 1.
 Ejus descriptio 697, 2.
 An satyrium erythronium ve-
 terum ibid. 1171, 1.
 An ephemerum Dioscoridis
 ibid.
 Potenter venerem excitat
 1171, 1.
 Dens leonis & taraxicum est ca-
 pit monachi 811, 1.
 Dens leonis Monspeliensium an
 chondrilla 858, 2.
 Densitas an causa gravitatis 18, 2.
 Dentium dolori remedium 417,
 2. 824, 2.
 Denti-scalpium ex lentisco 23, 2.
 Deos vilibus cibus vesci credidit
 antiquitas 773, 2.
 Δερμα quid 9, 1. 10, 2.
 Vox late sumitur 10, 1. 57, 1.
 Deserta terra quæ 596, 2.
 Deserta loca non sunt inculta
 599, 1.
 Δής vermis ligni 528, 1.
 Δελφικον confectio 768, 1.
 Diacodium Heræ 1102, 2. 1103, 1.
 Diagridium 1053, 1.
 Diana Dictinna 376, 1.
 Dianæ Ephesæ simulachrum ex
 qua materia 526, 1. 2.

Ejus

I N D E X.

- Ejus templum quando & à quo combustum 525, 2. 527, 1.
- Templū à quo restitutum 526, 1. à quo exstructum ibid. 527, 1.
- Δία πεισμα quid 1029, 1.
- Δία φερες quid 24, 2.
- Δία φερον quid Teoph. & Diosc. 108, 1.
- Δία φερον quid Theoph. 532, 1.
- Δία φυσια quid 359, 1.
- Quid botanicis 439, 1.
- Δία πορφορον quid 1026, 1.
- Δία ζυλα 1026, 2.
- Dictamnus verus & falsus an idem 1135, 1. 1130, 2.
- An florem ferat 1132, 1.
- Unde dictus ibid.
- Partus faciliat ibid.
- An in sola Creta nascitur ibid.
- An flore & semine caret 1132, 2.
- An ubique florē proferat ibid.
- Albus officinarum est fraxinella 1133, 2.
- Verus Cretæ proprius 1130, 2. 1131, 2.
- Tertius 1130, 2.
- Dictamni flos & semen an in usu 1133, 1.
- Herba telas capris injectas ejicit ibid.
- Facultates 1130, 2.
- Falsi descriptio ibid.
- Veri descriptio 1130, 2. 1132, 2.
- Tertii descriptio 1131, 2.
- Differentia pro forma 84, 1.
- Dilutum quid 59, 1.
- Diminutio & defectus differunt 3, 2.
- Dioclis locus corrigitur 168, 1.
- Diodori Siculi interpres notatur 218, 1.
- Codex corrigitur 525, 1.
- Diodorus cum Theophrasto conciliatur 349, 2.
- Dionisii Halacarnassæi error 504, 2.
- Dionisius tyrannus non fuit ludi Magister 406, 1.
- Δία βάλαν 172, 2. an juglans
- An avellana ibid.
- An castanea ibid.
- Est castanea 227, 1.
- Dioscorides & Aristoteles conciliantur 813, 1.
- Et Geoponicon autor conciliantur ibid.
- Et Hippocrates conciliantur ibid.
- Et Galenus conciliantur 66, 2. 391, 2. 869, 1. 971, 1. 983, 1. 1032, 1.
- Et Plinius conciliantur 813, 1. 862, 2.
- Dioscorides & Theophrastus conciliantur 79, 1. 243, 1. 298, 2. 302, 2. 305, 2. 412, 1. 467, 1. 623, 1. 638, 2. 709, 1. 747, 1. 808, 2. 863, 1. 741, 1. 999, 1. 1075, 1. 1083, 1. 1101, 1. 1102, 2. 1135, 2. 1165, 2. 1166, 1. 1168, 2. 1156, 2.
- Dioscorides & Egineta conciliantur 418, 2.
- Et Serapio conciliantur 509, 1.
- Et Columella conciliantur 811, 1.
- Et Alpinus conciliantur 555, 2.
- Et Bellonius conciliantur ibid.
- Et Strabo conciliantur 102, 2.
- Et Damocrates conciliantur 869, 1.
- Et Simon zethi conciliantur 1002, 2.
- Sibi conciliatur 990, 2. 988, 1.
- Dioscorides defenditur 168, 2. 192, 1. 408, 1. 448, 1. 554, 1. 555, 2. 801, 1. 805, 1. 823, 2. 861, 1. 902, 1. 967, 1. 999, 2. 1033, 2. 1047, 2. 1080, 1. 1124, 2. 1137, 1. 1184, 1.
- Dioscorides interpretatur 96, 2. 467, 2. 568, 2. 704, 1. 1029, 1. 1031, 1. 1033, 1. 1091, 1.
- Dioscorides multoties in describendis plantis plures notas omisit 375, 1.
- Dioscorides quando vixit 592, 2.
- Non novit Theophrasti libros 801, 1.
- Dioscoridis codex corrigitur 20, 2. 22, 2. 27, 2. 29, 1. 32, 2. 46, 1. 47, 1. 97, 1. 104, 2. 125, 1. 166, 1. 175, 2. 177, 1. 195, 1. 2. 197, 2. 201, 2. 238, 2. 239, 1. 242, 1. 243, 2. 244, 2. 251, 2. 254, 2. 255, 2. 257, 1. 260, 2. 261, 2. 264, 2. 290, 2. 292, 1. 305, 2. 353, 2. 360, 1. 412, 1. 418, 2. 420, 2. 456, 1. 460, 2. 466, 1. 474, 1. 487, 1. 509, 1. 551, 2. 563, 2. 564, 1. 2. 568, 1. 571, 1. 583, 2. 584, 1. 585, 1. 603, 1. 616, 2. 623, 1. 635, 1. 639, 1. 686, 2. 714, 1. 773, 2. 788, 1. 789, 2. 802, 1. 805, 2. 815, 1. 828, 1. 830, 1. 837, 1. 838, 2. 849, 1. 855, 2. 872, 1. 876, 2.
- 887, 1. 926, 1. 2. 948, 2. 980, 2. 981, 1. 982, 1. 983, 1. 985, 2. 987, 1. 989, 1. 998, 1. 1019, 1022, 1026, 1048, 1059, 1062, 1063, 1078, 1085, 1102, 1119, 1138, 1150, 1165, 1174, 1160, 1185, 1.
- Diosporos 205, 2. 207, 2.
- Non est milium solis 208, 2.
- Est cerasi species 207, 2.
- Diospora cerasa 209, 1.
- Dipsacus 417, 1.
- Culta sit rigidior ibid. 2.
- Ejus genera ibid.
- Dipsas spina fit-tiens 417, 1. 2.
- Dissilit & reselit differunt 161, 2.
- Distantia & discreta differunt 57, 1.
- Diversitas florum non facit diversitatem plantarum 818, 1.
- Dodonæus notatur 691, 2. 718, 1. 1050, 1.
- Dodrans quid 89, 1.
- Dolochus an sinilax hartenensis 926, 1.
- Unde dictus 925, 1.
- Dolochi descriptio 926, 1.
- Donax quid 478, 1.
- Δοξα 970, 1.
- Doria herba unde dicta 1073, 1.
- An panax chironium ibid.
- Ejus descriptio ibid.
- Doronicum vulgare an aconitum 1157, 1. 2.
- Non est Arabum doronicum 1157, 1.
- Doronici vulgaris descriptio ibid.
- Radices virides venenum sunt ibid.
- Radices siccatae innocuae ibid.
- Radix canes necat 1157, 2.
- Draba an nasturtium babylonicum 766, 1.
- Est braba ibid.
- An dryophonon ibid.
- Ejus descriptio ibid.
- Draba Dodonæi ibid.
- Drachma 21, 2.
- Dracunculus 854, 2. 1178, 2.
- Major serpentaria dicta 863, 2.
- Ejus descriptio ibid.
- Dracunculi radix an esculenta 862, 2.
- Ejus vires 863, 1.
- Genera ibid.
- Dracuntium minus 863, 2.
- Dracuntium non est aron 443, 1.
- Dracunculi 616, 1.
- Dragma quid 1005, 1.

I N D E X.

Δρυὶς nomen late fumitur 239. 1.
 Δρυὶς vox quid significat 151. 1.
 Δρυὶς quercus 19. 1.
 Δρυὶς agria robur ibid.
 Dryopetes olivæ 312.2. 313.1.
 Drypepes olivæ 313.1.
 Drypepes olivæ ibid.
 Dryophonon an draba 766.1.
 Druppa oliva matura 312. 1.
 Drupidis folia 49.2.
 Dulcedo temperi ei propria
 1157. 1.
 Dulcia & amara facultatibus dif-
 ferunt 317.1.
 Duplex quid 63.1.
 Duracina perfica unde dicta 127.
 2. 128. 2.
 Durities summa & raritas con-
 jungi non possunt 531.1.
 Durum & rarum an sint contra-
 ria 917.2.
 Δύσθαιεν verbum Hippocrati fa-
 miliare 3. 1.

E.

Ebenus 17.2. 18.2. 23.2. 1178.2.
 Ebeni medulla 23.2. 25.1.
 Est materies gravissima & spif-
 sissima 517.2. 519.1.
 Materia tota non est nigra
 517.2. 518. 1.
 Ebenus decorticata cur fundum
 petat 519. 1.
 Est perpetuæ naturæ & cariem
 non sentit 521. 1.
 Vide hebenus.
 Ebrietatem facit cyclamen 1052.
 2.
 Ebrietatem an hederâ tollat 276.
 1.
 An brassica arcet 510.2. 506. 2.
 Myrtus arcet 377. 1.
 Chamepithys arcet 826. 1.
 Viola discutit 652. 2.
 Laurus arcet 186. 2.
 Brassica arcet 277. 4.
 An melilotus arcet 904. 1.
 Ebriorum vinosum odorem ob-
 tundunt lauri folia 186.2.
 Ebulus an actæa Plinii 212.1.
 Ἐκατομβαιάν quis mensis 137.2.
 Ἐκατολάν quid 602. 1.
 Ἐξίνος 819. 2.
 Echinopoda 605. 2.
 An genista 606. 1.
 An aspalathum ibid.
 Echium alterum Dodonæi an ly-
 coris 838.2.
 Ede nasturtium Adag. 764. 1.2.

Elaphoboscum sylvestre an bran-
 ca leonina 1123. 1.
 Elaphobosci genera duo ibid.
 Elaphoboscum est pastinaca lati-
 folia ibid.
 Ejus descriptio ibid.
 Ἐλατη unde dictum 170. 1.
 Vox plura significat 114. 1.
 Dioscoridis ibid.
 Galeni ibid.
 Theophrasti ibid.
 Elatine veronica scemina 674.2.
 Ejus descriptio ibid. 675. 2.
 Unde dicta 675. 1.
 An nummularia ibid.
 An pimpinella ibid.
 Elaterium quamdiu durat 1112,
 2. 1111.2.
 Vetustum cur optimum ibid.
 1115. 2.
 Quod optimum 1115. 2.
 An candidum, an prassinum
 optimum 1116. 1.
 Unde fit 1128. 1.
 Elaterii vox latè aut strictè acci-
 pienda ibid.
 Vis purgatrix per superiora
 1112. 2.
 Electrum an ocymum ad se trahit
 756.2.
 Elemi gummi cujus arboris la-
 chryma 418. 2.
 Resinæ descriptio 419. 1.
 Differentia ibid.
 Elephanti mori succo rubro ex-
 asperantur 401. 1.
 Eleoselinum est apium officina-
 rum 804. 2.
 Eleochryson unde dictum 1177.1.
 Amaranthum cur dictum 1177,
 2.
 Est coronaria planta ibid.
 An chrysome ibid.
 An stœchas citrina ibid.
 Ejus descriptio 1178.1.
 Flos an dulcis ibid.
 Eihanne Alpini 178. 2.
 Eliophobiscum est pastinaca ma-
 jor 1025. 1.
 Elium 545. 2.
 Ἐλιξ quid 144. 1.
 Elleborus assuetis etiam vigesies
 assumptus vomitum non
 ciet 1147.2.
 Elleborus 367.2. 550.2.
 Unde dictus 1064.1.
 Albus & niger 1063.2. 1117.
 2.
 Ubi optimus nascitur ibid.
 1068. 1.

Inter viteis natus vinum diu-
 reticum facit ibid.
 Niger an pecudes necat 1063,
 2. 1066. 1.
 Niger an fanicula scemina
 Fuscii 1065.2. 1066. 1.
 An Cristophoriana 1066. 1.
 Niger Dioscoridis an reperia-
 tur ibid.
 Quomodo sanat pecudes
 1066. 2.
 Sine noxa apud nos effoditur
 1042. 1.
 Pseudoniger an consiligo 1066
 2.
 Ellebori noxæ & remedia in col-
 ligendo 1041.2.
 Facultates 1052. 2.
 Radix quamdiu durat 1112. 1.
 Albi descriptio 1064.1.
 Nigri descriptio 1065. 1.
 Radices capillacæ usum præ-
 cipuum obtinent 1066. 1.
 Radices quando tempeste
 colligantur 1066.2.
 Radices maxime durabiles
 1115. 1.
 Ellebori albi vis pro scorpionibus
 1153.2. 1156. 2.
 Ellebori albi succo venatores hi-
 spani sagittas inficiunt, &
 cervos interficiunt, caro esui
 apta 1118. 2.
 Ejus succi præparatio ibid.
 Idem succus sanguinem omnis
 animalis inficit & necat ibid.
 Elleborinæ semen 1068. 1.
 Descriptio 1066.2.
 Ellebrine unde dicta ibid.
 Mathioli an veterum ibid.
 Est epipactis ibid.
 Ubi nascitur 1068. 1.
 An sesamoides 1068.2.
 Ἡλῶ morbus olæ 28. 1.
 Elychnium terfense quid 425. 2.
 Elechrysis ad æstimationem facit
 1173. 2.
 Ἐμβεμμα quid 378. 2.
 Elechrysi descriptio 1173. 2.
 Ἐμβολῶ quid 83. 1.
 Ἡμερα quid 121. 1.
 Ἡμερα an rectius culta an κηπαία
 dicuntur 16. 1.
 Ἡμερον tam de domestica quam
 hortensi dicitur planta 14. 2.
 Emigrage quid 122.2.
 Empetron & epipetron an idem
 842. 1.
 Empethalon 560.2.
 Unde dictum ibid.

- ἐνκαρδιον* an palma cerebrum vocat Dioscorides 108, 2.
ἐνκαρδιον & *ἐνκαρδιον* quomodo differunt 108, 2. 109, 1.
 Endivia est feris fativa 856, 1.
 Ejus preparatio & descriptio ibid.
ἐνπείρωνη quid 1012, 2.
 Enula 368, 2. vide helenium.
 Eobani Hessi carmen corrigitur 702, 2.
ἐφῆβαιον quid 492, 1.
 Ephedra descriptio 458, 2.
 Ephemerum insectum 1142, 2.
 Ephemerum herba est aut letale aut non letale 1142, 2.
 Ephemerum unde dictum 1142, 1.
 Ephemeri non lethalis descriptio 1144, 2.
 Ephemeri descriptio 698, 1.
 Est duplex ibid.
 Ephemerum Diosc. an Dens caninus 697, 2.
 Ephemerum colchicum 1142, 2.
 Ephemerum an bulbus colchicus 1132, 2.
 Ephemerum venenum unde dictum 1131, 2.
 Ejus descriptio ibid.
 An sit compositum 1142, 2.
 An iris agria 1143, 1.
 An naphtha 1143, 1.
 An colchicum recentiorum 1143, 2.
ἐπίγλωσσον 255, 1.
ἐπίμηλης latinis unedo 19, 1.
 Epimelus unde dictum 201, 1.
 An sit arbutus 242, 1.
 Epimedium an epipetron 823, 2.
 An lunaria botrytis 824, 1.
 An florem ferat ibid.
 Ejus descriptio ibid.
 Epimedium Indicum 364, 1.
 Epimenidea 854, 2.
 Empipetron & empetron an idem 824, 1.
 An epimedium 823, 2.
 An lunaria botrytis 824, 1.
 An sempervivum minus 823, 2.
ἐπισκόρλα quid 734, 1.
 Epithymum quid 568, 1. 569, 1.
 Quid Dioscoridis 567, 2. 568, 1.
 Quibus innascitur 568, 1. 569, 1.
 Epithymi quot genera 568, 1. 569, 1.
 Equapinm è lachryma exit 74, 2.
 Equiseti descriptio 458, 1. 459, 1.
 Vires ibid.
 Radix profunda valde ibid.
- Nodos habet dactylis similes ibid.
 Equisetum palustre 459, 1.
 Equisetum scabritiem ligneorum operum tollit ibid.
 Membranas codicum à fordibus purgat ibid.
 Sanguinis profluvia sistit ibid.
 Equus cantarinus 801, 2.
 Erasmus notatur 488, 2. 847, 1.
ἔρβη quid 64, 2.
ἔρβαςος quid 594, 2.
 Erica 960, 2.
 Erica folia 48, 2.
 Erigeron cur dicta senecio 824, 2.
ἔριμος quid 133, 1. 143, 1. 144, 1. 166, 2.
ἔρινον in sicu pro flore est 131, 1. 383, 1. 2.
ἔρινε quid 144, 1. 145, 1. 382, 1. 383, 2.
 Eriophorus Theophrasti an codius bulbus 702, 1.
 Erotiani codex corrigitur 392, 1. 790, 1. 1090, 2.
 Error quorundam botanicorum 26, 1. 29, 1. 31, 1.
 Eruca 961, 1.
 Eruca Priapo dicata 748, 2.
 Venerem excitat ibid.
 Unde dicta ibid.
ἔρυσμη cur dicta ibid.
 Latifolia 749, 1.
 Quando provenit 731, 2. 734, 2.
 Erucae radix 24, 2.
 Descriptio 749, 1.
 Semen firmius ad perdurandum 795, 2. 796, 1.
 Erucae unde fiant 84, 1.
 Erodunt vites 498, 2.
 Remedium adversus illas ibid.
 Quomodo arcendae à plantis 501, 1.
 Erodunt arbores 494, 2. 498, 2.
 Erucae arborum 499, 2.
 Ervilia an isoporus 718, 2.
 Est pisum minus 918, 1.
 Ervam quomodo serendum ut gratum fiat 82, 2. 83, 2. 909, 1.
 Ervum 962, 2.
 Cur lustrale vocant 923, 2.
 Ervi notae 923, 2.
 Eryngium 545, 2. 547, 2.
 Unde dictum 610, 2. 611, 1.
 Manducatum ab una pecudum. an totam gregem sistat 611, 2.
 Eryngii genera & descriptiones ibid.
 Erysimum 941, 1.
- Erysimi nomine duae plantae dent 921, 1.
 Erysimum Theophrasti ibid.
 Dioscoridis ibid.
 Erysimum frutex unde dictum ibid.
 An irio dictum ibid.
 Erysimum olus unde dictum ibid.
 Viride an à quopiam vescatur animali ibid.
 Siccum cibo est idoneum ibid.
 An fagopyrum ibid.
 Erysimum Theophrasti an myagron Diosc. 912, 2.
 Erythraeum mare unde dictum 481, 1.
ἐρυθραῖον quid antiquis 481, 1. 1007, 1.
ἐρυθραῖον καλαμ 481, 1. 1007, 1.
ἐρυθραῖος & *κίρρος* differunt 1007, 2.
ἐρυθρὸν δανον 1113, 2.
 Erytronium Dens caninus herbariorum 697, 2.
 Esculus humoris impatiens 527, 2.
 Esculi materies ibid.
 Essentia & forma plantarum ab animalium similitudine petenda 1. 2. 4. 1.
 Esula unde dicta 1087, 1.
 An pitiusa Diosc. 1088, 1.
 Minor & ejus descriptio 1087, 2.
 Cur *ὀζύπρον* dicta ibid.
 Major & ejus descriptio ibid.
 Eresii venti qui, & quando flant 296, 1.
ἔρην edulii genus, ex leguminibus 447, 2.
ἐυβοικόν καρπον 173, 1.
 An castanea ibid. 2.
ἔυκρατ 16, 1.
ἔυχυλία botanicis quid 60, 1.
ἔυχυμ quid 361, 1.
ἔυχενῶν, *ἔυθενῶν*, *ἔυθενῶν* sunt verba comunia Aristoteli & Theophrasto 3, 1.
 Euonymi historia 268, 2.
 Descriptio ibid.
 Genera ibid.
 Fructus pecus necat 262, 2.
 Eupatorium an lysimachium purpureum 699, 1.
 Cannabinum non est veterum 886, 1.
 An semen ferat ibid.
 Ejus descriptio ibid.
 Ejus semen 887, 1.
 Adulterinum non est veterum 886, 1.
 Quomodo differt ibid.

I N D E X.

- Aquaticum an veterum 887, 1.
 Avicennæ est Agrimonia 887.2.
 Cannabinum non est Avicennæ ibid.
 An aroma sapiat aut slipticum sit ibid.
 Eupatorium Mesues est diversum ab Eupatorio Græcorum & Avicennæ ibid.
 Ejus descriptio ibid.
 Eupatorij veterum semen 887, 1.
 Euphorbium 965. 1.
 Unde dictum 1056, 1.
 à quo inventum 1058, 2.
 Optimum 1057. 1.
 Euphorbii descriptio 1056, 1. 1057. 2.
 Colligendi modus 1057.2.
 Succus duplex 1058. 1.
 Optimus quomodo dignoscitur ibid.
 Vetus à novo quomodo dignoscitur ibid.
 Fructus 1057, 2.
 Europa an plantas odore præstantes proferat 1037. 1.
 Euranda arbor ejus descriptio 351, 2.
 An ficus Judica ibid.
Ἐυθρασον 23, 2.
ἔυσσε quid 327. 1.
Ἐυζυλον quid 358. 2.
Ἐξανθεῖν quid 602. 1.
 Exanthemata quid botanicis 67. 1.
 Exercitus Julii Cæsaris qua radice vitam sustinere coactus fuerit 1121, 1. 1122. 2.
 Exinde quid. 25. 1.
- F.
- F**aba 941, 2.
 Faba ægyptia 437. 2.
 Ejus descriptio ibidi 445, 2.
 Ubi nascitur ibid. 442. 2.
 Differt ab aro ægyptio 442, 2.
 Differt a culcas ibidi 443. 2.
 Non est colocasia ibid. 445. 1.
 Ejus calix 446. 1.
 Ejus ciborium ibid.
 Ejus fructus ibid.
 Ejus folium idid.
 An sit species nymphææ secundæ 448. 1.
 An sit Nymphaea 1104, 2.
 An sit petasites 861. 1.
 Faba Græcorum 713, 1. 176, 2.
 Faba quomodo erumpit 907. 2.
- Florescens madefieri cupit 940, 2.
 Imber si superveniat difficulter provenit 907, 2.
 Quando serenda 909, 1.
 Quot diebus perficiatur 912.2.
 Quomodo provenit 910, 2.
 Quando florere incipit 911, 2.
 In agro stercoreis est vice 941, 2. 940, 2.
 Cur terram stercoreare videtur 953.
 Sola est crecto caule 914, 2.
 Cur à Pithagyro damnata 915. 2. 916, 1.
 An sponte provenit 914, 1.
 An gallinas & fœminas infœcundas reddit 916, 1.
 Insomnia facit & animum turbat ibid.
 Sale addito coctione non mollescit 916, 2.
 Refriva vel referiva cur dicta ibid.
 Vulgaris an faba veterum 916, 2.
 Est veterum 917, 1.
 Viridis quomodo cibo inepta ibid.
 Equina an Græcorum 917, 2.
 Faba caulis cur calamus dictus 913, 2.
 Laus 915, 2.
 Incommoda 916, 1.2.
 Varietas 917, 2.
 Putamina arbores necant 916, 1.
 Lugubres litteræ quæ 917, 2.
 An lugubres littoræ in faba 916, 2.
 Faba arbor lotus 915, 1.
 Fabas adire Adagium 916, 1.
 Fabas an lædat Imber 941, 2.
 Fabis abstinere ibid. 2.
 Fabetum 437, 2. 440, 1.
 Fabula de casia & cinnamomo 984, 2.
 Fabula de mali aurei ortu & custodia 337, 2.
 Fabula de radice mandragoræ 584, 1.
 Fabula de phœnice ave 984, 2.
 Faciei maculæ & vari tolluntur 345, 1.
 Fagopyrum unde dictum 921, 1.
 Fagus 122, 2. 138, 2. 157, 2.
 Quomodo germinet 130, 2.
 Non est *Φηγ* Theophrasti 148, 1.
 Trojæ est longæva 489, 2.
- In aqua diutissime durat 521, 2.
 An in sicco an humido magis corrumpatur 527, 2.
 Fagea glans 162, 2.
 Fagi descriptio 172, 1.
 Fructus omnibus animalibus gratus ibid.
 Materies quando cædenda 511, 2.
 Fagus Latinorum & phagus Græcorum an una eademque planta 152, 1. 527, 2.
 Famen & sitim tollit hippace 1106, 2.
 Tollit glycyrrhiza 1093, 2. 1106, 1.2.
 Tollit malva 825, 2.
 Tollit acetosa 801, 1.
 Tollit alimum medicamentum 825, 2.
 Famen tollit scolymus 619, 1.
 Far veniculum 955, 2.
 Far an compositum quid 955, 1. 954, 2.
 An frumenti genus 954, 2.
 Farfarus populus alba 217, 1.
 Farfaria chaïta dicta 822, 1.
 Farcta toxica Theophrasti 479, 1.
 Farina non mutat succorum colores 595, 1.
 Fateri quid 8. 2.
 Fausel arbor 356, 1.
 Ejus descriptio & vires ibid. 357, 1.
 Fructus incebriat ibid.
 Fructus quomodo præparetur ibid.
 Quomodo venenum 357, 1.
 Fructus descriptio ibid.
 Favorinus quando flat 512, 2.
 Fax lustralis 169, 2.
 Ferba antiquitus pro herba 630, 2.
 Feræ & animalia in Africa cur non bibunt æstate 321, 1. 322. 2. 332, 2.
 Ferrugineus color 712, 1.
 Fertilia quæ 759, 2.
 Fertilitas mira agri Messeni, Sicilia, meli, & calchiæ 913, 2.
 Fescenninus versus quis 226, 1.
 Ferula, ferulago 546, 2.
 An unum genus 550, 2.
 Quomodo differunt ibid.
 Unde dicta 582, 1.
 Ferulæ descriptio 550, 2. 583, 1.
 Duo genera 582, 2.
 Ejus conditura ibid.
 Medulla 23. 2.

I N D E X.

Ferula faganifera 1062, 1.
 Ferulaceum genus multiplex
 550, 2.
 Ferulacea radices grandes ha-
 bent 33, 2.
 Festi codex corrigitur 543, 2.
 Festuca 941, 2.
 Fibria in radice 86, 1.
 Ficus 11, 2. 12, 1. 17, 1. 19, 1. 41. 42.
 138, 1. 368, 2. 540, 2. 965, 2.
 Quomodo arbor dicenda 12, 1.
 Quomodo parva manet 110, 1.
 Quomodo provenit 70, 2.
 Quomodo optime nascitur
 87, 2.
 Quomodo germinat 130, 2.
 Ut fructificet 93, 2.
 Ut poma generosiora produ-
 cat 873, 1.
 Ut cito maturefcat 144, 2.
 Omnibus modis fata provenit
 85, 2. 86, 2.
 Optimos producit fungos 28,
 1.
 Ne fructum amittat 113, 2.
 Quæ folia non amittit 45, 2.
 In agro elephantino cui folia
 non decidunt 14, 2.
 Juxta scyllam fata ocyus cre-
 scit 85, 2.
 Ante foliorum exitum cauli-
 culum emittit 841, 2.
 An floret 129, 2. 133, 2. 841, 1.
 Ficus cur à fulmine non lædatur
 389, 1.
 Carnes duras teneras facit ibid.
 Est brevioris vitæ 490, 2.
 Ignem facile excipit 540, 2.
 Cur tripote dicta 81, 2.
 Cur *ραγίς* dicta 383, 2.
 Cur dentes offendit 389, 1.
 Cur vomitione ultimo reddi-
 tur ibid.
 Ubi primum inventa 380, 2.
 Est symbolum vitæ purioris
 381, 1.
 Dulcior est si ruta prope na-
 scatur 389, 1.
 Salsi quid habet 386, 2.
 Ne à vermibus rodatur 88, 2.
 Qui magis durabiles 89, 2.
 Culicum beneficio an juvatur
 115, 2.
 An in pomorum classe 383, 2.
 Pinguis quis 382, 2.
 Tria significat 382, 1.
 Sylvestris differt à sativa 383, 2.
 Ægyptia 287, 1.
 Non solum in Ægypto nasci-
 tur 288, 1.

Indica 39, 2. 326, 2. 348, 1. 350,
 2.
 Cur paucos fructus fert 349, 1.
 Differt Theophrasti à Diodori
 349, 2.
 An pomum vetitum Adami
 350, 1. 2.
 An curanda arbor 351, 2.
 Marina 404, 2.
 Semper virens 423, 2.
 Ceronia 290, 1. 289, 1.
 Cypria & ejus descriptio 285,
 2. 292, 1.
Γενναία quæ 79, 1.
 Pharaonis 287, 1. 291, 1.
 Serotina 44, 2. 388, 1.
 Ficorum varia nomina incognita
 388, 2.
 Variæ species à folio 384, ad
 388.
 Fici radix 24, 2. 25, 2. 26, 1. 2.
 Medulla 23, 2.
 Folia 54, 2. 48, 2. 49, 2. 52, 2.
 Folium quomodo coturnicis
 pedi similis 52, 2. 53, 1.
 Folium *θεῖον* cur dictum 81, 2.
 383, 1.
 In Ida descriptio 248, 2. 250, 2.
 257, 2.
 Succus lac coagulat 591, 2.
 Succus arboris amarus, fru-
 ctus dulcis 389, 1.
 Fici flos 389, 2. 131, 1. 383, 1. 2.
 Halitus vis 389, 2.
 Descriptio ibid.
 Sylvestris descriptio ibid.
 Morbi qui 494, 2. 497, 1.
 Materies qualis 517, 2. 530, 2.
 Frumenta quid 115, 1.
 Dignitas 380, 2.
 Variæ dotes 543, 1.
 Æstimatio quanta 382, 1.
 Genera quot 383, 1. 2. 384, 1.
 Ficum quæ arbores diligunt &
 contra 9, 2.
 Ficula 131, 1.
 Ficulneo folio anguem tenere
 Adag. 383, 1.
 Fidiculæ usus ad distillationem
 urinæ 878, 1.
 Filago an gnaphalium 847, 2.
 Cur herba impia dicta ibid.
 Cur ceratophylax dicta ibid.
 Ejus descriptio ibid.
 Filix 1179, 2.
 Filix invisã planta agricolis 1168,
 1.
 Mollis & delicatã cur dicitur
 pastoribus ibid.
 An caulem ferat ibid.

An semen ferat 1168, 2.
 An semen & florem simul ea-
 dem hora perficiat ibid.
 Mas quomodo à fœmina di-
 stinguatur 1168, 2. 1169, 1.
 1166, 2.
 Unde dicta 1167, 2.
Πίεας cur dicta 1167, 1.
Πίεον cur dicta ibid.
βλίζρον cur dicta ibid.
 Avia cur dicta 1167, 2.
 Steriles reddit fœminas 1166,
 2. 1167, 2. 1168, 1.
 Abortum facit 1166, 2. 1169, 1.
 Fœmina vermes necat 1166, 2.
 1169, 1.
 Filix querna an filix fœmina
 1169, 2.
 An bryopteris aut Dryopteris
 ibid.
 Ejus descriptio ibid.
 Polypody loco agri damno
 venditur ibid.
 Filicis genera quot 1168.
 Descriptio ibid.
 Cineres materiem vitri præ-
 bent ibid.
 Filix unde interit 946, 2.
 Filix indica 320, 2.
 Ejus folia tactum humanum
 non ferunt ibid.
 Filicis folia 49, 2.
 Filipendula an *œnanthe* 680, 1.
 681, 1. 682, 1.
 Unde dicta 680, 1.
 Ejus descriptio ibid.
 Ejus genera 681, 1.
 Fimbria quid veteribus 26, 2.
 Fimus quis optimus 92, 2. 94, 2.
 792, 2.
 Fimi differentia 94, 2.
 Fimum & aquas olera amant
 792, 2.
 Fingo duo significat 471, 2.
 Fistularum inventor quis 477, 2.
 Fistulæ olim ex variis & pluri-
 mis calamis cera conjunctæ
 478, 1.
 Flamma Jovis 205, 2.
 Flammeo colore cur nuptæ vele-
 batur caput 696, 2.
 Flatus interimunt arbores 499, 2.
 Flava & fulva calidiora sunt albis
 869, 1.
 Florem an omnes plantæ habent
 5, 2.
 Florigera ut plurimum sunt sub-
 frutacea 643, 2.
 Florendi tempus diversum 842,
 2.

I N D E X.

- Flores æstivi 679, 2.
 Vernales ibid.
 Vernales qui primi 695, 2.
 Arborum an sint vividiore colore 842, 2.
 Quidam cur procul bene olent 868, 2.
 Contusi deterius olent 653, 1.
 Differunt ortu & positu 64, 2.
 Lanugini sunt gerentium spicam 914, 2.
 Leguminum foliis constant ibid.
 In montibus an deteriores 730, 2.
 Qui fructum producant, qui non 65, 1, 2.
 In umbra cur albidiores 1047, 2.
 Omni anni tempore reperiuntur 730, 2. 842, 2.
 Mali medici qui sæcundi qui contra 65, 2.
 Florum genera & differentia 62, 2.
 Differentia in herbis & arboribus 829, 2. 842, 2.
 Diversitas 740, 2. 914, 2.
 Diversitas non facit diversitatem plantarum 818, 1.
 Quot differentia 65, 1.
 Omnium color & differentia ejus vix à quopiam exponi potest 62, 2.
 Odores quales 61, 2.
 Flos an ante caulem exit 866, 2. 876, 2.
 Duplex quis 63, 1.
 Simplex quis 65, 1, 2.
 Cur sic dictus ibid.
 Niger an detur 567, 2. 867, 2.
 Niger purpureus botanicis dicitur 659, 1. 703, 1.
 Mutilatus quis 928, 1.
 Flos alcheiri 696, 2.
 Avellana 228, 1.
 Cerasi 208, 2.
 Equestris 714, 1.
 Mespeli 190, 2. 202, 1. 203, 2.
 Regalis 714, 1.
 Sambuci 206, 2. 211, 2.
 Frangit calculum 207, 2.
 Flos Jovis 545, 2.
 Unde dictus 667, 2.
 An lichnis coronaria ibid.
 An caryophylleus flos ibid.
 An armerius ibid.
 An aquileja ibid.
 Flos Iridis noctu hiat 868, 2.
 Scyllæ anthericus dictus 873, 1.
- Solis an panax chironium Dioscoridis 1073, 2.
 Picis 973, 2.
 Flos armerius an been aut behen 669, 1.
 An muscipula ibid.
 An Jovis flos 667, 2.
 An viscaria 669, 1.
 Ejus descriptio 668, 2.
 Flos caryophylleus unde dictus 667, 2. 668, 1.
 An betonica Dioscoridis 667, 2.
 An Jovis flos ibid.
 An catabrica Plinii 668, 1.
 An veteribus cognitus ibid.
 Ejus plures species ibid.
 Descriptio ibid.
 Serendi modus ibid.
 Fluida ejus descriptio & genera 266, 2.
 Fluviani arborem quid 514, 2.
 Fluvialia quæ 453, 2.
 Fluvii singuli privatim quid ferunt 452, 2.
 An privatim quid ferunt 455, 2.
 Fœminæ quando in venerem maxime pronæ 620, 1.
 Fœminæ & maris differentia in plantis 151, 1.
 Fœnigrecum siliqua cur dictum 952, 2.
 Fœnigræci descriptio ibid.
 Notæ ex Theophrasto ibid.
 Fœniculum 546, 2. 550, 2.
 Unde dictum 548, 1.
 An marathrum 548, 1, 2.
 Fœniculi notæ 548, 2.
 Duo genera ibid.
 Caulis gummi emittit ibid.
 Fœnicularis campus 549, 1.
 Fœnum burgundiacum 949, 1.
 Fœtus non est pars animalis 1, 2.
 Fœtor in plantis an venenati indicium 747, 1.
 Folium hemionii sterilitatem mulieribus adfert 1154, 2.
 Folium & malabathrum an idem 1034, 2.
 Folium indicum non est malabathrum ibid.
 Folium malabathrum herba paradisi dictum 1032, 2.
 Folium an omnes plantæ habent 5, 2.
 Ex quibus constat 9, 2. 10, 2. 54, 2.
 Folium laserpitii quid 587, 2.
- Folia capillacea quæ 998, 2.
 Folia omnia an dependent 8, 1.
 Cur in plantis terræ proxima primum defluunt 46, 1.
 Ex arboribus cur decidunt 124, 1.
 Quo tempore se convertere dicuntur 51, 2.
 Folia frumentorum 49, 2. 54, 2.
 Fraxini 52, 2.
 Sambuci 211, 2.
 Foliorum pars superior cur viridior & levior est 52, 1.
 Inferior lanuginosa ibid.
 Folia, radices, & germina quando nascuntur in frugibus 910, 2.
 Foliorum arborum & herbarum differentia 841, 1.
 Foliorum differentia 48, 2. 49, 2. 865, 2. 866, 1.
 Foliorum odores quales 61, 2.
 Folliculi therebinthi lentorem continent 230, 1.
 Fores quid 763, 1.
 Folia quid 313, 1.
 Forma & essentia plantarum ab animalium similitudine petenda 4, 1.
 Fornicare ligna quæ dicuntur 531, 1.
 Fossio viti est necessaria 110, 1.
 Differt à pulveratione 111, 2.
 Fraxinellæ descriptio 1133, 2.
 Genera 1134, 1.
 Fraxinella an pœonia ibid.
 An diptamnum ibid.
 An tragium Diosc. ibid.
 Fraxinus quid præter fructum fert 181, 2.
 Fraxinus 122, 2. 136, 2. 123.
 An montibus gaudet 123, 1.
 Quomodo frutificat ibid. 2.
 Fraxinus & ornus an manna fundunt 150, 2. 151, 1.
 Fraxini radices 140, 2.
 Duo genera 181, 2.
 Descriptio & historia ibid. 184, 2.
 Fructus 181, 2.
 Materies 537, 1.
 Materies quando cædenda 511, 2.
 Folia 52, 2.
 Fraxinum & taxum confundit Plinius 176, 2.
 Fritillaria crassa promontorii bonæ spei 335, 1.
 Fructus an sit pars arboris 1, 2.
 Quidam sub foliis 2, 2.

Qui-

I N D E X.

- Quidam super folia ibid.
 Quidam in cacumine ibid.
 Quidam sub terra ibid.
 Quidam in caudice ibid.
 Quidam in dorso folii 3. 2.
 Quid 6.2. 7.1. 8.1. 11. 1.
 Non omnis est in caule 7.
 2.
 An omnis dependit 8. 1.
 Definitio 10.2. 11.1. 12. 2.
 Quomodo differt ab arbore 11. 1.
 Nullus ex sola carne constat 54, 2.
 Non omnis ex semine & carne constat 8. 1.
 Ex quibus constat 54, 2.
 Rudimentum 66, 1.
 Copia quando indicatur 67, 2.
 Dulcis an minus olet 105, 1.
 Arborum an detur acris & amarus 60, 2.
 Inguftabilis quæ animantibus 130, 2.
 Quomodo dulcescit 389, 2.
 Ex fatione pro loci & regionis ratione aut melior aut peior fit 76, 2.
 Vis deterior si radicem detraheris 1112, 2.
 Plurimi testaceo vel osseo tegumento constant 8. 1.
 Sylvestres an domestici præstantiores 16, 1.
 Arborum qui ex fatione proveniunt deteriores fiunt & degenerant 76, 2.
 Qui ex fatione originis bonitatem servant ibid.
 Fructus & seminis differentia 8.2.
 Fructus & semina quæ sua natura distantia solent evenire, ob foli ubertatem congesta eveniunt 57, 1.
 Fructus & arbores quomodo cultura mitescunt 77, 2.
 Fructus an in aquilonibus an australibus locis magis decidunt 113, 1.2. 115, 1.
 Fructus horarii qui 394, 2. 501. 1.
 Frugaces qui ibid.
 Fructus amemelis 201, 1.
 Balsami ad nos adfertur 1000, 1.
 Cedri 191, 2. 200, 1.
 Clymeni infæcundos facit 1154, 2.
 Juniperi 200, 1.
 Sambuci 206, 2. 211, 2.
- Crategoni semen prolificum facit 1154, 2.
 Hederæ candidæ semen infæcundum facit 1153, 2.
 Fructum an omnes plantæ habent 7. 2.
 Quæ arbores amittunt 113, 2.
 Ejus causa ibid.
 Fructuum diversitas ob foli diversitatem 55, 2. 57, 1.
 Fructuum omnium perfectiones ætate contingunt 737, 2.
 Fructuum & seminum varia compositio & usus 58, 1.
 Fructuum maturatio unde perficitur 915, 1.
 Fruges ne luxurient 942, 2. 946, 1.
 Cur depascendæ vel detundendæ 946, 1.
 Quando incrementum plurimum accipiunt 946, 2.
 Quando folia radices, & germina emittunt 910, 2.
 Frugum duo genera 907, 2.
 Frugibus nocentes bestiolæ 959, 2.
 Frumenti genera duo 906, 2.
 Tertium genus ibid. 908, 2.
 Frumenta an frugum nomine censenda 907, 2.
 Frumenti ortus 910, 2.
 Frumenta quando florere incipiunt ibid.
 Quando pullulant 911, 1.
 Frumenta & legumina in quibus differunt 912, 1. 915, 1.
 Quem ordinem servant nascendi 912, 2.
 Quot diebus perficiuntur ibid. 915, 1.
 Quibus foliis constant 49, 1.2. 54, 2. 913, 2.
 Quomodo ab erucis servantur 961, 1.
 Quæ terram extenuant 953, 2.
 Frumentacea quæ 906, 2.
 Multas habent radices 912, 1.
 Cur ramis pluribus non luxuriant ibid.
 Ramuli decerpti cur non renascantur ibid.
 Spicam gerunt 914, 2.
 Validiora sunt contra hyemem ibid.
 Frumentaceis qualis caulis ibid.
 Frumentum retunsum cur degeneret 946, 2.
 Unde dictum 934, 2.
- Purum 937, 2. 938, 1.
 Turcicum ejus descriptio 936, 2.
 Frumento fato siccitas magis quam imbres expediunt 940, 2.
 Frumentorum folia 49, 2. 54, 2.
 Frumentum amyleum an olyza 957, 1.
 Ejus notæ ibid.
 Frumentum an inter sylvestres debeat numerari plantas 25, 2.
 Frutetum 26, 1. 424, 1.
 Fruticare quæ dicuntur 738, 2.
 Frutices quæ perpetuo virent 44. 45. 46.
 Frutex aliquando herba Dioscoride dictus 920, 1. 1020, 1.
 Frutillaria crassa promontorii bonæ spei 952, 1.
 Fucus marinus quid 412, 2.
 Ejus genera 412, 1.
 Folio abrotani 413, 1.
 Fucus seu pigmentum unde fit 1027, 1.
 Ex anchusa 835, 1.
 Ex radícula syriaca 720, 1.
 Fugaces fructus qui 394, 1.
 Fulgurum genera tria 396, 2.
 Fulva & flava calidiora sunt albis 869, 1.
 Fulvus color 213, 2. 241, 2. 698, 1.
 Fumum molestum quæ præbent 542, 2.
 Fumaria unde dicta 748, 1.
 Ejus descriptio ibid. 2.
 Duo genera 748, 2.
 Fungus solis vi lapidescens 417, 2.
 Fungus an radice caret 24, 2. 25. 2. 27. 28.
 Unde dictus 28, 1.
 Ejus descriptio 28, 29, 1.
 In quibus a petiis differt 28, 1.
 Ejus genera & differentia 28, 1. 2. 29, 1.
 Qui noxii 29, 1.
 Qui præstantiores 28, 29, 1.
 Omnis est mali alimenti 28, 1.
 Quas radices habet ibid.
 Laricis 167, 2.
 è robore 146, 2.
 Bovyst dictus summam habet siccitatem & raritatem 531, 1.
 Fungi qui dicuntur 28, 1.
 Quo artificio noxii aut salubres 29, 1.

I N D E X.

* *Ἀμρανταί* quales 28, 1.
 Fungos cur *ζημενῆς*, cur *μύκητες*,
 cur *ζύμονας* vocarint 27, 2.
 Funiculū lapidi admove re Adag.
 19, 2.
 Fuscius defenditur 791, 2.
 Fusturna pars superior abietis
 170, 1.
 Unde dicta ibid.
 Fusus agrestis 612, 2.
 Fusus 617, 2.

G.

G Agagetes 166, 2.
 Gaguey arbor 352, 1.
 Galanga non est acorus 66, 1.
 Galangæ radices an junci odorati
 radix 1009, 2.
Γαλιάρχα 535, 2.
 Galeni sententia de tubere 27, 2.
 Sententia de plantis sylvestri-
 bus & domesticis 15, 1.
 Liber de Theriaca an Galeni
 457, 1.
 Liber de mensuris an Galeni
 916, 2.
 Locus interpretatur 185, 2.
 Error 390, 2. 743, 2. 1119, 1.
 1181, 2.
 Codex corrigitur 166, 1. 289, 2.
 345, 1. 349, 1. 410, 2. 418, 1.
 457, 1. 463, 1. 476, 1. 558, 2.
 564, 2. 673, 2. 939, 1. 938, 2.
 987, 1. 1090, 2.
 Galenus quando vixit 871, 1.
 Galenus & Dioscorides conci-
 liantur 66, 2. 391, 2. 869, 1.
 985, 1. 971, 1. 1032, 1.
 Galenus & Theophrastus conci-
 liantur 1146, 2.
 Galenus & Nicander concilian-
 tur 391, 2.
 Galenus & Geoponicon auctor
 conciliantur 813, 1.
 Galenus & Aristoteles concilian-
 tur 813, 1.
 Galenus & Plinius conciliantur
 813, 1.
 Galenus & Columella concilian-
 tur 919, 1.
 Galenus defenditur 805, 1. 1008, 1.
 990, 2. 991, 1.
 Galbanum 964, 2. 965, 1.
 Galbula cypressi fructus 372, 2.
 Galla 141, 2.
 Quando gignitur 131, 2.
 Quando grandescit ibid.
 An fructus 154, 2.
 Est duplex ibid.
 Omphacites 155, 1.

Robori est proprium 6, 2.
 Animal gignit, quid prænun-
 tiat 155, 2.
 In therebintho 230, 1.
 Gallica est acer campestris
 122, 2.
 Quomodo à carpino differt
 180, 2. 183, 1.
 Gallas ferunt omnes quercus
 147, 2.
 Earum differentiæ ibid.
 Gallion album an mollugo 884, 1.
 Unde dictum ibid.
 Ejus descriptio & genera ibid.
 An aparine species 884, 2.
 Gallorum mastic 683, 2.
 An marum veterum 690, 1.
Γαμηλιών quis mensis 734, 1.
 Garcias notatur 1005, 1. 1006, 2.
 1008, 1. 1180, 1. 1181, 1.
 1184, 1.
 Garyophyllum Plinii non est ca-
 riophyllum 994, 1.
 Anamomum 1017, 1.
 Est succedaneum amomi ibid.
 Ejus descriptio ibid.
Γαστήρ brassica quæ 771, 1.
Γαστήρ rapa cur dicta ibid.
Γημενῆς cur fungos vocarunt 27, 2.
Γαλιάρχα quid 789, 1.
 Gellii opinio refutatur 916, 1.
 Gemma populi 219, 2.
ζανά quantum temporis spatium
 526, 2. 527, 1.
 Generatio est propter perfectam
 generationem quomodo in-
 telligidebeat 3, 1.
 Generatio è lachryma 74, 2.
 Generandi facultas ex herbis
 1153, 2.
 Geniculum quid 1007, 1.
 Genista 17, 2.
 Vinculi usum præstat 19, 2.
 An spartum Homeri 19, 2. 20, 1.
 An echinopoda 605, 2.
 An scorpius Theophrasti 605
 2.
 Est major & minor ibid.
 Genista & spartum an planta di-
 versa 20, 1. 22, 2.
 In quibus differunt 22, 2.
 Ejus descriptio 22, 2. 23.
 Cur *ἀφύλλα* dicatur 605, 2.
 Gentiana unde dicta, & descriptio
 1046, 1.
 Genus pro materia 84, 1.
 Geoponicon codex corrigitur
 78, 2. 100, 1. 111, 1. 124, 2. 197.
 1. 199, 2. 264, 2. 337, 2. 778, 2.
 779, 1.

Geoponicon auctoris error 123,
 1. 124, 2. 771, 1. 924, 2.
 Geoponicon auctor à contradi-
 ctione defenditur 859, 2.
 Geoponicon auctor quis 28, 2.
 73, 2. 82, 1. 110, 2. & aliis.
 Geoponicon auctor & Galenus
 conciliantur 813, 1.
 Geoponicon auctor & Dioscori-
 des conciliantur 813, 1.
 Georgicorum fratrum codex
 corrigitur 365, 1.
 Geranium 24. 27. 25.
 Ejus historia 29, 2.
 An fungi genus ibid.
 Unde dictum 30, 1.
 Pes columbinus dictum 30, 2.
 Columbinum an amomum
 1016, 2. 1017, 1.
 Robertinum 31, 2.
 Tertium Plinii 31, 1.
 Geranii duo genera Dioscoridi
 30, 1.
 Nullum genus ad tubercum
 classem referri debet 31, 2.
 Germinatio plantarum duplex
 818, 2.
 Olerum diversa 819, 1.
 Germinationis tempus 133, 2.
 Definitio 2, 2.
 Germinationes in Arcturo 137,
 2.
 Germinatio tempus suum non
 antecedit 842, 2.
 Est assidua ibid. 844, 1.
 An tempus suum antecedere
 potest 843, 1.
 Germina omnia an duobus foliis
 erumpunt 911, 2.
 Quæ unico folio exeunt ibid.
 912, 1.
 Germen an omnes plantæ habent
 5, 2.
 Ligula dictum 56, 2.
 Novum quid 68, 1.
 Germinis definitio 9, 1.
 Germina, folia, & radices quan-
 do nascuntur in frugibus
 910, 2.
 Gethii radix 34, 2.
 Folia 49, 2.
 Flos 65, 2.
 Gethium quando provenit 731, 2.
 734, 2.
 Quando feritur 762, 2.
 Gethium cæpa 762, 2.
 An cæpa, an porrum 786, 1.
 An cæpa seclitilis 786, 2.
 Gethii notæ ex Theophrasto
 786, 1.

Semen

I N D E X.

- Semen est imbecillius ad perdurandum 795, 2.
γυψήλιδες cœparum nuclei 789, 1.
 Gethilis quid 786, 1. 787, 2.
 An porrum junci folium 788, 2.
 Gethia nigra 368, 1.
 Giadorothymo planta nova 629, 2.
 Ejus descriptio ibid.
 Gigartifera quid 258, 1.
 Gith est melanthium seu nigella 832, 2.
 Glabreta quid 258, 1.
 Gladiolus 17, 2. 465, 2. 854, 2.
 Gladioli radix 33, 2. 35, 2.
 Folium 865, 2.
 Gladiolus & *ξίφιον* an idem 708, 1.
 Non est *ξίφιον* 709, 1.
 Gladioli nomen plures audiunt plantæ ibid.
 Vires 709, 2.
 Descriptio & differentia 710, 1.
 Glans 17, 2.
 Glans, nomen late patet 297, 2.
 Glandis nomine quid intelligunt juris consulti 23, 1.
 Glans unguentaria 297, 2. 297, 1. 286, 2.
 An behen Mesues 299, 1.
 An siliqua unguentaria 299, 2.
 Est myrobalanus 300, 2. 97, 1. 98, 1.
 Unguentaria & palma Ægyptia non sunt arbores congeneres 97, 2.
 Glandis unguentariæ vires 297, 2.
 Folium 300, 1.
 Glandium copiosus proventus 132, 1.
 Glandes quercuum quæ dulcissimæ 147, 2.
 Glandium quot genera 151, 2.
 Calices 155, 1.
 Glandiferarum distinctio 157, 2.
 Glandifera ilex & ejus descriptio 241, 1.
 Glans fagea 162, 2.
 Glans terrestris an arichadna 38, 2.
 Glans terræ an astragalus 920, 1.
 An apios 1063, 1.
 Glandis terræ descriptio 912, 1.
 Glastum unde dictum 723, 2.
 Glasteus color 724, 1.
 Glaucus color 642, 1. 892, 2. 894, 2. 966, 2.
 Glinon 183, 1. 184, 2.
 Glyrium ubi multitudo 172, 2.
Γλαυρον quomodo in solidis, & quomodo in humidis interpretandum 520, 1.
 Globuli saponarii descriptio 363, 2.
 Glycyrrhiza an spinosa 1105, 2.
 Ejus duo genera 1106, 1. 2.
 Vulgaris an Theophrasti ibid.
 Ejus descriptio ibid.
 Est scytica radix 1104, 2.
 Sitim & famem tollit ibid. 1093, 2.
 Cur sitim tollit 1107, 1.
 Vulnere consolidat ibid.
 Condensandi vi prædita 1156, 1.
 Glycyrrhizæ radix cur ab rodenda 1013, 1.
 Succus quomodo colligendus 1039, 1.
 Glycyrrhizon 547, 2.
 Gnaphalium unde dictum 847, 1.
 Chamexylon cur dictum ibid.
 An pilosella minor ibid.
 An stoebe dictum ibid.
 An filago ibid.
 An centunculum Plinii 847, 2.
 Ejus descriptio ibid.
 Gongri in arbore quid 41.
 Est morbus oleæ 41. 42, 2.
 Ejus vocis varia significatio 43, 1.
Γωγία 632, 1.
 Gorgia 240, 1.
 Gorgonia ibid.
 Gossypium unde dictum 425, 2.
 Ubi nascitur 426, 2.
 Gossypium & Xylon quomodo differunt ibid.
 Gossypium & lanigera arbor idem sunt 428, 1.
 In Arabia arborefcit ibid.
 Gossypii quot genera 427, 2.
 Descriptio 428, 1.
 Grabium 169, 2.
 Gratiola an papaver spumeum 1103, 1.
 Græci antiqui ex quibus naves fuebant 19, 2.
 Graminis radix 24, 2. 33, 2.
 Etymologia 34, 2. 840, 2.
 Medici descriptio & vires 35, 1.
 Gramen arundinaceum 35, 2.
 Ejus noxa ibid.
 Variat pro loci natura ibid.
 Gramen pratense 32, 2.
 Gramen cur mori contumax 454, 2.
 Gramen è caule exit 74, 2.
 Gramen ischæmon Lobelii an coronopus veterum 838, 2.
 Gramen leucanthimum an pilosella major 846, 2.
 Grammaticorum error 80, 1. 151, 2. 152, 1. 2. 163, 2. 175, 1. 315, 1. 466, 2. 558, 2. 693, 1.
 Granatum unde dictum 390, 2.
 Granorum Paradisi descriptio 1014, 1.
 Granum gnidium cur linum vocatum 949, 2.
 Granum cocci 1184, 2.
 Granum gnidium quomodo dandum 1178, 2.
 Granum gnidium 1184, 2.
 An fructus chamelææ 1185, 1.
 Ejus descriptio ibid.
 Granum tindile in sola ilice colligitur 238, 2.
 Grossus 328, 1.
 Grossus maturus esui ineptus Adag. 383, 1.
 Guajacum patavinum an lotus 328, 1.
 Ejus descriptio ibid.
 An ebenum Æthiopicum 358, 2.
 Manardi an ebenum Dioscoridis 359, 2.
 Guajaci medulla 530, 1.
 Guillandini error 492, 2. 433, 1. 825, 1. 1007, 1.
 Gummi 303, 2.
 Gummi quid 966, 1.
 Officinarum 304, 1.
 Quale optimum 966, 1. 2.
 Anime an cancamum 837, 1.
 An myrrha minæ 982, 2.
 Anime descriptio 837, 1.
 Acatiæ 966, 2.
 Arabicum 304, 1. 310, 1.
 Amigdalæ an nullum usum habet 962, 2.
 Acanthinum 309, 2.

I N D E X.

Vermiculatum *ibid.* 966. 2.
 Thebaicum 310, 1.
 Spinæ Ægyptiæ 966, 1.
 Elemni cujus arboris lachryma
 418, 1.
 Ex caule fœniculi 548, 2.
 Ex ixine 624, 2.
 An venenatum 626, 2.
 Ixias est venenatum *ibid.*
 Gummi & lachryma differunt
 418, 2. 966, 1.
 Gummi & resina differunt 966,
 1.
 Gummi per se igni non dissolvi-
 tur *ibid.*
 Gummi inter caryophyllos re-
 pertum an caryopum Plinii
 993, 2.
 Γυπός quid 88, 1.
Gupcel *crupt* anagallis dicta
 817, 2.

H.

HAbhasis tuberis genus 32, 1.
 Hæbrei ante Cadmum litte-
 ras noverunt 434, 2.
 Hæmoderum 947, 2. 951, 2.
 Unde dictum 952, 1.
 Hahali quid 1014, 2.
 Haleagnus an myrtus brabantica
 461, 1.
 Halicacabum 324, 1. 1076, 2.
 Halicacabum vesicaria dicta 817,
 1.
 Ejus descriptio 1076, 2.
 Haliphloios unde dicta 151, 1.
 Ejus descriptio 154, 1.
 Ejus glans 161, 1.
 Haliphloios & aspris an eadem
 arbor 163, 1.
 Halimus unde dictus 508, 2.
 Omnia necat 506, 2.
 Halimon & halimos differunt
 508, 2.
 Unde dictum *ibid.*
 Ejus descriptio 509, 1.
 Ejus genera 509, 2.
 An chali sive solda 510, 1.
Halm unde dictum 21, 1.
 Halmades oliuæ 313, 1.
 Halmyris Eudemi an brassica
 sylvestris Dioscoridis 776,
 1.
 Unde dicta 777, 1.
 Harundo non omnibus locis na-
 scitur 453, 2.
 Quibus locis nascitur 454, 2.
 Vide arundo.

Hastæ ex fraxino 184, 2.
 Hastulæ regiæ radix 33, 2.
 Hastula regiæ 854, 2.
 Hebenus Indiæ vernaculus 347,
 2.
 Ejus duo genera *ibid.* 358, 2.
 Colorem bonum statim obti-
 net *ibid.*
 In Ægypto non nascitur 357, 2.
 In tributis tertius locus regi-
 bus Persicis 318, 1.
 An arbor parva *ibid.*
 Vulgaris non est Æthiopicus
 358, 2.
 Vulgaris non est veterum 359,
 2.
 Æthiopicus an gnajacum 358,
 2.
 Ubi optimus 359, 2.
 Dioscoridis an gnajacum Ma-
 nardi *ibid.*
 Hebenus cur fundum petat 519,
 1.
 Decorticatum lignum fun-
 dum petit *ibid.*
 Est perpetuæ naturæ & cariem
 non sentit 521, 2.
 Hebeni medulla est materies gra-
 vissima & spississima 517, 2.
 519, 1. 531, 1.
 Hebeni materia tota non est ni-
 gra 517, 2. 518, 2.
 Hecale 857, 1.
 Hederæ varietas pro culturæ ra-
 tione 10, 2.
 Folia 49, 2. 51, 1. 52, 2.
 Folia nova angulata, vetera
 rotunda 48, 2.
 Flos 62, 2. 65, 2. 551, 1.
 Flos est magis muscolus quam
 lanugenosus 62, 1.
 Fructus an sterilitatem facit
 1161, 2.
 Genera quot 266, 2. 275, 1. 2.
 277, 1. 549, 2.
 Candidæ semen infecundum
 facit 1153, 2.
 Materies calida 517, 2.
 Hederæ & ladani historiam con-
 fundit Plinius 555, 2.
 Hedera 546, 2.
 Quando germinat 130, 2.
 Quando fructificat *ibid.*
 Unde dicta 279, 2.
 Cur ψ dicta 134, 1.
 Arborea necat 267, 2. 275, 1.
 278, 2.
 Arbori adnascens molesta 506,
 2.

Attritu lauri ignem concitat
 544, 2.
 Inferius succisa vivit 267, 2.
 Senescens folia diversa edit
 275, 1.
 In Asia non gignitur 322, 2.
 In Medea frustra colitur *ibid.*
 In India in solo monte Mero
 nascitur 332, 1. 333, 1.
 Cur Bacho sacra 276, 1. 2.
 An ebrietatem tollit 276, 1.
 Ad dilicias coronarum 551, 2.
 552, 1.
 Non est terrestris & sublimis
 268, 1.
 Lybica est smilax aspera 179,
 1.
 Crylocarpus 277, 1. 278, 2.
 Cynosiris 277, 1.
 Hedera coronatus Alexander
 322, 2.
 Cur coronentur Poetæ 276,
 1.
 Hederarum differentia 278, 2.
 549, 2.
 Heditarum 950, 2.
 Hedypnois Plinii an cichorci ge-
 nus 856, 1.
 Unde dictum *ibid.*
 Non est aphace 859, 2.
 Helicagnus, ejus historia 453,
 2.
 An olea bohemica 461, 1.
 An salicis genus *ibid.*
 An salix syriaca *ibid.*
 An myrtus brabantica *ibid.*
 Est agnus palustris *ibid.*
 Helice est salix parva 206, 2.
 Helenium 545, 2.
 Unde dictum 683, 1. 1073, 1.
 Unde natum 683, 1.
 Vulgare an Dioscoridis 1073,
 1.
 Non ante tertium aut quar-
 tum annum à satione cau-
 lem acquirit 1073, 1.
 Cutem mulierum incorrup-
 tam nutrit 683, 1.
 Venerem conciliat mulieribus
ibid.
 Tristitias abolet *ibid.*
 An panax chironium 1073,
 1.
 Est duplex majus & minus
 683, 1.
 Minus est Theophrasti *ibid.*
 Minus an onobrychis 683, 2.
 An medica Marina Clusii
ibid.

I N D E X

- An clynopodium Dodonæi
 ibid.
 An helianthemum ibid.
 An chamecistus Alpini ibid.
 Ejus descriptio Lugdunensis
 ibid.
 Ejus descriptio ex Dioscoride
 683, 1.
 Helenium quod inter frutices
 nominat. Theophrastus 12,
 2.
 Helenii descriptio 1073, 1.
 Radix & ejus descriptio 1073,
 2.
 An stomacho inimica ibid.
 Quomodo feritur ibid.
 Cur inula campana dicta
 ibid.
 Helianthemus an panax chiro-
 nium 1073, 2.
 An helenium minus 683, 2.
 Heline 588, 2.
 Helleborus ferulaceus an buph-
 talmus 834, 1.
 Helleborus vide Elleborus.
 Helm unde dictum 21, 1.
 Helioselinum an petroselinum
 macedonicum 899, 2.
 Heliotropium seu verrucaria an
 coronopus 832, 1.
 Heliotropium 882, 2. 842, 2.
 Unde dictum 883, 2.
 De ethymo non conveniunt
 veteres ibid.
 Theophrasti opinio ibid.
 Dioscoridis opinio ibid.
 Verronis opinio ibid.
 Nicandri opinio ibid.
 Heliotropium herba cancri cur
 dicta ibid.
 Ejus genera quot 890, 1.
 Descriptio ibid.
 Cur scorpiurus dictum ibid.
 An scorpioides 891, 1.
 An calendula ibid.
 Heliotropium minus est torno-
 fol dictum 892, 2.
 Non est Adversariorum mi-
 nus ibid.
 Est tricoccon seu verrucaria
 ibid.
 Ejus semen 893, 1.
 An clytea herba ibid.
 Helix an in hederam mutetur
 267, 2. 277, 1. 2.
 Quando in hederam mutatur
 267, 2.
 Ejus genera quot 266, 2. 267,
 2.
 Helvati color 569, 1.
 Helvetus color 658, 2.
 Helucus color 569, 1.
 Helvola uvæ ibid.
 Helxine 613, 2. 964, 2.
 Parietaria dicta 816, 2.
 Cur vitrago dicta 724, 1.
 Unde dicta 724, 2.
 Cur perdicium dicta ibid.
 Helxines aut parietariæ descrip-
 tio 724, 1.
 Helxines & isatidis differentia
 ibid.
 Hemerobia insectum unum diem
 vivit 1142, 2.
 Hemerocalles 545, 2.
 Unde dictum 546, 1.
 Theophrasti differt à Diosco-
 ridis 546, 2.
 Utriusque descriptio ibid.
 An scilla epimedia 859, 2.
 An martagon 547, 1.
 Ejus genera ibid.
 Hemionium qualis sit planta
 1163, 2.
 An hemionitis ibid. 1164,
 2.
 An asplenium 1163, 2. 1164,
 1.
 Unde dictum 1164, 1.
 Cur splenium dictum ibid.
 Cur atarios dictum ibid.
 Cur philtrides dictum ibid.
 Cur lonchitis dictum ibid.
 Hemionii descriptio 1154, 2.
 Folium mulieribus stereli-
 tatem adfert 1154, 2. 1163,
 2.
 Hemionitis descriptio 1164, 2.
 1165, 1.
 Unde dicta 1165, 1.
 Heraclea parietaria dicta 816,
 2.
 Heraclea nomen multis plantis
 convenit 1127, 2.
 Herbarum definitio 10, 2. 11, 1. 13,
 1. 2.
 Definitio Theophrasti defen-
 ditur 840, 2.
 Nomen unde 25, 1.
 Herbarum pro locorum varietate
 differunt 1073, 1.
 Herbarum & arborum pro locorum
 differentia aut steriles sunt
 aut fructiferae 124, 2.
 Herbarum quaedam aliud quid loco
 seminis habent 118, 2.
 Herbarum quæ noxias habent vires
 in colligendo 1041, 2.
 Herbarum omnes in Creta præstan-
 tiores 1131, 2. 1135, 2.
 Herba cancri heliotropium 883,
 2.
 Herba Gerardi 807, 1. 1021, 2.
 Herba impia unde dicta 847, 2.
 Herba marifica & fœminifica
 quæ 1153, 2.
 Utriusque descriptio ibid.
 Herba muralis 546, 2.
 Herba lutea an lysimachia 698,
 2.
 Herba lupa, mala, tora 952, 1.
 Herba Paridis an aconitum 1157,
 1.
 Herba papagalli aut psittaci 746,
 1.
 An theombrotium Plinii ibid.
 An blitum 746, 2.
 An symphonia Plinii ibid.
 Herba stella an coronopus vete-
 rum 830, 1.
 Herba septem temporum an lo-
 tus sylvestris 905, 2.
 Herba aliquando frutex dicitur
 Diosc 920, 1.
 Herba an detur contra fascinati-
 ones 1174, 1.
 Herba quæ diffundit sanguinem
 totum 1117, 2. 1119, 1.
 An talis reperiatur 1119, 1.
 Herba quæ potenter coitum pro-
 movet 1167, 2. 1169, 2.
 Herbarum differentia maxima
 829, 2.
 Herbarum vires è semine na-
 tæ, quomodo maneat 456,
 2.
 Herbarum differentiarum in positu
 foliorum 828, 2. 830, 1.
 Herbarum differentiarum ex fertili-
 tate & sterilitate ibid.
 Herbarum & arborum quædam
 folia nova dissimilia sunt à
 veteribus 51, 1.
 Herba non semper caulem fert
 11, 1. 13, 2.
 Ejus folia non semper pereunt
 11, 1. 2.
 Quomodo differt ab arbore &
 frutice 11, 1.
 Omnis folia non fert 13, 1.
 Omnis radicem non habet
 conspicuam 13, 1.
 Quæ radice carere dicitur
 1175, 2.
 Herbarius quis 369, 1.
 Herbarii qui antiquitus dicti
 1042, 1.

I N D E X.

- Herbariorum nugæ de colligen-
dis herbis 1041, 2.
- Hercules fuit medicinæ peritus
1074, 2.
- Herculana 1117, 2.
- Hermala & ejus descriptio 798, 2.
An molii similis ibid.
Ejus vires adversus fascinati-
ones ibid.
- Hermala Syriaca Bellonii an ru-
ta sylvestris Dioscoridis 799.
1.
- Hermodactyli radix 34, 1.
- Hermodactylus & behen merepsi
299, 2.
Est behen Actuarii ibid. 1144,
2.
An ephemerum non letale
ibid.
- Hermolaus notatur 393, 1. 588,
1.
- Herodoti codex corrigitur 115,
2. 151, 2. 447, 2.
- Herodoti verba non recte intel-
lexit Pollux 116, 1.
- Hesichii error 258, 2. 116, 1. 176,
1. 246, 1. 271, 1. 305, 2. 411, 2.
546, 1. 564, 2. 786, 1. 884, 1.
982, 2.
- Hesichii codex corrigitur 197, 1.
203, 2. 17. 360, 2. 447, 2. 242, 1.
269, 1. 337, 1. 382, 2. 392, 1.
316, 2. 460, 1. 482, 1. 485, 1.
501, 1. 502, 1. 508, 2. 514, 1.
535, 2. 554, 1. 739, 2. 577, 2.
590, 1. 591, 1. 825, 1. 1174, 2.
- Hesichius conciliatur cum Polli-
ne 601, 2.
- Hesichius conciliatur cum Plinio
ibid.
- Hesiodus quando vixit 871, 1.
- Hesiodi interpres notatur 218, 1.
- Hesperidum horti 587, 2. 588, 2.
595, 2.
- Hesperidum malum est cydo-
neum 338, 1. 2. 340, 1.
Non est citrium 339, 1. 2.
Antiquis vile erat 339, 1.
- Hesperis quid 339, 1.
- Hespericis berenice dicta 596, 1.
- Hieracium unde dictum 857, 1.
An hypochæris 856, 2.
Est duplex ibid.
Ejus descriptio ibid.
Minus est hypochæris ibid.
- Hieraciny majoris & minoris de-
scriptio 857, 1.
- Hieracium murorum an corcho-
rus 817, 1.
- Est pulmonaria Gallorum
ibid.
- Hierobotane est veronica 456,
1.
- Hieronymus Mercurialis defen-
ditur 904, 1.
- Hilum quid 438, 1. 917, 1.
- Hippace quid 1107, 2.
Famem & sitim tollit ibid.
- Hippiatri codex corrigitur 1078,
1.
- Hipponis sententia de plantis syl-
vestribus & domesticis 14, 2.
15, 1.
- Hipponis sententia de arboribus
sylvestribus & urbanis 120, 1.
121, 2.
- Hippocrates & Dioscorides con-
ciliantur 813, 1.
- Hippocrates & Galenus conci-
liantur 813, 1.
- Hippocrates versio emendatur
392, 1.
Locus corrigitur 392, 1. 578, 2.
803, 1.
- Locus de elaterio explicatur
1128, 2.
Locus explicatur 400, 1.
- Hippos quid in compositioni-
bus significat 548, 2. 631, 2.
801, 1.
- Hippoglossum, ejus etymon 253,
2.
Ejus descriptio 254, 2. 255, 2.
- Hippomarathri descriptio 549,
1.
- Hippomanes 1117, 1.
- Hippophaës & hippophaëstus
sunt plantæ diversæ 632, 1.
- Hippophaës 547, 1. 1117, 2.
Unde dicta 631, 2.
An rhamnus primus 632, 2.
An carduus stellatus ibid.
- Hippophaëstus 631, 2.
Unde dictus 632, 2.
An calcitrapa ibid.
- Hippophaëstus & hippophaes
sunt diversæ plantæ 632, 2.
- Hippolapathum, bulapathum,
hydrolapathum an idem
801, 2.
- Hippolapathum rhaberbarum
monachorum ibid.
- Hipposelinum 964, 2. 1117, 2.
- Hipposelini descriptio & vires
ex Theophrasto 795, 2.
Descriptio 805, 2.
Lachryma 964, 2.
Lachryma myrrha dicta 805, 2.
- Succus ex radice 967, 1.
- Hipposelinum unde dictum 804,
2.
Theophrasti an smyrnium
Dioscoridis ibid. 805, 1.
- Hipposelinum an duplex 805,
1.
Est olusatrum ibid. 559, 1.
Non est smyrnium 805, 1.
Est smyrnium dictum ibid.
Cur smyrnium dictum 805,
2.
An levisticum 806, 1. 805, 1.
An macarone ibid.
An petroselinum Alexandri-
num ibid.
- Hippyrus 458, 2.
- Hippyrus fœmina 459, 2.
- Hippyrus saxea 419, 1.
- Hirci barbulae descriptio 810,
2.
Unde dicta, & ejus genera
815, 1.
Tragopogon dicta ibid.
- Hirculatio vitis quid 494, 2. 497,
2.
- Hirculus herba & descriptio
1021, 1.
- Hirundinaria 882, 2.
Unde dicta 1139, 1.
An asclepias Dioscoridis 1139,
1.
- Hirundinum oculi an herba che-
lidonia restituuntur 893, 2.
- Hiucæ succus cur perniciosus
747, 1.
Herba cur alimentum ibid.
- Holostium & polygamum an ea-
dem planta 1052, 1.
An pilosella major 846, 2.
- Homo quomodo in potentia sit
homo in actu 83, 1.
- Homo, ut in perpetua juventu-
te & vigore conservetur 894,
2.
- Honorius Bellus defenditur 606,
1.
- Horarii fructus qui 394, 1.
- Horatii versus explicantur 385,
927, 1.
- Hordeum ex tritico gignitur 77,
2. 78, 2.
- Hordeum & triticum mutantur
82, 2.
- Hordeum sylvestre in India 347,
2.
- Hordeum quando in lolium mu-
tatur 940, 2.
Quando serendum 908, 2.
- Quando

I N D E X.

- Quando [atum] erumpit 907, 2.
 Quando provenit 910, 2.
 Quando melius fervatur 960, 2.
 Quando optimum evadit 947, 2.
 Quando interit 959, 2.
 Quot diebus perficitur 912, 2.
 Pro loci natura maturius me-
 titur 913, 2.
 Trimestre 909, 1.
 Sicco solo cur seminandum
 939, 2.
 Hordeum Achilleum 934, 1.
 Hordeum unde dictum 933, 1.
 Hordeum nudum cur dictum
 ibid.
 Hordeum indicum 931, 2.
 Hordeum indum an bosmorum
 Strabonis 933, 2.
 Hordeum in ægilopem mutatur
 957, 1.
 Hordeum & triticum in] quibus
 differunt 931, 1.
 Hordei radix 24, 2.
 Descriptio ex Theoph. 933, 1.
 Differentia 931, 2. 933, 2. 934,
 1.
 Horminum 941, 2.
 Unde dictum 945, 2.
 Sylvestre an gallitricum 946,
 1.
 Hormini semen & descriptio
 945, 2.
 Hop-rarw 938, 1.
 Hortus hyemalis 635, 2.
 Humicaules repentes plantæquæ
 819, 2. 826, 1. 828, 1.
 Humor arborum & hortensium
 quis 61, 1.
 Ejus differentia quomodo de-
 prenditur ibid.
 Humor ex betula sitim sedat
 222, 2.
 Humor melleus è robore 146, 2.
 148, 1.
 Humor pinguedine carens an
 inodorus 967, 1.
 Humor abietis, amigdalæ.
 Cerasi, picæ, pini.
 Spinæ ægyptiæ, therebinthi
 965, 2.
 Humor quando in plantis maxi-
 me turget 967, 2.
 Humor plantarum qualis 964, 2.
 Quando plurimus ibid. 967, 1.
 Quando validissimus ibid. 967,
 1.
 Est diversus 964, 2.
 Humor plantæ color 964, 2.
 Humorem Menestor vocat li-
 quorem 6, 2.
 Alii in quibusdam liquorem, in
 quibusdam lachrymam 6.1.2.
 7.2. 8.2.
 Humores arborum quot 61, 2.
 Hucnich dau quid 149, 1.2.
 Ubi maxime cadit 149, 2.
 Hyacinthus unde dictus 710, 2.
 Unde natus 711, 1.
 Apollini gratus 710, 2.
 Duplex medicus & poëticus
 710, 2.
 Poëticus vaccinium vocatur
 711, 1.
 Poetarum etiam litteris est
 notatus 711, 2.
 Hyacinthus poetarum & medi-
 corum differunt 712, 1.
 An consolida regalis ibid.
 An lilium purpureum ibid.
 Poetarum est Xyris 712, 2.
 Est spatula fœtida ibid.
 Poetarum est duplex 713, 2.
 Alter poetarum est consolida
 regalis 714, 1.
 An delphinium veterum ibid.
 Hyacinthi medici descriptio 715,
 1.
 De hyacintho fabulæ duæ 710,
 2.
 Hyacinthus stellaris non est nar-
 cissus 661, 2.
 Bifolius Theophrasti ibid.
 Hyacinthus pubertatem arcet
 711, 2.
 Hydrolapathum, bulapathum,
 Hippolapathum an idem
 801, 2.
 Hydropiper non est struthium
 722, 1.
 Non est ptarmica ibid.
 Unde dictum ibid.
 Hydrofelinum est apium offici-
 narum 804, 2.
 Hyemis initium 633, 2.
 Hyeme imbecilliora omnia 403,
 2.
 Ἰνυ Theophrasti quid 314, 2.
 Hyopthalmus dictus aster atticus
 882, 2.
 Hyoscyamus unde dictus 1079,
 2.
 Hypocystis quid 552, 1. 2. 553,
 1.
 Unde dictum 552, 2.
 Ubi nascitur 553, 1.
 An citinus 552, 2.
 An fungus 553, 1.
 Ejus genera quot 553, 1.
 Quomodo conficitur ibid.
 Quomodo adulteratur ibid.
 Hypochoeris an hieracium 856,
 2.
 Est sonchus aspera ibid.
 Quid & unde dictum 811, 2.
 Hypophanes non est rhamnus
 260, 1.
 Hypothyodes corona 377, 1.
 Hypecoum an cyminium sylve-
 stre 754, 2.
 Ejus descriptio ibid.
 Hypericum coris cur dictum
 1048, 1.
 An perfoliata 1048, 2.
 Septentrionaliū an coris herba
 1051, 1.
 Ejus descriptio ibid.
 Hyperici descriptio 1048, 1.
 Genera 1049, 1.
 Oleum 1051, 1.
 Hysginus color 239, 2. 711, 2.
 Differt à coccineo 239, 2.
 Hyfopus cretica an melior 726,
 2.
 An à vulgari diversa ibid.
 Unde dicta ibid.
 Est duplex ibid.
 Veterum an cognita ibid.
 Græcorum differt à Plinii 727,
 1.
 Vulgaris an veterum 727, 1.
 2.
 Vulgaris an legitima à 728, 2.
 Est Arabum 730, 1.
 Differt à Græcorum ibid.
 Ejus descriptio ibid. 727, 1.2.
 Hyfopus veterum an origanum
 anglicum 728, 2.
 An polium montanum Clusii
 ibid.
 An crateogonon ibid.
 Hyfopus Cretica Alpini 729, 1.
 Ejus descriptio ibid.
 Hyfopus utrimque florifera 727,
 1. 2.
 Hyoscyami varia nomina
 1079, 1.
 Altercum cur dictus 1080, 1.
 Adamenum cur dictus ibid.
 Διοσκύριος cur dictus 1079, 2.
 Symphoniaca cur dictus 1080,
 1.
 Hyoscyami descriptio 1080, 1.
 Genera quot 1080, 2.
 Nigri descriptio 1081, 2.
 Albi

I N D E X.

Albi & lutei descriptio ibid.
Lutei succus pediculos & pulices necat ibid.
Hyoscyamum quomodo veteres colligebant 1082, 1.

I.

Iacea lutea & ejus descriptio 612, 1.
Janalis virga 259, 1.
Jani poculum quid 1152, 1.
Jasionæ flos qualis 62, 1. 2. 63, 1.
Vires & facultates 63, 1.
Jasion est smilax levis & convolvulus 62. 2. 63, 1.
An smilax levis Diosc. 64, 1.
Jasionem poetæ ligustrum vocant 63, 1.
Jasminus 280, 1.
Iben boom 176, 1.
Iberis herba est thlapi 765, 2.
Iberica pruna 318, 2.
idea quid 532, 2.
Idea ficus & descriptio 248, 2. 250, 1.
Ignis quomodo concipiebatur antiquitus 543, 1. 2.
Extinctus quomodo vestalibus restituebatur ibid.
An ex attritu lignorum provenire potest ibid.
Optimus ex lignis novellis 541, 2.
Ignem quomodo Indi excitent 544, 1.
Igniarium quid 543, 2.
Dux ejus partes 544, 1.
Ilex 122, 2. 123, 1. 124, 1. 2. 138, 2.
Proprie dicta 237, 1.
Ubi fecundior 124, 2.
Quomodo fructificat 130, 2.
Quomodo germinat ibid.
Ad quæ utilis 534, 2.
Hyemis sevitiâ aut clementiam prædicit 236, 1.
Fructus quaternos aliquando habet 234, 2.
Est symbolum fertilitatis 236, 1.
Non est agrifolium 326, 1.
Sola granum tinctorium profert 238, 2.
Glandifera quæ 241, 1.
Ejus descriptio ibid.
Oleæ folio 241, 1.
Fœmina est perpetuæ naturæ & cariem non sentit 521, 2.
Ilex coccigera 237, 1.
Non ubique nec semper coccum fert 237, 1.

Cum adolevit coccum non fert ibid. 239, 1.
An sit quercus Strabonis 240, 1.
Ilicis medulla 23, 2. 25, 1. 531, 1.
Folia 49, 2. 52, 2. 53, 1.
Flos 133, 1.
Descriptio 233, 2. 236, 2.
Genera duo 236, 2. 240, 2.
Materies qualis 517, 2. 519, 2.
Quando cædenda 511, 2.
Iligneum lignum ubi validum 528, 2.
Illecebra est telephium 897, 1.
Ejus descriptio ibid.
An sempervivum tertium Dioscoridis ibid.
Imagines topiarie ex quibus fiunt 373, 1.
Imber sationi superveniens quibus prodest 939, 2.
Imber quibus frugibus & leguminibus nocet ibid.
Imber piceus 588, 1. 589, 1.
Imbres & aquæ ductus semina herbarum præbere creduntur 118, 2.
Imbrex. imbrices 578, 2. 1.
Impar 368, 1.
Imperatoria an silphium 597, 1.
An smyrnium 807, 1.
An petroselinum maced. 809, 1.
Non est ligustrum 905, 1.
Impilia sunt focculi 897, 1.
Ina quid 632, 1.
Ineæ fulloniae ibid.
Incertum & infinitum differunt 3, 1.
Inculta loca non sunt deserta 599, 1.
Indiæ semina propria 347, 2.
Indiæ montuosa vitem, oleam, nucum & pomorum universum possidet genus ibid.
Indorum sapientes nudi degunt ibid.
Indi linea veste utuntur 361, 2.
Indis Aprilis initium est autumnus 335, 1.
Ingerere quid 24, 1.
Ἰνὸφλον 19, 1.
Inoculatio quomodo inventa 74, 1.
Est duplex 74, 2.
Insitio quomodo inventa 74, 1.
Est duplex 74, 2.
Insulæ fluctuantes in lacu Orchomeno 486, 2.
Instrumenta varia ex buxo 23, 2.
Internodium quid 268, 1.

Interpretis Athanei error 25, 2.
Intinctus quid 378, 2.
Inturis 630, 2.
Intubus unus sylvestris duo hortenses 855, 2.
Sativus est hortensis ibid.
Intubi caulis 853, 2.
Intubi sylvestris folia 49, 2.
Intubacea omnia sunt olera 810, 2.
Intubum unde dictum 811, 2.
Ambulium cur dictum 855, 1.
An troximom 811, 2.
Est cichorium erraticum 855, 1.
Inveterari quæ dicuntur 628, 1.
Inula campana 1073, 2.
Inundatio annuum semina herbarum adfert 118, 2.
Jonas propheta sub qua planta delituit 1088, 2.
Jonia quid 46, 1. 826, 1.
Ἰαλ 416, 2.
Jovis flos 545, 2.
Unde dictus 667, 2.
An lychnis coronaria ibid.
An caryophylleus flos ibid.
An armerius ibid.
An aquileia ibid.
Joxides unde originem ducunt 633, 1. 634, 1.
Cur spinam non conburunt ibid.
Ipen-boom taxus, ulmus 318, 2.
Ipes 960, 2.
Iphion non est tiphion 669, 1. 2.
An caryophylleus 669, 1.
An asphodelus luteus ibid.
An rosmarinus ibid.
An lavendula ibid.
An stœchas ibid.
Ἰπυ 457, 2. 460, 1.
An lens palustris 460, 1.
Ἰωω in compositionibus magnum significat 548, 2. 631, 2. 801, 1.
Ips vermis viti noxam adfert 501, 1.
Ips vermis 528, 1. 960, 2. 961, 2.
Irio unde dictus 921, 1.
Iris sibi terram fabricat 439, 1.
Iris uvaria 335, 2.
Iris id est consecatrix 367, 2. 368, 1.
Cur consecatrix dicta 866, 1.
Iris florem sed non fructum fert 830, 1. 866, 1.
Iris astragalitis an astragalus Dioscoridis 868, 2.

Iris

I N D E X.

- Iris agria* an ephemerum lethale 1143, 1.
Iris illirica an omnis intus ruffescit 879, 1.
Illirica & florentina quomodo differunt ibid.
Illirica an florentina melior 868, 2.
Illirica an africana melior 879, 1.
 An semen ferat 868, 1. 869, 1. 841, 1. 830, 1.
 è propinquo bene olet 868, 2.
 Quæ optima aut pessima ibid.
Ruffa an alba melior ibid.
Illirica optima 1004, 1.
 Unde dicta 866, 1.
 Ejus varia nomina 866, 2.
Καθαρον. 1. purgans cur dicta ibid.
Iridis flos an noctu hiat 868, 1.
Illiricæ quot genera 868, 2.
Radix quando geniculata 868, 1.
 Quando bene olens ibid.
 Descriptio 867, 1.
 Color diversus quomodo ibid.
 Flos *λυκ* dictus 866, 2.
 Folium 865, 2.
 Caulis ibid.
Iris in aquosis nascens est minus odorata 1015, 2.
Iris indica redolens an costus 1037, 1.
 Ejus descriptio ibid.
 Irrigatio omni stirpium generi communis est 110, 1.
 Irrigationi an tepida an frigida aqua conveniat 794, 1.
Isiaci qui 1150, 1.
Isatis herba vitrum vocatur 558, 1. 723, 2. 724, 1.
Isatis descriptio 723, 1. 725, 2.
 An species lactucæ ibid.
Isatis Dioscoridis an lutum 723, 1.
 Quem colorem tingit 724, 1.
Isatidis color varie fumitur ibid.
Isatidis & helxines differentia ibid.
 Sylvestris & domesticæ differentia 725, 2.
Isyxas unde dictum 382, 2.
 Ejus facultates 1053, 2.
Ischas unde dicta 1062, 2.
 Apios cur dicta ibid.
Isidori error 899, 2. 293, 2. 317, 1. 357, 2. 359, 2.
Isop quid Hebræis denotat 727, 1.
Ischæmon sanguinem fluentem sistit 1117, 2. 1119, 1.
 Ejus descriptio 1119, 2.
 An gramen dactylon ibid.
 An aristolochia ibid.
Isopyros 208, 2.
 Ejus descriptio 718, 1.
 Dioscoridis est aquilina 717, 2.
 Unde dictus 718, 1.
 Cur phasiolus dictus ibid.
 An trifolium palustre 718, 2.
 An ervilia ibid.
 An melanthium ibid.
Isopyri & phaseoli quæ similitudo 718, 2.
Isus mons Ciciiliæ 785, 2.
Iton diversum est ab æte ægyptio 32, 1.
Judæa terra unde salsa 101, 2.
Iva arthetica chamepithiis 826, 1.
Juba quid 914, 2.
Jubam gerentia quæ ibid.
Juglans 122, 2. 138, 2.
 Quando germinat 130, 2.
 Quando fructificat ibid.
 Sub aquis facile putrescit 527, 2.
 Quæ ante diem Joanni sacrum non floret 133, 1.
 Quasi Jovis glans dictus 225, 2. 226, 1.
Juglandis radix 25, 2. 34, 1.
 Umbra nocet, ejus causa 225, 1.
Jujubæ 330, 1.
Julii Cæsaris codex corrigitur 1121, 1.
Julus in arbore quid 131, 1. 140, 1.
 Est nomen æquivocum 139, 1.
Juli avellanæ descriptio 140, 2.
 An sit ejus flos ibid.
Juli abietis descriptio 169, 1. 171, 1.
Jumenta quæ 176, 2.
Juncus 17, 2.
Juncus lapideus 417, 2. 419, 1.
Juncus unde dictus 487, 2.
 Inter aquatica numerandus 485, 2.
 Acutus sterelis 485, 2. 489, 2.
 Acutus vulgaris 488, 1.
 Acutus & ejus species 487, 2.
 Quomodo propagetur 486, 2.
 Mariscus 488, 2.
 Lævis 488, 1.
 Melancranis ibid.
 Holoscoenus ibid. 486, 2.
 Frugifer 486, 2.
 Ejus fructus ibid.
 Sterelis ibid.
 Quomodo regeneret ibid. 489, 2.
 Odoratus an schœnanthum 1008, 2. 1009, 1.
 Ejus descriptio 1009, 2. 1007, 2.
 Ubi nascitur 1004, 2.
 Ubi optimus 1008, 1.
 An suavem emittit odorem 1008, 2.
Juncus & calamus an virides suavem emittunt odorem 1006, 1.
Junci tria generâ 485, 2.
 Quot genera 487, 1.
 Flos cur raro adfertur 1008, 1.
 Floris descriptio ibid.
Juniperi folia 52, 1.
 Folium an sit spina 53, 1.
 Fructus non maturatur 130, 2.
 Umbra gravis 196, 2.
 Ramentum an noxium 196, 1.
 Lachrymæ 797, 1.
 Fructus 200, 1.
Juniperus 122, 2. 123, 1. 124, 1. 2. 138, 2. 964, 2.
 An montibus gaudet 123, 1.
 An duplex 129, 2.
 An floret ibid.
 Quomodo fructificat 130, 2.
 Quando floret 133, 1.
Junipertis altera floret alterâ fructum fert 133, 1.
 Altero à germinatione anno fructum maturat 135, 2.
 Major 195, 1.
 Ejus descriptio 196, 2.
 An sabina 375, 1.
 Minor 195, 2.
 Ubi optima provenit 283, 2.
 Est perpetuo folio 124, 2.
 Est perpetuæ naturæ & cariem non sentit 521, 2.
 Ad quæ utilis 534, 2.
 Illirica 197, 1.
Juppiter Stratius est *Juppiter Stativus* 492, 2.
Justini error 998, 2.
Juvenalis codex corrigitur 388, 1.
Ix vermis 528, 2.
Ixia an chameleon 663, 2.
 Quando chameleon dicitur 1094, 2.
Ixias Dioscoridis 627, 1.
 An chameleon niger 1096, 1. 2.
 Ejus gummi est venenatum 626, 2.
Ixina an carlina 1095, 1.
 Theophrasti 627, 1.

I N D E X.

Alpini 626, 2.
 Non est chameleon albus 627, 1.
 Fabii Columnæ 624, 1.
 Est chameleon albus Maranthæ 625, 2.
 Ixine unde dicta 662, 2.
 Theophrasti mastichem fundit ibid.
 Theophrasti & chameleon est planta diversa ibid.
 Theophrasti & chameleon an sit ixias Dioscoridis ibid.
 Ixine & chameleon albus Theophrasti an eadem planta 623, 1.
 Est chameleon albus Dioscoridis ibid.
 Semper gummi emittit ibid.

K.

K Aracet quid 293, 1.
 Kermes officinarum 239, 1.

L.

L Abrum veneris 417, 1.
 Laburnum goude keten dictum 253, 1.
 Laburni flos 63, 1.
 Genera & descriptio 253, 1.
 Lac sorbent Arcades ad purgandum 1117, 2.
 Lac in Arcadia cur purgat 1119, 2.
 Lac fici dictum 383, 1.
 Lacara 123, 1. 122, 2. 138, 2.
 Lacatha quid 123, 1.
 Lacca Arabum an cancamum Græcorum 836, 2. 836, 1. 837, 1.
 An anchusa 835, 2.
 An vox græca ibid.
 Βακείον dicta ibid.
 à formicis elaboratur ibid.
 Tinctorum quæ ibid.
 Recens colore rubro pulchro tingit ibid.
 An veteribus cognita 836, 1.
 Obesos extenuat ibid.
 Lacca bacillis in hærens an Arabum lacca 836, 2.
 Ubi nascitur ibid.
 An gummi ibid.
 An myrrhæ similis ibid.
 An odorata 837, 1.
 An ad suffitus inepta ibid.
 Quomodo odorata ibid.

An mali saporis ibid.
 Lacca vires, & historia 835, 2. 836, 1.
 Lacertæ sine potu vivunt 322, 2.
 Lachryma quid 966, 1.
 Lachryma & gummi differunt ibid.
 Lachryma est duplex ibid.
 Lachryma ubi consistit 964, 2.
 Lachryma hipposelini ibid.
 Est myrrha dicta 805, 2.
 Laserpitii 964, 2.
 Lentisci an liquida 969, 2.
 Amigdalæ an usum habet 965, 2.
 Jenuperi 197, 1.
 Vitis 967, 2. 965, 2.
 Olufatri an germen profert 967, 2.
 Lachrymæ quæ cæsura capiuntur 965, 2.
 Quomodo proveniunt 964, 2.
 Plantarum ibid.
 Lachrymarum collectio quomodo 1038, 2.
 Differentiæ 967, 1.
 Fluxus quibus largior 965, 2.
 Lachryma balsami quantum colligitur uno die 1001, 1.
 Lactir quid 591, 2.
 Laciniana oliva agrum macrum requirit 314, 2.
 Lactucæ folia 49, 2.
 Radix 740, 2.
 Genera quot 761, 2. 778, 2. 779, 2.
 Notæ ex Theophrasto 778, 2.
 Urbanæ & sylvestris differentia ibid. 795, 2.
 Sativæ genera ibid.
 Serendi tempus 779, 2.
 Succus hominem tollit ibid.
 Sylvestris vires 795, 2.
 Lactuca quando suavior evadit 738, 2.
 Ex dulci quomodo amara fit 51, 1.
 Quando suaviores caules profert 763, 2.
 Quando spinosa fit 53, 2.
 Quando provenit 731, 2. 734, 2.
 Αγοτις dicta 779, 1. 2.
 Quæ dulcior 761, 2.
 Tenera est dulcis, adulta amara 900, 2.

Laconica quæ 761, 2.
 Eunuchus ibid.
 Sativa θειδαξ cur dicta 778, 1.
 Sylvestris θειδαξίν dicta ibid.
 Galeni 778, 2.
 Sessilis ibid.
 Ut fiat sessilis 779, 1.
 Δικαριδιον quæ 779, 2.
 Ceciliana quæ ibid.
 Cappadocea quæ 780, 1.
 Boetica quæ ibid.
 Crispa quæ ibid.
 Alba quæ ibid.
 Cyprea quæ ibid.
 Picæda quæ ibid.
 Μήκωνις quæ 780, 2.
 Agrestis opii odore ibid.
 Atra meconis Plinii ibid.
 Ejus descriptio ibid.
 Marina ibid.
 Oesopos ibid.
 Lactuca unde dicta 778, 2.
 An Venerem prohibeat 779, 1.
 Venerem extinguit ibid. 780, 1.
 An sanguinem gignat 779, 1.
 Lactuosi succi collectio ex quibus 1039, 2.
 Lacustria quæ 453, 2.
 Ladanum quando colligitur 553, 2.
 Quod optimum ibid. 554, 2. 558, 1.
 Ex qua planta colligitur 554, 1. 555, 1.
 Ex qua planta purissimum 555, 2.
 Duobus modis colligitur 555, 2. 557, 2.
 An ex hedera colligatur 555, 2. 557, 1.
 Colligitur ex capranum barbis 556, 1. 557, 1.
 An ex aliis plantis odoratis colligatur ibid.
 Utrum in Arabia an Æthiopia reperiatur 556, 2.
 An ex tragopogi radicis succo ibid.
 Quomodo colligitur à Cretensibus 558, 1.
 Ubi optimum 557, 1.
 Factitium 557, 2.
 Terreum ibid.
 Officinarum est adulteratum 558, 1.
 Ladani vires 554, 2.

Ladani

I N D E X

- Ladani & hederæ historiam con-**
fundunt 555, 2.
- Ladon Draco custos Hesperidum** 337, 2.
- Lagopus Dioscoridis an Hippocratis** 850, 1.
- Lagopi descriptio** ibid.
Varia genera ibid.
- Lagopiri Hippocratis descriptio**
849, 2.
- Lagopirus Hippocratis & alopecurus Theophrasti an eadem planta** 849, 2.
- Lamina abietis** 135, 1.
- Lamium** 816, 1.
- Lampfana an cara vel chara**
1120, 2.
- Lana in duplici fructu reperitur**
427, 2.
- Lanæ arboreæ collectio** 423, 2.
- Lanaria herba** 588, 2.
- Lanigeræ arbores** 424, 1.
- Lanigera arbor & feres differunt**
427, 1.
An fructum fert, & qualem ibid.
Est gossypium 428, 1.
In Arabia arborefcit ibid.
- Lanifera arbor an morus alba**
426, 1.
- Lanceolata est plantago** 843, 2.
- Lanugo acanthii vestium materiam præbet in Oriente** 616, 1. 2.
- Lanugo rassilaginis est ignis rapax** 877, 2.
- Lanugo recens quando vestibus adhæret** 887, 1.
- Langoas** 333, 2.
- Lantana viburnum** 548, 1.
- Lapathum cur $\rho\epsilon\omega\upsilon$ dictum** 802, 2.
Rumex dicitur 800, 1.
Unde dictum ibid.
An a crem saporem habet 800, 2.
An beta sylvestris 15, 1.
Est carnosò caule & radice 23, 1.
Cantherinum unde dictum 801, 1.
- Lapathi radix** 739, 2.
Genera quot 762, 1. 800, 2.
Notæ ex Theophrasto 800, 2.
- Lappago nomen multis plantis commune** 632, 1.
- Lappæ nomine plures plantæ donatæ** 883, 1.
- Lappa officinis est bardana** 884, 2.
Cur personata dicta ibid.
- Larix** 44, 1. 123, 1.
Sola inter coniferas folia amittit 45, 1. 167, 2.
è semine tantum exit 74, 2.
Unde dicta 166, 1.
Pondus sustinet & renititur 531, 1.
Incognita Homero 523, 1.
- Laricis materies fundum petit**
519, 1.
Materies quando cædenda 511, 2.
Ejus fungus est agaricus 167, 2.
Lignum an ardeat 166, 2.
Quando ardeat ibid.
Historia 166, 1. 167, 2.
Radix 26, 1. 2.
Folia 49, 2. 53, 1.
- Laricis & piceæ differentia** 162, 2.
- Laricea resina** 167, 2.
- Lasarum** 589, 1. 2.
- Lasar** 591, 2. 367, 2. 589, 2. 590, 1. 964, 2.
- Lasaris succus an fœtet** 593, 2.
- Laserpitium** 36, 2. 304, 2. 550, 2. 586, 2.
Casu enatum 119, 2.
An culturam admittat 120, 2. 121, 1. 587, 2. 588, 2. 597, 2.
 Ἰατρῶν vocatur 369, 1.
- Laserpitii folium maspetum** 586, 2.
Ejus usu pecus curatur & pinguescit ibid. 587, 2. 591, 1.
Descriptio 586, 2.
- Lachryma** 964, 2.
- Laserpitii succus duplex** 587, 2. 591, 2. 969, 1.
Succus quomodo præparatur ibid.
Quomodo colligitur ibid. 594, 1.
Quomodo adulteratur 594, 2.
Dignitas 589, 1. 599, 1.
Folia 590, 1. 2. 591, 1. 592, 1. 597, 1.
Caulis edulis 591, 1.
Succus $\delta\pi\omega\varsigma$ dicitur 305, 2. 369, 1.
Succus quis optimus 592, 1. 594, 1.
An recentioribus cognitus 592, 2.
- Cur Romani non ad ferebatur tempore Plinii** ibid. 599, 2.
Solum natale 595, 1. 2. 596, 1.
Ejus amplitudo 587, 2. 588, 1. 595, 2.
Radix 587, 2. 596, 2.
Quomodo cædenda 587, 2. 594, 1.
Succus cur præparetur 594, 2. 595, 1.
Quis modum præparandi invenit 494, 1.
Qualis ejus color ibid.
Maturitatis indicium ibid.
Ejus genera duo 597, 2.
Planta tempore Plinii deperdita 599, 2.
- Laserpitium deserta non amat sed inculta** 599, 1.
In Caucaſo monte nascitur ibid.
In magno prætio olim ibid.
Curiosè descripsit Theophrastus 584, 1.
Cur silphium dictum 589, 1.
In incultis copiosiore abundat succo 596, 2.
Non est levisticum 597, 1.
Adversariorum ibid.
Alpini 598, 1.
Ad vivum delineatum 598, 2.
- Lasimalum** 340, 2.
- Lathyrus unde dicitur** 1088, 1.
Non est cicuta 1089, 2.
Ejus descriptio 1090, 1.
 Λαθῦρος unde dictum 918, 2.
- Lathuris & lathurus differunt**
918, 2. 1088, 1.
- Lathuri descriptio** 918, 2.
- Lathurus & aracus in quibus differunt** 919, 1.
- Latifolia** 161, 1. 163, 2.
- Lavendula an Cneoron album**
560, 2.
Est pseudonardus 669, 2. 1017, 2.
Est nardus spicata 1017, 2.
Est major & minor 669, 2.
Utriusque descriptio ibid.
An iphyon 669, 1.
An nardus celtica 1021, 1.
Caput replet 669, 2.
- Laurus** 17, 2. 19, 1. 24. 26. 41. 122, 2. 124, 1. 2.
Sylvestris 45, 1.
Quomodo proveniat 70, 2.
Quæ avulsione plantatur locū umbrosū requirit 47, 1.
Sata non degenerat 78, 2.

I N D E X.

- Est perpetuo folio 124, 2. 188, 2.
 In Belgio cur non fit arbor 145, 2.
 Cur Apollini sacra 185, 1. 2.
 Facit ad vaticinandum ibid.
 Dæmones fugit ibid. 187, 2.
 Tutelæ sacra 168, 2.
 Volucres sanat ibid.
 Ebrietatem arcet ibid.
 Unde dicta 187, 1.
 Fulmine cur non icitur ibid.
 Vinum à tonitru defendit 187, 2.
 Magno sonitu crematur, ejus causa ibid.
 Tenuifolia & præstantior 188, 1.
 Ubi plurimum nascitur 368, 1.
 Quomodo longæva 490, 2.
 Repullulat 492, 1.
 Vitem offendit 506, 2.
 Quomodo germinat 130, 2.
 Est arbor & frutex, ejus differentia 189, 1.
 Laurus Alexandrina fructus supra folia gignit 49, 2.
 Unde dicta 252, 2.
 Alexandrina 256.
 Ejus descriptio 248, 2. 254, 1. 255, 2.
 Quomodo eadem cum Idea 249, 1. 2.
 An chamedaphne 255, 1.
 An hypoglossum ibid.
 An laurotaxa ibid.
 Earum differentia ibid. 255, 2.
 Laurus cerasus est perpetuo folio 124, 2.
 An lotus altera 328, 2.
 Ejus descriptio & fructus ibid.
 Laurus daphne 185, 2. 188, 1.
 Laurus cypria 188, 2.
 Laurus lapidea 417, 2.
 Laurus mustacea an laurus cerasus 188, 2.
 Laurus mas 142, 1.
 Laurus ferrata 333, 1.
 Laurus sterelis 189, 1.
 Uvam fert 142, 1.
 Laurus tinus 45, 1. 124, 2. 188, 2.
 Est perpetuo folio 45, 1.
 Laurotaxæ descriptio 255, 2.
 Lauri corona potatoribus inutilis 186, 2.
 Descriptio & differentia 189, 1.
 Duo genera 185, 1.
 Genera quot Plinio 188, 2.
 Folia sursum erigunt 8, 1.
 Folia 49, 2.
 Folia cur bellariis addita 186, 1.
 Folia obtundunt vinosum odorem ebriorum 186, 2.
 Fructus *δαφνίδες* 188, 1.
 Est rotundus aut oblongus 189, 1.
 Materies qualis 517, 2.
 Medulla 23, 2.
 Radix 24, 2. 25, 2. 26, 2.
 Ramus virtutis symbolum 186, 2.
 Ramus ocellus dictus 188, 1.
 Satio 85, 2.
 Uvula quid 145, 1.
 Varius usus apud antiquos 186, 1. 2. 187, 2. 534, 2.
 Lauro qui coronantur 185, 2. 186, 1. 2.
 Ex lauro omem capitur 188, 1.
 Laureatæ litteræ 187, 1.
 Laurcola an cncorum nigrum 560, 2. 561, 2.
 Est mas & fœmina ibid.
 An daphnoides ibid. 561, 1.
 Ejus descriptio & vires 560, 2. 561, 1.
 Laurenbergii codex suppletur 72, 2.
 Λένθου vitellum ovi 447, 2.
 Λένθου pulmentarium ex farina ibid.
 Λένθου quid 918, 1.
 Ledi descriptio 553, 2.
 Ledum est cisti genus ibid.
 Unde dictum 554, 1.
 An cistus fœmina ibid.
 Cretense ibid.
 Legulus quis 312, 2.
 Legumen unde dictum 908, 1. 940, 1. 2.
 Legumen coctile vel incoctile unde 953, 2. 954, 1.
 Leguminum radix 124, 2.
 Legumina quomodo coctibilia fiant 82, 2. 83, 1.
 Legumina quæ 362, 2. 908, 1.
 Legumina & frumenta in quibus differunt 912, 1. 915, 1.
 Legumina quæ sero, quæ mature feruntur 906, 2.
 Quæ utroque tempore feruntur ibid.
 Omnia an femine proveniunt 908, 1.
 Colore candida an dulcissima 937, 2. 938, 2.
 Quando erumpunt 907, 2.
 Pro ratione cœli & soli variant ibid.
 Quas differentias admittunt 937, 2.
 Quando radices & folia fundunt 910, 2.
 Legumina quando pullulant 911, 1.
 Quando florere incipiunt 911, 2.
 An omnia habent radicem lignosam & unicam 912, 1.
 Siliquam gerunt 914, 2.
 Valentiora quæ ibid.
 An omnia semen in siliqua gerunt 914, 2.
 Quibus foliis constant 913, 2.
 Castimoniam servantibus cur interdicta 918, 2.
 Venerem instigant ibid.
 Λένθου est substantivum & adjectivum 559, 1.
 Lemnia quid 460, 1.
 Lemnia Androsaces ibid. 2.
 Lens 546, 2.
 Oculis inimica 924, 1.
 Qualis cibus 924, 2.
 An æquanimos faciat ibid.
 Quando serenda 909, 2.
 Lens & cicer in India non nascuntur 347, 2.
 Lentis notæ & descriptio ex Theophrasto 925, 1.
 Lenticulatum scalprum 924, 2.
 Lenticula an radicem habet 6, 2.
 Lenticula quid 924, 2.
 Lentis palustris descriptio 460, 1.
 Degenerat in silybrium aquat. ibid.
 Lentiscus 124, 2. 1. 964, 2.
 Est perpetuo folio ibid.
 Unde dicta 230, 2.
 Lentisci fructus quomodo satiorum tempora significat 875, 2.
 Lentiscum arrodere quid 230, 2.
 Lentisci historia 231, 1.
 Lachryma an liquida 969, 2.
 Lentus quis 924, 2.
 Leontopetalon an anemone 845, 2.
 Ejus

I N D E X.

Ejus descriptio ibid.
 Leontopodii descriptio ibid. 846.
 2.
 Leontopodium Plinii est leontopetalon 846, 1.
 Unde dictum 846, 2.
 An pilosella minor ibid.
 Lepus tute es & pulpamentum quæris Adag. 383, 2.
 Λευκακία non est ἀκασθία λευκά 606, 2. 608, 2.
 Leucanthos 588, 2.
 Leucanthemum unde dictum 833, 2.
 Leucacantha an carlina 607, 1.
 Est aut frutex aut arbor 606, 2.
 Leucographus an silybus Diosc. 607, 1.
 Plinii an Cerinthe 717, 1.
 Leucoion aut est bulbosum aut frutex 696, 1.
 Bulbosum primum ver nunciat ibid.
 Ejus genera ibid.
 Leucocii fruticis differentia 696, 2.
 Lutei usus in medicina ibid.
 Est alcheyri 696, 2.
 In coronis nuptialibus locum habuit ibid.
 Levicaules plantæ 828, 2.
 Levisticum an laserpitium 597, 1.
 An magydoris 599, 2.
 An Hippofelinum 806, 1.
 Levistici descriptio 599, 2.
 Λιβανὸς an thuris arbor 976, 1.
 Unde dictum ibid.
 Libanotidis etymon 558, 2.
 Tria genera ibid.
 Libanotis est rorismarinum 560, 1.
 Λιβανὸς an thuris lachryma 976, 1.
 Libanotis Theophrasti & Dioscoridis an eadem 1092, 1.
 Theophrasti an fefeli Æthiopicum ibid.
 Ejus genera ibid.
 Dioscoridis umbellifera dicta 1092, 2.
 Ejus descriptio ibid.
 Libanotis sterelis Theophrasti ibid.
 Sterelis Dioscoridis an caulem vel florem profert ibid.
 Arcet tineas ibid.
 Libanotis rosmarinus coronarius 1091, 2.
 Unde dicta ibid.

Libanotidis frugiferæ quot genera ibid.
 Liber quid 434, 2.
 Libri lintei 435, 1.
 Liber de mirabi auscult. non est Aristotelis 524, 1.
 Libidinis & rosæ comparatio 646, 2.
 Liburni ex quibus naves suebant 19, 2.
 Lichnitis an thrallida 853, 1.
 Lignum quid 8, 2. 9, 2.
 Ex quibus constat 9, 2.
 Quod, & cur facile & contra frangitur 23, 2.
 Omne habet medullam 529, 2.
 Abiegnum facile finditur, difficulter frangitur 23, 2.
 Acanthinum 359, 2.
 Aloes & ejus descriptio 1028, 2.
 Brasiliium Græcis incognitum 835, 1.
 Celti & ejus usus 321, 2.
 Ebeni quod optimum 359, 1.
 Quomodo ab aliis cognoscitur ibid.
 Mori vetustate nigrum fit. ibid 521, 2.
 Moluccense sive paunia 895, 1.
 Nephalium 567, 1.
 Sambuci 206, 2. 207, 1.
 Santalinum quando acrimoniam habet 895, 1.
 Scyticum an glycyrriza 1105, 1.
 Colore luteo tingit capillos ibid.
 Sempervivum 356, 1.
 Sesaminum 359, 1.
 Vitis an durable 526, 2.
 Lignum thuris & myrrhæ à Sabæis uritur 1031, 1. 2.
 Ejus incommodis quomodo medentur ibid.
 Ligna quæ ætate, arte, aut natura splendent 359, 1.
 Quo loco spissiora & pulchriora 283, 2.
 Deteriora quæ 515, 2.
 Cædendi tempus 131, 2.
 Ponderosa & dura 521, 2.
 Quæ cariem sentiunt vel non ibid.
 Quomodo à tinea præservantur 522, 2.
 Dolatilia 530, 2.
 Fissilia ibid.
 Odorata an æterna 527, 1.

Rotunda 530, 2.
 Ne findantur ibid. 531, 1.
 Quæ facile & contra terebrantur 532, 2.
 Quæ navibus apta 533, 2.
 Quæ tectis & aliis apta ibid.
 Quæ crepitant in igne 542, 1.
 Quæ facile vel contra secantur 532, 2. 533, 2.
 Ligni color quis 742, 1. 752, 1. 841, 2.
 Lignosa radice an graveolentia 844, 1. 2.
 Lignorum differentia 530, 2.
 Materiam quot infesta sunt 528, 1.
 è lignis novellis ignis optimus 541, 2.
 Ligusticum an imperatoria 905, 1.
 Ligustrum poetarum quid 63, 1. 2.
 Vulgare in Ægypto non reperitur ibid.
 Est cypri species 63, 2.
 Quomodo differt à poetarum ibid.
 Poetarum an cyprus 63, 1.
 Ligustrum 123, 1.
 Non est cyprus 178, 1.
 Lilac, ejus flos 63, 1.
 Non est balanus 302, 2.
 Lillach an ostrys 177, 2.
 Liliium è caule exit 74, 2.
 Ex lachryma exit ibid. 75, 1.
 An è caule nascatur ibid.
 Comparatur Virginitati 654, 2.
 Cur *νεβρον* dictum 655, 1.
 Ut rubrum fiat 656, 1.
 Purpureum 679, 2.
 Byfantinum 657, 1.
 Convallium an oenanthe 682, 1.
 Lili excelsitas quomodo contemplanda 654, 1.
 Lachryma 644, 1. 656, 1.
 Descriptio 656, 1.
 Vox late sumitur 712, 2.
 Flos noctu panditur, meridie flaccescit noctu folia amittit 715, 1.
 Sylvestris genera 657, 1.
 Purpurei descriptio 656, 2.
 Liliium purpureum non est hyacinthus poetarum ibid.
 Non est hemero callis ibid.
 Ejus genera ibid.
 Maturè florens est Dens caninus 697, 1.

I N D E X.

- Lili an rosæ flos citius folia amit-
 rat 715, 1.
 Liliorum differentia 644, 2. 655.
 2.
 Limonia 589, 2. 610, 1.
 Nomen hoc pluribus herbis
 tribuere veteres 610, 1.
 Limonium est citri species 344,
 1.
 Quomodo differunt ibid,
 Ejus genera ibid.
 Limones de figuras 345, 1.
 Limonum succus puellis cur
 gratus ibid,
 Varos & maculas tollit ibid.
 Λιμνὴ vox late sumitur 408, 1.
 Linaria est osyris 1176, 1. 2.
 Linaria unde dicta 1176, 1.
 Lino-genista 19, 2.
 Ejus descriptio ibid.
 Lino sparti historia 19, 2. 20, 21.
 22, 23.
 An spartum ex quo in Asia
 lina ad retia fiebant 20, 1.
 An linum sativum ibid.
 An linum crassius ibid.
 An thymelca 20, 2.
 Quid sit ibid.
 Linum 17, 2.
 Linum pingue solum vult 944,
 2.
 Quando serendum ibid.
 A patiendo cur dictum 943,
 1, 2.
 Lini etymologia & historia 943,
 1.
 Genera 944, 2.
 Lineis vestibus, cur sacerdotes
 utuntur 944, 1.
 Λινῶν quid 512, 1.
 Λινῶν arbores quando dicuntur
 135, 1. 497, 2. 512, 1.
 Λινογενὴν quod anni tempus 512,
 1.
 Lithospermum unde dictum
 1127, 2.
 Repens, & ejus descriptio
 1128, 1.
 Lithosparmi genera quot 1128,
 1.
 Descriptio 1127, 2.
 Semen 64, 2.
 Litterarum inventores, qui 434,
 1.
 Lixivia acrior quæ 540, 2.
 Λω quis mensis 475, 2.
 Λόγος quid botanicis 260, 1.
 1183, 1.
 Loca aprica quæ 285, 2.
 Umbrosa quæ ibid.
 Fluvii vicina an palustria 868,
 2.
 Quæ medicamentis sunt ferti-
 lia Græcia 1117, 2.
 Loca quæ medicamentis fertilia
 sunt 1116, 2.
 Loca terrena sub quibus aqua la-
 tet 468, 2.
 Terrena privatim quid ferunt
 452, 2.
 Loci & regionis ratione melior
 & pejor fructus ex satione
 provenit 76, 2.
 Loci a locis multum differunt
 1005, 2.
 Loci natura facit discrimen in
 plantis 538, 2.
 Locis omnibus non omnia pro-
 veniunt 402, 2.
 Locorum discrimen facit ad ma-
 turitatem frugum 913, 2.
 Lolium quid 17, 2. 937, 2. 938.
 2. 953, 2.
 Lolium ex hordeo triticoq; cor-
 ruptis 950, 1.
 Lolium ex lino 941, 2.
 Lolium unde nascitur 942, 1.
 947, 2.
 Lolium quando ex tritico muta-
 tur 943, 1.
 Lolium an vernum 941, 2.
 Lolii descriptio 943, 1.
 Notæ ex Theophrasto ibid.
 Malignitas 942, 1.
 Lolio victitare Adag: 942, 2.
 Lolium cerevisiam malignam
 efficit 942, 2.
 Lomentum quid 915, 2.
 Lonchitis descript. 1164, 1164, 1.
 Λονχίτις quid 512, 1.
 Λόφος 176, 2.
 Lopima genus castanearum 173,
 1.
 Λωπὴν Latini celtim vocant 25, 1.
 323, 2.
 Lotus 42, 1.
 Lotus est arbor aut herba 903,
 1.
 Lotus arbor 321, 2.
 Est celtis Punii 323, 2.
 Lotus Polibii ibid.
 Non est altea Theophrasti
 327, 1.
 Non est paliurus Africana
 ibid.
 An commarus five paliurus
 Agatoclis 327, 2.
 An ziziphus 328, 2.
 Lotus an perlato Italarum 323,
 1. 325, 1.
 Est diversa à Lotophagorum
 loto 326, 2.
 Lotus lybica Athanæi 327, 1.
 Differt à Lotophagorum loto
 ibid.
 Lotus Athanæi est faba ægyptia
 440, 2.
 Lotus herba est sativa, hortensis
 & melilotus 903, 1.
 Unde dicta ibid.
 Sativa quæ 903, 2.
 Sativa an sylvestris ibid.
 Sylvestris descriptio ibid.
 An trifolium pratense ibid.
 Sativa an trifolium pratense
 905, 1.
 An melilotus vulgaris 905, 2.
 An herba septem temporum
 ibid.
 Loti plura genera valde discretæ
 883, 2.
 Loto tusa hortus sit floridus 903,
 1.
 Lotus Egyptia 446, 2.
 Ejus mirabilis natura 447, 1.
 An sit nymphæa altera 448, 1.
 861, 1.
 Quomodo differt à nymphæa
 451, 1.
 Ejus descriptio 448, 2.
 Lotus vox multa significat 324, 1.
 Quid denotat 325, 1.
 Faba Græca dicta 324, 1, 2.
 Genti nomen dedit 324, 2.
 Unde dicta 446, 1.
 Sata quid ibid.
 Loti descriptio 325, 1. 437, 2.
 Genera 440, 2.
 Radix 447, 2. 450, 1.
 Radix corsium dicta 438, 1.
 Ejus descriptio ibid: 447, 2.
 Folia & flores nymphææ. Smil-
 lima 449, 1.
 Floris descriptio ibid.
 Corsia quid ibid.
 Fructus utilitas 325, 1.
 Medulla 531, 1.
 Lotometra quid 446, 2.
 Lotophagorum terra 323, 1.
 Lous mensis quis 476, 2.
 Lumbrici quibus gentibus pecu-
 liares 1179, 2.
 Luna augefcente augentur om-
 nia capta excepta 785, 1.
 Lunæ imago cur laurum teneat
 185, 2.
 Lunaria 768, 1.

- Lunaria botrytis & unde dicta 824, 1.
 Lucinia Dea cur diptamo coronata 1132, 2.
 Lucius Apuleus deceptus 46, 2.
 Lupatum quid 467, 2.
 Lupinus 941, 2. 962, 2.
 Est cibus Philosophorum 927, 1.
 An faba Ægyptia 439, 1.
 Culturam non patitur 120, 2.
 Unde dictus 927, 1.
 Quomodo dulcis fit ibid.
 An dulcis detur ibid.
 Quomodo ferendum 962, 2. 963, 2.
 Ter floret 927, 2.
 Horas diei demonstrat 927, 2.
 Quando feritur 909, 1.
 Cur bryon vocatur 3, 1.
 Quomodo valenter germina edat 39, 2.
 An cultura melior fiat 14, 2. 19, 1.
 Lupinus & faba agro pro stercoreatione est 940, 1.
 Lupini semen 64, 2.
 Notæ ex Theophrasto 927, 2.
 Varia genera 64, 1. 928, 1.
 Lutea an lysimachia 698, 2.
 Cretica est 720, 1. 721, 1.
 Ejus descriptio ibid.
 Lutum unde dictum 722, 2.
 An strutium ibid. 723, 1.
 An isatis Dioscoridis ibid.
 Luteum & virentem colorem tingit ibid.
 Ejus descriptio ibid.
 Luteus color 722, 2.
 Lybicæ populi folia cur crepant 53, 2.
 Lychnis coronaria an Iovis flos 667, 2.
 Unde dicta & nata 715, 2.
 Coronariæ descriptio 716, 2.
 Lychnis & lynitis differunt 715, 2.
 Lychnis an corymbe Columellæ ibid.
 Lycii fuccus 353, 2. 355, 2.
 Quomodo adulteratur 354, 2.
 Indici descriptio 353, 2. 354, 2.
 Vulgaris descriptio 353, 2.
 Lycium medicamentum quomodo fit 355, 2.
 Lycium duplex 353, 2.
 Creticum 355, 1.
 An legitimum 355, 2.
 An vulgare antiquorum ibid.
 An cate sit 356, 1.
 Lycophæus color 966, 2.
 Lycopsis descriptio 838, 2.
 Quarta an buglossum vulgare 839, 1.
 An cynoglossum vulgare ibid.
 An echium alterum Dodonæi 838, 2.
 An cynoglossum alterum Mathioli ibid. 849, 2.
 An anchusa quarta ibid.
 Ejus genera 839, 1.
 Unde dicta 838, 2.
 Lysimachia virginiana 365, 2.
 An ad ephemeris classem pertineat 698, 1.
 Lysimachia spicata 699, 2.
 Lysimachia descriptio 698, 1. 2.
 Unde dicta 698, 2.
 Ejus differentia ibid.
 An herba lutea ibid.
 An pelisbosia ibid.
 Lysimachia spuria descriptio 699, 1.
 Cerulea descriptio ibid.
 Purpurea descriptio ibid.
 Non est eupatorium ibid.
 Non est centaureum ibid.
 M
 Macaron an Hippofelinum 805, 1.
 An smyrnium 807, 1.
 Macula & vari faciei ut tollantur 345, 1.
 Macrobius notatur 383, 2.
 Macrobi codex corrigitur 385, 1. 396, 1. 399, 2.
 Magia anagallis dicta 817, 2.
 Maginensium expugnatio a quo 517, 2.
 Magydaris quæ planta 599, 2.
 Ubi nascitur ibid.
 Magydaris 36, 2. 590, 2. 597, 1.
 Est laserpitii folium 587, 2.
 Mais & ejus descriptio 936, 2.
 Majorana an amaracus 688, 1. 689, 1.
 An marum 689, 1.
 An sampuchum 689, 1.
 Unde dicta ibid.
 Gratiam vio conciliat ibid.
 Ejus descriptio ibid.
 Non est amaracum veterum ibid.
 an lactura 778, 1.
 Malabathrum folium dictum 1032, 2.
 Malabathrum & folium an idem 1034, 2.
 Ejus descriptio 1032, 2.
 Ubi nascitur 1033, 1. 2.
 Vulgare non est veterum 1034, 2.
 An veteres noverint 1033, 1.
 An sine radice nascitur 6, 2. 1033, 2.
 An hodie ad nos adferatur 1033, 2.
 An betre 1035, 1.
 Quod optimum 1034, 1.
 Ejus genera quot ibid.
 Unde dictum 1035, 1.
 Malacocissus unde dictum 548, 1.
 Malacocissus Damocratis est convolvulus 64, 2.
 Malacocissus an chelidonium minus 895, 2.
 Malicorium unde dictum 092, 1.
 Malinathelle 438, 2.
 Unde dictum 451, 1.
 Ejus descriptio ibid. 438, 2.
 Malleus ex quibus fit 538, 2. 539, 1.
 Malva 43, 2.
 Instar hastæ grandescit 10, 2. 13, 2.
 Unde dicta 824, 2.
 Sitim & famem sedat 825, 2.
 An cultura arboris naturam assumat ibid.
 Malvæ folia 49, 2.
 Pro cultura ratione varietas 10, 2.
 Folium sanctum cur dictum 825, 1. 2.
 Folia ad solem se vertunt ibid.
 Semen πλάκας dictum ibid.
 Malvæ cauliculis pro asperagis utebantur antiquitus 1154, 1.
 Malvarum differentia ibid.
 Malus 17. 19. 20. 41. 43. 44.
 Malus unde dicta 398, 1.
 Repullulat 492, 2.
 Est brevioris vitæ 490, 2.
 Quomodo longæva ibid.
 Quomodo germinat 130, 2.
 Quomodo fructificat ibid.
 Pyro insita mali folia profert 289, 1.
 Sylvestris an semper bifera 68, 1.
 Mali nisi cultura accedat natura 10, 2.
 M m m m m Cor-

- Cortex an rumpatur 19, 2.
 Radix 24, 2. 26, 1. 141, 2.
 Folia 48, 2. 49, 2. 52, 2.
 Folos 62, 2. 63, 1. 64, 2.
 Satio 85, 2.
 Odor 60, 2.
 Inventor Bacchus 397, 2.
 Descriptio 399, 2.
 Materies 517, 2. 520, 2.
 Malum cur splendidus fructus
 Homero dicatur 397, 1.
 Malum cur Empedocles
 dixit ibid.
 Malorum differentia 398, 1.
 Genera Plinio 398, 2.
 Mala amerina **Paradijs appel**
 vel **Nechtrens appel** 399, 1.
 Claudiana **Joopkens &**
knoopsteertrens ibid.
 Epirotica. **Sepbert. Sepbe-**
linge ibid.
 Sestiana **Winter guldelinge**
 ibid.
 Melimela. vel mustea **Goe-**
soeten ibid.
 Melapia. **Domapoza** ibid.
 Modiana **Hondert markt**
 399, 2.
 Orbiculata **Rontappel sep-**
belinge 399, 1.
 Orthomastica **Rabauwe** ibid.
 Petesia **Guldelinge** ibid.
 Pannutia **Geszunckelde ap-**
pel 399, 2.
 Pulmonia **Bobbers. Potap-**
pel ibid.
 Rabelliana **Somer Gulde-**
linge 399, 1.
 Scandiana **Joopkens** 399, 1.
 Scantiana **Winter guldelin-**
ge ibid.
 Spadiana 399, 2.
 Syrica **Cannekens appel**
 399, 1.
 Malum armeniacum, persicum
 & præcocum an unum sit
 genus 128, 1.
 Malum aureum amoris est tesse-
 ra 338, 1. 340, 1.
 Aureum vel Hesperidum an
 sit citrinum 338, 1. 2. 339, 2.
 Est cydoneum 338, 1. 2. 339, 2.
 340, 1.
 Antiquis vile erat 339, 1. 340, 1.
 Malum aureum Veneri est gra-
 tum 340, 1.
 Ante citrii inventionem cogni-
 tum fuit 340, 2.
 Sponse cur ante concubitum
 dabatur ibid.
- Ejus fabula de ortu & custodia
 337, 2.
 Non est malum narantzion
 ibid.
 Malis aureis petere, est tentare
 in amorem 338, 1. 340, 1.
 Malum citrium antiquis non e-
 debatur 342, 2.
 Non turbat alvum 343, 1.
 Atineis præservat vestes 342, 2.
 Per poros educit venenum
 343, 1.
 Oris bonum halitum facit ibid.
 Ejus cortex anhelis fenibus
 medetur ibid.
 Omni anni tempore fructum
 fert ibid.
 An recte cydromelum Diof-
 coridi dicitur 337, 1.
 Si inoculetur sterelis erit 343,
 2.
 Mali citrii plantatio ibid.
 Malus granata siccum locum
 amat 123, 2.
 Citra culturam provenit, sed
 culta magis proficit ibid.
 Malus medica Homero incogni-
 ta 524, 1.
 Medica & persica an diversa
 337, 1.
 In medea peculiaris 322, 2.
 Ejus descriptio ibid.
 Pomum ejus non manditur
 ibid 324, 2.
 Vestes a tineis inoffensas fer-
 vat ibid.
 Alvum deturbat 322, 2.
 Adversus venena valet ibid.
 Quando innotuit ibid.
 Modus ferendi ibid.
 Omni anni tempore pomifera
 est ibid.
 Qui flores sæcundi fiunt ibid.
 Antiquis valde rarum 399, 1.
 2.
 Malum Narantzium quid 337,
 2.
 Non est malum aureum ibid.
 Malus Persica in Persia peculia
 ris 322, 2.
 Malus punica 545, 2.
 Malum terre 1107, 2.
 Malus & antennæ ex abiete fi-
 unt 513, 2. 514, 1.
 Mamera an Manna thuris 452,
 2.
 quid 531, 1.
 Mandragora 48, 2. 550, 2.
 Unde dicta 583, 1. 585, 1.
 Theophrasti non est recentio-
- rum 551, 2.
 Theophrasti 583, 2.
 Theophrasti est belladonna
 1078, 2.
 Theophrasti & Dioscoridis
 quomodo differunt 585, 1.
 1059, 1.
 Mandragora Dioscoridis 583, 2.
 584, 1.
 Dioscoridis est mas & fœmina
 584, 1.
 An frigus futurum prænuti-
 at 585, 1.
 Fecundas reddit mulieres
 584, 1.
 Ejus fructus 550, 1.
 Ejus radix 585, 1.
 An ad amores facit 1058, 2.
 Est bifurcata 584, 1.
 Ejus fabula ibid.
 Quomodo antiquitus effodi-
 enda 1041, 2.
 Ejus facultates 1052, 2.
 Mandragoram bibere Adagium
 584, 2.
 Sub mandragora dormire
 Adag. 584, 2.
 Mangiu arbor 315, 1.
 Mamgle arbor. Ejus descriptio
 ibid.
 An ficus indica 315, 2.
 Manna officinarum an veteribus
 cognita 149, 2. 150, 1.
 Describit Amyntes apud A-
 thanæum 149, 2.
 Ejus genera quot 150, 1.
 Quomodo fit 150, 2.
 Quomodo adulteratur ibid.
 An gummi fit ibid 836, 2.
 Quod genus præstet 150, 2.
 In salicibus repertum 151, 1.
 Est ros cœli non gummi ibid.
 Manna indici calami 482, 1.
 An saccarum veterum ibid 2.
 An manna vulgare ibid.
 Manna thuris quid 149, 2. 979,
 1. 981, 2.
 Manua quid 21, 2.
 Mapalia 878, 2.
 Maranthæ laus, & error 625,
 2.
 Marathrum 548, 1.
 Unde dictum ibid.
 An fœniculum ibid.
 Marcelli Empirici codex corri-
 gitur 723, 2. 765, 1.
 Mare rubrum unde dictum
 481, 1.
 Ejus aqua non est rubra ibid.
 Bel-

I N D E X.

- Belluis est plenum 417, 2.
 Maris & foemina differentia in plantis 151, 1.
 Mares quando in venerem pigerrimi 620, 1.
 Maru herba 717, 2.
 Marum 566, 2.
 Unde dictum 689, 2.
 Syriacum ibid.
 Cortusii an marū veterū ibid.
 Veterum an mastic Gallorum 690, 1.
 An clinopodium Dodonæi ibid.
 An amaracus 688, 1.
 An majorana 689, 2.
 Martialis codex corrigitur 385, 396, 1.
 Marrubium 546, 2.
 Marrubium unde dictum 574, 1.
 Cur prassium dictum 573, 2.
 An cardiaca 574, 2.
 An melissophyllon 575, 1, 2.
 Marrubii duo genera 550, 2, 574, 1.
 Ejus differentia 550, 2.
 Varia nomina 574, 1.
 Descriptio ibid.
 Martagō an hemerocallis 547, 1.
 Maspetum quid 590, 1, 2.
 Laserpitii folium 586, 2.
 Massa & ossa idem 317, 1.
 Mastic Gallorum 683, 2.
 An marum veterum 690, 1.
 Mastiche 971, 1.
 In chio optima 231, 2.
 An chondrilla 857, 2, 858, 1.
 Ex cinara 622, 2.
 Ex ixine Theophrasti ibid.
 Materies arborum quando cædenda 511, 2, 513, 1.
 Rotunda & decorticanda quando cædenda 511, 2, 512, 1.
 Quæ quadrari debet quando cædenda 511, 2.
 Quæ valida esse debet quando cædenda ibid.
 Cur diverso tempore cædenda 512, 2.
 Quæ melior ibid.
 Quæ solidior 514, 2.
 Discrimen unde cognoscitur ibid.
 Materies ligni quæ facilis aut difficilis in opere 528, 2.
 Ex qua naves incorruptæ in mari perdurent ibid.
 Dura cur facilius a ferro cæditur ibid.
 Quæ facile flecti potest 530, 2.
 Oleaginea etiā elaborata ger-
 men facile producit 541, 2.
 Ubi optima 515, 2, 516, 1.
 Ubi pessima 515, 2.
 Omnis habet medullam 528, 2.
 Nodosa unde fit 515, 2.
 Ad fabrilem usum quæ optima ibid. 516, 1.
 Mathiolus notatur 252, 2, 255, 2, 626, 1, 1170.
 Mathiolus defenditur 231, 1, 2, 551, 1.
 Matricaria unde dicta 833, 2.
 Ejus genera ibid.
 Parthemium dicta 816, 1.
 An parthemium 687, 1.
 An arthemisia 1152, 2.
 An amaracum Galeni 546, 1.
 An amaracus 687, 1.
 Matrifylva est periclymenum 1163, 2.
 Matrix quid botanicis 8, 2, 10, 2.
 Ejus varia nomina ibid.
 Ex quibus constat 9, 2, 10, 2.
 Matronæ cur Bonæ Deæ templum intrantes myrtum non inferant 376, 2.
 Maturatio quid 594, 2.
 Maturus adolescens 136, 2.
 Matura senectus ibid.
 Matura poma 595, 1.
 μήκταν unde dictum 1097, 1.
 Meconium quid 1100, 1.
 Medea venenorū perita 1143, 1.
 Medica unde dicta 948, 1.
 An trifolium cornutum 949, 1.
 Medica marina Clusii an helenium minus 683, 2.
 Medicæ cultus 948, 2.
 Virtutes 948, 1.
 Descriptio 948, 2, 949, 1.
 Medica an jumentum pinguescit 448, 1.
 Stercorata an interit 946, 2, 949, 1.
 Folio spinoso 640, 2.
 Medicus unde dicitur 626, 1.
 Medico herbarum cognitio necessaria ibid.
 Medicamenta purgantia assuetis pharmaca cur esse desinuunt 1147, 2, 1148, 1.
 Medicamenta sunt medicamenta non assuetis 1148, 1.
 Medicamenta ubi præstantiora 1179, 2.
 Medicamentum osseum dictum 266, 2.
 Medicamenta semen suppressoria 781, 2.
 Medimnus quid 923, 2.
 Medullam an omnes plantæ habent 5, 2, 1.
 Habet omnis materies 528, 2.
 Medulla & cortex an consimiles 7, 1.
 An omnibus insit 24, 2, 529, 2.
 Est ligno durior 23, 2.
 Est materiei pars præstantior 529, 2.
 Mori qualis 23, 2, 520, 1.
 Radicibus inest 24, 2.
 Medulla quomodo arbores carere dicuntur 23, 2.
 Medullarum discrimen 23, 2.
 Mel quando fit 149, 1.
 Frugum quid 883, 1.
 Apum unde conficitur 149, 1.
 Maxime in quercubus cadit 149, 2.
 Aereum Aristotelis & Theophrasti est unum 149, 1.
 Quenich dou dicitur ibid.
 Optimum 569, 2.
 Mellis triplex generatio 149, 1.
 Mellis copia quando 569, 2, 570, 1.
 μέλιον multas habet significationes 25, 1.
 Mellitio bona quando 549, 2.
 Est medulla roboris 25, 2.
 Robisinum latini vocarūt 26, 1.
 Est herba in segete nascēs 25, 2.
 μέλιον quid 517, 2.
 Melampyrum quid, & unde nascitur 938, 1, 1162, 1.
 Ubi nascitur 937, 2.
 Melampyrum perpusillū 938, 1.
 Melampyrum unde myagrum dictum 922, 1.
 Melampyri descriptio 938, 1.
 Melanthium an isopyrus 718, 2.
 Est gith 832, 2.
 Ejus descriptio ibid.
 μέλις vox latè botanicis sumitur 802, 1.
 Melica an milium indicum 929, 1.
 μέλις unde dicta 184, 2.
 Malignetta non est cardamomū minus Arabum 1013, 2.
 Ejus descriptio 1014, 1.
 μέλις color 703, 2, 1020, 2.
 Melissa apibus grata 576, 2.
 Melissophyllon unde dictū 575, 2.
 Ejus descriptio ibid.
 An amellus Virgilii 882, 2.
 Melilotus 19, 2, 883, 2.
 Unde dicta, 446, 1.
 Ægyptia 446, 2.
 Græcanica ibid.
 Ubi optima 903, 2.
 An ebrietatem arcet 904, 1.
 M m m m m 2 Ara-

- Arabum & Græcorum an eadem 904, 2.
 Vulgaris an antiquorum ibid.
 Syriaca an Serapionis ibid.
 Ejus descriptio & genera ibid.
 Ab Alpino descripta an Serapionis 905, 1.
 An Græcorum ibid.
 Non est menta græca corymbifera ibid.
 Meliloti descriptio 903, 2. 904, 2.
 Duo genera ibid.
 Flores siccati magis odorata 904, 2.
 Melitzamū quid 1076, 2. 1078, 1.
 Μηλίζων color 904, 2.
 Μηλον vox late patet 398, 1.
 Unde dictum ibid.
 Melo ut dulcis fiat 760, 2.
 Est e genere cucumeris 782, 1.
 Unde dictus ibid.
 Melonis fructus an antiquis græcis cognitus ibid.
 Descriptio ibid.
 Melonum fertilitas in Peruana valle 782, 2.
 Melopepon an melo 782, 1.
 A pepone distinguitur ibid.
 Melothrum 546, 2.
 Melus ager mire fertilis 913, 2.
 Memphis non est Babylon antiquis 93, 1.
 Mensæ citriatæ 524, 2.
 Menses Græci in tres partes dividunt 136, 2.
 Menses Græcorum pro solis non lunæ ratione numerandi ibid.
 Mensis anni quis primus 475, 2.
 Mēsis Græcorū ultimus 137, 1. 2.
 Mensis πρηνέφρων 915, 2.
 Menta 39, 1.
 An femine seratur 682, 2.
 An ex femine nascitur 683, 1.
 An generationi & Veneri sit inimica 813, 2.
 An mentem turbet ibid.
 An longiori usu semen minuitur ibid.
 Unde dicta ibid.
 cur dicatur 813, 1.
 Mala herba cur dicatur ibid.
 Vulneribus nocet ibid.
 Lac coagulare nō patitur ibid.
 Est inimica generationi ibid.
 Cur venerem inhibet ibid.
 In magicis usum habuit 813, 2.
 Semen vix profert ibid.
 Radice plantatur ibid.
 Est satis vivax ibid.
 Variegata 814, 2.
 Sylvestris cur calamenta dicta 814, 1.
 Græca seu corymbifera an melilotus 904, 2.
 Mentæ descriptio 813, 2.
 Genera 814, 1.
 Mentā belli tempore neque edito, neque serito Adag: 813, 1.
 Mentastrum 814, 1.
 Ejus descriptio ibid.
 An nepita agrestis ibid.
 Mercurialis parthemium dicta 816, 1.
 Mercurialis genera quot 1161, 1.
 Utriusque descriptio 1160, 2.
 Succo manus muniuntur adversus plumbum liquatū 1161, 2.
 An semen ferat 1161, 1.
 Sylvestris cynobrambe dicta 1161, 2.
 Ejus descriptio ibid.
 Merus mons in quo Bachus natus 322, 2.
 Mesues defenditur 670, 2.
 Mesues locus exponitur 888, 2.
 Mespili tria genera 190, 2. 220, 1. 201, 1.
 Descriptio 201, 2.
 Morbus & vermis 191, 2.
 Erymon 200, 1.
 Flos 190, 2. 202, 1. 203, 2.
 Mespelus anhedon. Ejus descriptio 190, 2.
 Aronia 203, 2.
 Mespelus commode in oxycantha inseritur 263, 2.
 Messis agri fertilitas 913, 2.
 Meta quid 373, 1.
 Meta torta 388, 2.
 Meum vulgare an legitimum 1127, 1.
 Μεταγεστνίον quis mensis 733, 2. 734, 1.
 Miliacea jubam gerunt 914, 2.
 Milium 941, 2. 962, 2.
 Unde dictum 928, 2.
 Surgum cur dictum 546, 1.
 Quot diebus perficitur 913, 2.
 Vulgare 929, 1.
 Indicum ibid.
 An sorgum seu melica ibid.
 Milii nota ex Theophrast. 928, 2.
 Farina quomodo in panes redigatur 929, 1.
 Milium soler vel solis unde dictum 1127, 2.
 Millipeda 416, 1.
 Μιλταυ pluvia peruitiosa 172, 1.
 Minyanthes unde dictum 456, 1.
 ΜιόϞ quid 813, 2.
 ΜιϞϞ seu pediculus quid 6, 2. 7, 1. 8, 1. 28, 1.
 Mitra quid 145, 2.
 Mixa quid 317, 1.
 Muasium 424, 2.
 Mochon Itolorum an ervum aut orobus 923, 2.
 Moibani error 97, 2.
 Moises infans fiscilla papyracea expositus 432, 1. 433, 1.
 Mollugo an species aparine 884, 1.
 An gallion album ibid.
 Ejus descriptio & differentia ibid.
 Molochia Alpini an corchorum 817, 1.
 Ejus descriptio ibid.
 Est cibus gratus Ægyptis ibid.
 Molotron 280, 2.
 Moly nomen multis gaudet plantis 1129, 1.
 Unde dictum ibid.
 Radix ruthæ 798, 1. 2.
 Theophrasti 1129, 2.
 Dioscoridis 1130, 1.
 Molyos flos 1129, 1. 2.
 Descriptio ibid: 1117, 2.
 Momia unde dicta 1014, 2.
 Mōtapii descriptio & vires 795, 2.
 Morus 44, 2. 400, 2.
 Talea seritur 73, 1.
 Quando germinat 134, 2.
 Sapiens cur dicatur 401, 1.
 Unde nata 401, 2.
 Alba veteribus incognita ibid.
 An arbor lanifera 426, 1.
 Morus Ægyptia 285, 2.
 Ejus descriptio ibid.
 E caudice fert fructus 2, 2.
 Ejus lignum in fundo siccat 285, 2. 287, 1. 291, 1.
 Mora Bati aut Bassi 269, 2.
 Batodes 400, 2.
 Rubi 269, 2. 400, 2.
 Celsi 400, 2.
 Mori flos 64, 2.
 Lignum vetustate nigrum fit 359, 1. 521, 2. 527, 1.
 Lac quid 400, 2.
 Materia æterna 521, 2.
 Materies qualis 517, 2. 518, 2. 520, 1. 530, 2.
 Medulla qualis 23, 2. 520, 1.
 Fructus trinos habet colores 401, 1.
 Fructus maturus tingit manus & alia, immaturus maculas easdem tollit 401, 1.

I N D E X.

- Descriptio 401, 2.
 Morum Pani dicarunt pastores
 401, 1.
 Unde dictum ibid.
 Morocho stultior Adagiū 380, 2.
 Moq. quid 72, 2.
 Moscoitæ ex quibus domus &
 templa conficiunt 535, 2.
 Mulier ut virilis sexus fœtum cõ-
 cipiat 233, 1.
 Mulieres hyeme segniores ad
 venerem 843, 2.
 Multicaules plantæ quæ 819, 2.
 Multipeda 416, 1.
 Muralis parietaria dicta 816, 2.
 Mures necare 47, 1.
 Murium aditus prohibere ibid.
 Murices quid 455, 1.
 Muricida 546, 2, 550, 2.
 Muscari an bulbine 879, 1.
 An bulbus vomitorius 879, 2.
 Ejus descriptio ibid.
 Muscipula an armerius flos 669,
 1.
 Muscus quid 2, 1.
 Proprie quid 156, 2, 157, 1.
 Quercinus 156, 1.
 Aromaticus 156, 2.
 Muscus & bryon qualis maxi-
 me odoratus 157, 1, 2.
 Quomodo differunt ibid.
 Museion quid 441, 1.
 Mutatio plantarum non est si-
 milis animalium, & cur 83, 2.
 Mutatio & permutatio quomo-
 do differunt 796, 1.
 Myagros quid 1162, 1.
 Myagrū Dioscoridis an erysi-
 mum 921, 1, 922, 1.
 Unde dictum 921, 1.
 Ejus oleum 922, 1.
 Μύκητες fungi 27, 2.
 Ejus etymon ibid.
 Myoctonon 1136, 2.
 Myositis an pilosella major 846,
 2.
 Myrica 123, 1.
 Unde dicta 407, 2, 408, 1, 2.
 Ubi nascitur 408, 1.
 Infelix arbor cur dicatur 408,
 2.
 Est coronamentum improbo-
 rum 408, 1.
 An promalum Hippocratis
 409, 1.
 Quomodo perpetuo vivere
 dicatur 45, 2.
 Valet ad carcinomata 410, 1.
 Valet ad profluvia muliebria
 409, 1.
 Myricæ virgis vates utebantur
 ibid.
 Vaticinia per eas fiebāt 428, 2.
 Folia 48, 2.
 Myrobolanus 298, 1.
 Ejus genera quinque. 300, 1, 2.
 Eorum descriptio ibid.
 An in una arbore nascantur
 ibid.
 An sit glans unguentaria 97, 1.
 98, 1.
 Ejus descriptio ex Cæsare
 Cresenate 301, 2.
 Ejus mentio non fit apud vete-
 res 97, 1.
 Quid ejus nomine intelligat
 Diosc: ibid.
 Non est dactylus 97, 2,
 Μύρον 96, 1.
 Myrrha 367, 2, 369, 1.
 Myrrha & aloe corpora condi-
 untur 902, 1.
 Myrrha ex Hippofelino 805, 2.
 Myrrha, thus, balsamum quo-
 modo prodeunt. 973, 2.
 Myrrha, casia, thus, cinamomū
 Ubi gignuntur 974, 2.
 Myrrha & thus collectum ad so-
 lis dilubrum cõvehitur 975, 2.
 Myrrha alia stillititia, alia factitia
 976, 2.
 Myrrha unde dicta 976, 2, 977, 1.
 Ubi nascitur 977, 1.
 Myrrha est hyemalis, aut ver-
 nalis 980, 1.
 Myrrha pediasimos unde dicta
 982, 1.
 Syriaca cur dicta 1018, 1.
 Myrrha aminea 983, 1.
 Caulis 982, 2.
 Ergasima ibid.
 Gabirea 982, 1.
 Minea 982, 2.
 Optima 983, 2.
 Pessima 982, 2.
 Stacte 982, 1.
 Tenuis 982, 2.
 Trogloditica 982, 1.
 Vulgata an bdellium 982, 2.
 Quomodo adulteratur 983,
 1.
 Non est benzoin 983, 2.
 Myrrhæ color 982, 2.
 Probatio 976, 2.
 Arbor qualis 974, 2.
 Arbor qualis secundum vete-
 res 975, 2.
 Arbor veteribus incognita
 976, 1, 977, 2.
 Arbor ex Diodoro 980, 1.
 Arbor quãdo incidenda 967, 1.
 Arbor in quali terra nascatur
 980, 1.
 Myrrhæ & thuris arbores apud
 Sabæos nō custodiri 975, 2.
 Myrrhæ & thuris marcandi ra-
 tio 975, 2.
 Myrrhæ & thuris lignum uritur
 a Sabæis 1031, 2.
 Ejus incommodis quomodo
 medentur Sabæi ibid.
 Myrrham legendi modus 975, 2.
 Myrrhinæ vel myrsine unde di-
 cta 375, 2.
 Myrrhinum compositum 376, 1.
 Myrrhis unde dicta 807, 2.
 An smyrnium ibid.
 An cherifolium ibid.
 Ejus descriptio ibid.
 Myristica nux 369, 1.
 μύρτις quid Galeno 378, 1.
 Myrtatum quid 378, 2.
 Myrtidanum quid 378, 1, 380, 1.
 est duplex ibid.
 Hippocratis quid 1010, 1.
 Dioscoridis quid 1009, 2.
 Hippocratis an cubebe ibid.
 Myrtus 11, 2, 15, 2, 19, 2, 42, 1,
 124, 1, 2, 138, 2.
 Est perpetuo folio 124, 2.
 Quomodo provenit 70, 2.
 Talea & ramo feritur 73, 1.
 Ex novellis furculis producit
 florem, non fructum, & cur
 68, 1.
 Sata non degenerat 78, 2.
 Multa putatione eget 94, 1,
 110, 2.
 Ubi plurimum nascitur 368, 2.
 An frigidis locis non duret ibid.
 Veneri est grata 375, 2, 376, 2.
 Veneri est dicata 690, 1, 376, 2.
 Risum promovet 376, 1.
 Bacho sacra 377, 1.
 Ebrietatem arcet ibid.
 Frigora odit 377, 2.
 Est alba & nigra ibid.
 Nigra an folio est frequentio-
 re ibid.
 Nigra cur fructum album fert
 378, 1.
 Est fativa aut sylvestris 255, 1.
 Sylvestris cur baccas fert ni-
 gras 378, 1.
 Ejus fructus est minor ibid.
 Sylvestris non omnis est ni-
 gra 256, 2.
 Sylvestris est ruscus 255, 1.
 Conficiendis sagittis est apta
 379, 2.
 M m m m m 3 Ro-

I N D E X.

- Roboris est symbolum ibid.
 Brabantica an heleagnus 461.
 1.
 Myrti Virginales 376, 2.
 Myrti genera antiquorum & recentium. 379, 1.
 Descriptio 380, 1.
 Varietas pro culturæ ratione 10, 2.
 Stillatitius liquor 380, 1.
 Folia 48. 2, 49. 2, 52. 2, 53, 2.
 Flos 64, 2.
 Satio 85, 2.
 Myrto coronantur victores 379, 2.
 Myrtea sylvæ 376, 2.
 Myrteum oleum 378. 1, 379. 1, 256, 1.
 Vinum ibid.
 Myrtea oliva 315, 1.
 Myfi ab oxya arbore dicti 171, 2.
 Muza an arbor vetita 352, 1.
 Ejus varia nomina ibid:
 Ejus descriptio 352. 2, 353. 1, 2.
 An dactylus cyprius 353, 1.
 An *ψευδαλάνη* ibid.
 An folia plumis strutiocamelli ibid.
 Platanus Oviedo dicitur ibid.
 N.
 Nabca 330, 2.
 Ejus duæ species ibid.
 An canarus seu paliurus A-gathoclis ibid.
 Ejus descriptio ibid.
 Ejus spinosus ramulus ad vivum ibid.
 Nævia oliva 315, 1.
νάμια quid 105, 1.
ναμαλιαιόν quid ibid.
 Nana pruna 318, 2.
 Napellum Moisis an phtora 1142, 1.
 Naphta quid, & ejus vires 1143, 1.
 An simplex an compositum fit ibid.
 An ephemerum ibid.
 Naphta 948, 2.
Νάπυ est sinapi 796, 1.
 Unde dictum ibid.
 Napus in rapum degenerat 772, 2.
 An rapa mas ibid.
 An detur sylvestris 773, 2.
 Ejus descriptio & genera 772, 2.
 Napus & *Νάπυ* differunt ibid.
 Napum & sinapi non sunt diverse plantæ 735, 1.
 Naranzium unde dictum 345, 1.
 Non est malum aureum, & quid 337, 2.
 Narcissus 48. 2, 644. 2.
 Unde dictus 657, 2.
 Ejus varia nomina 658. 1.
 Ejus descriptio ibid.
 Cur *κρότων* dictus 659. 1.
 Quando floret ibid.
 Totus luteus non est poetarum ibid.
 Est Theophrast. 659. 2.
 Medio purpureus est Dioscoridis ibid.
 Luteus Sylvestris ibid.
 Junci Foliis an bulbus vomitorius 879. 2.
 Persicus an Theophrasti 660. 2.
 Est colchici species 661. 1.
 Non est Hyacinthus stellaris 661. 1.
 An tiphion Theophrasti 877. 2.
 Ejus descriptio ibid.
 An sit Narcissus 876. 2.
 An ante folia florem producit 876. 1.
 Autumnalis dictus an Narcissus 876. 2.
 Narcissi folium 865. 2.
 Caulis ibid.
 Nardus 369. 1.
 E propinquo bene olet 868. 2.
 Unde dicta 1017. 2.
 Nardus & spica an idem 1019. 2.
 Indica & syriaca an idem 1017. 2.
 Syriaca unde dicta ibid. 1018. 1.
 Spicata est Lavendula ibid.
 Ubi nascitur ibid.
 Quæ Melior 1019. 1.
 Celtica 368. 1.
 Celtica unde dicta 1019. 2.
 Celtica vulgaris an veterum 1020. 1. 2.
 Celtica an saljunca ibid.
 Celtica non est Montana ibid.
 Celtica an Lavendula 1021. 1.
 Celtica in pastillos cur olim redigebatur ibid.
ένσάριον 1021. 2.
 Montana cur thyllicitis dicta 1021. 2.
 Montana est neris 46. 1.
 Montana an spica cilissa 1021. 2.
 An foerula vocatur 582. 1.
 Montana cur pyrites dicta 1021. 2.
 Montana orci tunica dicta ibid.
 Montana vulgaris an veterum 1022, 2.
 Nardi nomine plures gaudent plantæ 1017. 2.
 Color 1018. 1.
 Celticæ descriptio 1020. 1.
 Celticæ colligendi modus 1020. 2.
 Montanæ descriptio 1022. 1.
 Montanæ folia an eryngio familia ibid.
 Montanæ radices 1022. 2.
 Nastos 479. 1.
 Nasturtium quando provenit 731. 2. 734. 2. 735. 2.
 An venerem excitet 763. 2. 764. 2.
 Quomodo venerem excitat ibid.
 Quomodo venerem extinguit ibid.
 Unde dictum 764. 2.
σάουρον dictum ibid.
 Cur *σάουρον* dictum 765, 1.
 Plantas in propinquo nascentes arefcit 764, 2.
 Babylonicum 766, 1.
 Hyemale 749, 1.
 An pseudobunium 749, 2.
 Nasturtium ede Adagium 764, 1, 2.
 Nasturtii genera 763, 2. 765, 2.
 Vires 764, 1, 2.
 Usus 765, 2.
 Descriptio ibid.
 Semen firmius ad perdurandum 795, 2. 796, 1.
 Natura ut ex ovo sic ex verme facit animal 83, 1.
 Naucacites corona 377, 1.
 Naves e fago fiebāt olim 527, 2.
 E picea fiunt 535, 1.
 Ex arundine indica 481, 1, 2.
 Ex papyro 432, 1.
 Ex arundine mambu 485, 2.
 Navium partes ex quibus fiunt 535, 2.
 Necessariam fortunam terit Adag. 779, 1.
 Necterides olivæ 313, 2.
Νηλεία 17, 1. 18, 2.
 Nemora integra malorum aurantiorum aut citriorū quomodo sponte enata in India Occidentali. 72. 1.
 Neophyti

I N D E X.

- Neophyti codex corrigitur 210, 2. 765, 1.
 Neophyti error 300, 1. 569, 1. 1017, 2. 1087, 2.
 Nepa 545, 2. 588, 2.
 Nepenthe unde dicta 1118, 1.
 An helenium ibid.
 Homeri an borago 893, 2.
 Medicamentum mœroris 1116, 2.
 Nephalium lignum 567, 1.
 Nepita agrestis an mentastrum 814, 1.
 Neptunus unde dictus 495, 2.
 Neptunus cicer cur invenisse dicitur 922, 1.
 Nerion quid 46, 1, 2.
 Nerii historia 46, 2.
 Venenata vis ibid. 47, 1.
 Nerio clauduntur murium sylvestrium aditus 47, 1.
 Nerio mures necantur ibid.
 Neros est nardus montana 46, 1.
 Non est rhododendrum 46, 2.
 Nives & viœ an eadem planta 1022, 1.
 Neron quid Barbaris Græcis 484, 2.
 Nervus plantæ ad quid datus 9, 2.
 Nervum an omnes plantæ habent 5, 2.
 Nervi definitio 8, 2. 9, 2.
 Nervicaules plantæ quæ 819, 2.
 Neurados 635, 1.
 Neurus poterion dicta 636, 1.
 Nicandri codex corrigitur 28, 2. 63, 2. 173, 1. 174, 2. 175, 1. 360, 1. 641, 1. 651, 2. 695, 1. 844, 1.
 Nicandri versus interpretantur 216, 2. 382, 2. 575, 1.
 Nicander & Galenus conciliantur 391, 2.
 Nicander & Theophrastus conciliantur 747, 1.
 Nicandri Scoliaſtes error 548, 2. 741, 2. 849, 2. 890, 1. 874, 1. 1071, 1. 1061, 1. 1143, 1. 1142, 1, 2. 1105, 1. 1178, 1.
 Nicolaus Damascenus quis 106, 2.
 Nicolai Mirepsi codex corrigitur 210, 2. 237, 2. 261, 2. 293, 2. 299, 2. 484, 2. 485, 1. 589, 2. 592, 2. 672, 2. 688, 1. 750, 1.
 Nicomedis Iatroſophiſtæ codex corrigitur 210, 2.
 Nigellæ descriptio 832, 2.
 Non est anthemion ibid.
 Est gith ibid.
 Nitelinus color 213, 2.
 Nivea an ſint frigida 874, 1.
 Nodus in arbore quid 6, 2. 41, 2.
 Nodorum differentia 41, 2.
 Nodi cæci 42, 2.
 Nodi in arbore an omnes tumidi ſunt 42, 2.
 Nodi in ligno quid 515, 2.
 Nonni verſus explicantur 902, 2.
 Nucare quid 131, 1.
 Nucamentum quid ibid.
 Nummularia an elatine 675, 1.
 Nummularia mucronata 336, 1.
 Nummus Cyrenaicus Bato oblatuſ 597, 2.
 Nunquam Hecale fiet Adag. 857, 1.
 Nux 57, 1.
 Nux vox latè ſumitur 225, 2.
 Nux quid Grammaticis 89, 2.
 Nux cur aſpredinem excitet 127, 1.
 Nux avellana 42, 1.
 An nux lata 174, 1.
 Pro culturæ ratione variat 10, 2.
 Quando plures & meliores fructus fert ibid.
 Ejus varia nomina 227, 2.
 Sylveſtris non eſt deterior urbana 223, 2.
 Ejus descriptio ibid.
 Eſt duorum generum ibid.
 Nux berbata 228, 2.
 Baſilica 225, 2.
 Non eſt *ὁ βαλανός* 172, 2.
 Calva quæ dicitur 228, 1, 2.
 Nux euboica eſt perpetuæ naturæ 521, 2. 525, 2.
 Cariem non ſentit ibid.
 Eſt caſtanea ibid. 173, 1, 2.
 Nux Græca an ſit amigdala 203, 1. 386, 1.
 Heracleotica 227, 1.
 Juglans 122, 1. 368, 2.
 Unde dicta 172, 2. 225, 2.
 Perſica dicta fuit 141, 2.
 Aquoſos non amat tractuſ 123, 1.
 Cur nuptiis facer 226, 1.
 Lata quid 173, 1.
 An amigdala ibid.
 An avellana 174, 1.
 Myſtica 369, 1.
 An chryſobalanuſ 107, 1.
 Oleoſa 333, 2.
 Pontica 227, 1.
 Semper virens 423, 2.
 Thaſia 202, 2.
 Unde dicta 203, 1.
 Nucis juglandis genera 227, 1.
 Descriptio 226, 1, 2.
 Nucis materia 540, 2.
 Nucum univerſum genus in India 347, 2.
 Nux perſica & malum perſicum ſunt diverſa 127, 1. 225, 2.
 Nymphæa quomodo differt à loto 451, 1.
 An faba Ægyptia 1104, 2.
 Unde dicta 1103, 2.
 Nenuphar dicta ibid.
 Nymphææ genera 1104, 1.
 Descriptio ibid.
 Radix clavata cur dicta 1103, 2.
 Radix & vires 1093, 2.
 Floſ occidente ſole ſub aqua occultatur 1104, 2.
 Nymphæa alba & ejus genera 1104, 1, 2.
 Lutea & ejus genera ibid. O.
 Obefos extenuare 836, 1.
 Ocelluſ eſt lachryma radicis exſiccata 75, 1.
 Ocimaſtrum an alcobium Nicandri 757, 2.
 Ocimaſtrum Fuſcii eſt acinuſ Dioſcoridiſ 758, 2.
 Ocimaſtrum unde dictum 757, 1.
 Cur phileteron dictum 758, 1.
 Non eſt ſefamoide Cluſii 759, 2.
 Ocimaſtrum & ocimum ſylveſtre an plantæ ſunt diverſæ 758, 1.
 Ocimaſtrum Fuſcii an ocimum ſylveſtre 758, 2.
 An clinopodium ibid.
 An betonica aquatica ibid.
 An ſcrophyllaria altera ibid.
 Ocimoides 577, 2.
 An betonica aquatica ibid.
 Ocimum & ocimum differunt 755, 1.
 Unde dictum 752, 2.
 Eſt planta odorata ibid.
 Cur diutine floret 740, 1.
 Cur baſilicum dictum 756, 1.
 Mulieribus obſonii faſtidium parit ibid.
 Inſanoſ & letargicoſ facit ibid.
 Ejus vires & noxæ ibid.
 An ſcorpioneſ producit maceratum ibid.
 An contra ſcorpionum iſtū valet 756, 2.
 An inſanoſ faciat ibid.
 M m m m m 4 Quan-

I N D E X.

- Quando provenit 755, 2.
 Quando ferendum 756, 2.
 Ejus diversitas 757, 1.
 Ejus fecunditas 742, 1.
 Cum maledictione feritur 752, 1.
 Descriptio 757, 1.
 Arantiatum 762, 1.
 Quomodo melius germinat 793, 1, 2.
 An germine nascitur 738, 1.
 Aquaticum 757, 1.
 An erinum Dioscordis 757, 2.
 Sylvestre an ocimastrum Fuschy 758, 2.
 Ocimi genera quot 762, 1.
 Semen infirmius ad perdurandum 795, 2, 796, 1.
 Ὀξυς agrestis pirus, translata fructus. f. ert bonos 89, 1.
 Ὀξυς color quis 877, 1. 867, 2.
 Ὀξυς 547, 1.
 Ὀξυς pisum minus 918, 1, 919, 1.
 Ocreę inventę in oleastra 515, 2, 516, 1.
 Oculus in arbore quid 36, 1.
 Oculi hirundinum an chelidonia restituantur 893, 2.
 Oculi populi 219, 2.
 Oculi post lippitudinem acutius cur Vident 562, 1.
 Ocymi radix 24, 2, 33, 2, 737, 2, 740, 2.
 Folia 49, 1, 2.
 Ocimum quando provenit 731, 2, 732, 2, 735, 1, 2.
 Quando degenerat in serpillum 82, 1, 695, 2.
 Unde dictum 755, 1.
 Est pabulum ibid.
 Ocimum & ocimum differunt 755, 1.
 Odor amarus quis 985, 1.
 Acris quis 579, 1.
 Gravis quis ibid.
 Major obtundit minorem 989, 2.
 Odoris bonitas cur siccatis quam viridibus. major 986, 2.
 Odores florum, foliorum, & radicum qualis 61, 2.
 Odorata 964, 2.
 Odorata omnia an sint aromata 368, 1.
 An folio locis calidis nascuntur ibid.
 Viridia cur minus olent quā sicca 1006, 1.
 Odoratę plantę ubi nascuntur 369, 1.
 Odoratum quot modis dicitur 837, 1.
 Odoratiora sunt quę siccis & asperis locis proveniunt 904, 1.
 Oenantha 678, 2.
 Unde dicta 680, 1.
 An filipendula 681, 1, 682, 1.
 Ejus descriptio ibid.
 An lilium convallium 682, 2.
 An bulbocastanum 681, 2.
 Cretica 'Alpini non est veterum 682, 1.
 Ejus varię species 681, 1.
 Oenanthe quid 544, 1.
 Oenopolia non spinosa 331, 1.
 Oenothera an recentioribus cognita 1174, 1.
 An pseudo lysimachia ibid.
 An muscata 1173, 1.
 Unde dicta ibid, 1172, 1.
 Ejus descriptio 1173, 2, 1172, 2.
 Cur onogra dicta 1173, 1, 2.
 Ejus radix hilares facit 1172, 2.
 Oetum quid 38, 1.
 Offa quid 317, 1.
 Offa & massa ibid.
 Ὀνισκος quid 45, 2.
 Ὀνισκος unde dicta 242, 1.
 Ὀνισκος 1113, 1.
 Ὀνισκος quę planta 263, 2.
 Olea 11, 2, 18, 2, 41, 2, 124, 2, 304, 2, 540, 2.
 Quomodo arbor dicēda 12, 1.
 Multis stipitibus assurgit 13, 2.
 Facile vento decutitur 26, 2.
 Folia quando vertit 48, 2, 51, 2.
 Quomodo proveniat 70, 2.
 Quomodo feritur 71, 1.
 Ex furculo non provenit 73, 2.
 Oleastrum generat 78, 2.
 Foliis amissis fructificat 80, 2, 81, 1.
 Est perpetuo folio 124, 2.
 Multa putatione eget 94, 1.
 Siccus locos amat 123, 2.
 Loca maritima amat ibid.
 A virgine plantata fertilior 311, 1.
 Palladi cur grata 311, 2.
 Est pacis symbolum 312, 1.
 Prope mare non nascitur, 316, 1.
 Est perpetuę nature & cariem non sentit 521, 2.
 Teredinem cur non sentit ibid.
 Novella propter fertilitatem interit 494, 2.
 Est durabilis 492, 1, 2, 493, 1.
 A thœnis est longęva 489, 2.
 Æthiopica 418, 2.
 Ejus lachryma ibid.
 Lapidea 417, 2.
 Semper virens 423, 2.
 Bohemica 178, 1.
 Est ziziphus alba 329, 2.
 Ejus descriptio ibid.
 An heleagnus 461, 1.
 Pausea 314, 2.
 An sit præmedia Nicandri ibid.
 An stemphelide Athænei ibid.
 Olea in India 347, 2.
 Olea victores coronantur 312, 1.
 Valde pondus sustinet 530, 2.
 Ignem facile excipit 540, 2.
 Non nisi trecentis a mare stadiis provenit, 550, 2.
 Oleaginea materia etiā elaborata facile germē producit 541, 2.
 Oleę medulla 23, 2, 531, 1.
 Radix 24, 2, 25, 2, 26, 2.
 Folia 48, 2, 52, 2.
 Folia quando se vertere dicuntur 51, 2.
 Flos 62, 2, 64, 2, 1160, 1, 1161, 1.
 Satio 85, 2, 86, 2.
 Fructus uber 494, 2.
 Dotes 311, 2.
 Descriptio 315, 2.
 Æstimatio 312, 1.
 Morbus 494, 2.
 Morbus arachneum 498, 2.
 Morbus araneus ibid.
 Vermis ibid, 500, 1.
 Quomodo arcetur ibid.
 Radix ægre moritur 492, 2.
 Materies qualis 517, 2, 519, 2.
 Sylvestris descriptio 316, 1.
 Oleam quis invenit 310, 2.
 Olearum inventores Athenienses 311, 1.
 Oleę callistephani folia, contra naturam aliorum foliorum, pars superior albicat, non inferior 52, 1.
 Olei conficiendi modus 315, 2.
 Oleum optimum ex olivis immaturis 313, 1.
 Oleum arbores necat 560, 2.

I N D E X

- Balaninum quomodo fit 287, 2, 288, 2, 298, 2.
 Hyperici 1051, 1.
 Myrteum 378, 1.
 Myrteum quomodo fit 379, 1.
 Rorifmarini tenue tempore durefcit 1003, 1.
 E spica 303, 2.
 Lachrymam cur excutit 785, 1.
 Oleaster 41, 2. 124, 1. 316. 1.
 Est perpetuæ naturæ 521, 2.
 Est perpetuo folio 124, 2.
 Cariem non sentit 521, 2.
 Cur teredinem non sentit ibid.
 Oleastri fabula Ovidii 491, 2.
 Vivacitas 516, 2.
 Materies qualis 519, 2.
 In oleastro ocreæ inventæ 515, 2. 516, 2.
 Oleaster non fit olea 80, 2.
 An species rhamni 260, 1.
 Ejus descriptio ibid. 491, 1.
 Olympiæ longævus 489, 2.
 Premium certaminis olympici 491, 1.
 An Apollini facer, 4912.
 Oliva 42, 1.
 Que minus oleum prestat 80, 1. 315, 1. 2.
 Que plus oleum præstat 315, 1. 2.
 Matura druppa 312, 2.
 Pro ætatis ratione differt 313, 1.
 Alba 314, 1.
 Καρίναδες 80, 2. 313, 2.
 Colmina, colmiana, colminea. 315, 1.
 Columbades 313, 2. 632, 1.
 Drijopetes 312, 2. 313, 1.
 Halmades 313, 1.
 Laciniana 314, 2.
 Myrtea 315, 1.
 Nævia ibid.
 Necterides 313, 1.
 Nigra 314, 1.
 Orchis, orchos, orchita 315. 1.
 Phaulia est magna 80, 1. 315, 1.
 Est pessimum genus 80, 2.
 Quomodo gignitur 80, 1.
 Radia 315, 1.
 Regia ibid.
 Salentina 315, 2.
 Sergia 315, 1.
 Olivarum conditura quomodo fit 313, 2.
 Genera quot 312, 2. 314, 2.
 Macroby quot 315, 2.
 ὀλίγος 26, 2.
 ὀλοχός 392, 1.
 Olympi mons duplex 184, 1.
 ὀλύβαζεν quid 116, 1. 144, 2. 382, 1. 496, 2.
 Olufatrum non est smyrnium 807, 2. 808, 1.
 Unde dictum ibid.
 Est hippocelium ibid.
 Olufatri lachryma an germen profert 967, 2.
 Olus quid 732, 1. 810, 2.
 Unde dictum 733, 1.
 Oleris definitio 12, 2. 43, 1.
 Olera quæ sunt 733, 1. 810, 2.
 Omnia herbæ dici nequeunt 733. 1.
 Quando florent 823, 1.
 Singulari constant radice, 736. 2.
 Omnia an semine nascuntur 738, 1.
 Aquas & fimum amant 792. 2.
 Rigandi tempus 793, 1. 2.
 Ne bestiolæ rodant 794, 2.
 Translatione meliora fiunt 793, 1.
 Quæ translatione meliora fiunt 794, 1.
 Quando grandiora fiunt 793, 1.
 Quæ magis aquas amant 792, 2. 793, 1.
 Hyberna cur magis aquas amant 794, 1.
 Imbecilla cur magis aquas amant ibid.
 Oleribus quæ bestiolæ innascuntur 793, 2.
 Quomodo venari possunt ibid.
 Quæ aquæ utiles ibid.
 Olerum dulcedo & odor unde 762, 2.
 Olyra 953, 2.
 An legumem 957, 1.
 An zea ibid.
 An fecale ibid.
 An frumentum amileum ibid.
 An arinca 956, 2.
 An filigo ibid.
 Olyre nota ex Theophrasto 957. 1.
 ὀμολίον vox quid proprie 944, 1. 97, 2. 1.
 ὀμολύσις quid 972, 1.
 Onitis 564, 1.
 Oniscus quid 416, 1.
 Onogyros 588, 2.
 An carduus afininus 609, 2.
 ὄνιον porcellio 332, 1.
 Onocleæ descriptio 837, 2.
 Onobrychis an helenium minus 683, 2.
 An medica 949, 1.
 Onychina pruna 318, 2.
 Ononis 545, 2. 547, 2. 600, 1.
 Unde dicta 641, 1.
 A fermentis edit aculeos 546, 1.
 Ejus descriptio 630, 2. 641, 2.
 Opera varia e buxo fiunt 232, 1.
 Opium 965, 1.
 Opium quid significat 1099, 2.
 Colligendi modus ibid.
 Optimum ibid. 1100, 2.
 Adulterinum 1100, 1. 2.
 Opii usus frequens apud Turcas 1100, 2.
 ὀπισμὸς quid 1039, 2. 1040, 2.
 Quando instituenda ibid.
 Ex quibus partibus colligitur 1038, 2. 1040, 2.
 Opoponax 965, 1.
 Quomodo colligitur 1076, 1.
 Unde colligitur ibid.
 Ejus genera ibid.
 Opobalsamum 367, 2. 965, 1.
 Sincerum a vitiatò quomodo cognoscitur 1002, 1. 2. 1003, 1.
 Quantum uno die colligitur 1001, 2.
 Quomodo colligitur 1001, 1.
 Ex seminibus balsami 1003, 2.
 Opobalsami genera 1002, 1.
 Adulteratio ibid.
 Boni notæ 1001, 1. 2.
 Opocalpasum quid 983, 2.
 Opora qui fructus 89, 2.
 ὀπώρα quæ pars anni 79, 1. 96, 2. 513, 2.
 Tempus dierum canicularium 97, 1.
 ὀπός quid 591, 1. 622, 1. 704, 1. 965, 1.
 ὀπός lac fici 383, 1. 591, 1.
 ὀπός laserpitium 305, 2. 369, 1. 591, 1.
 ὀπός καθ' ἐξόχην 965, 1.
 Opuntia 39, 2.
 Ejus Historia 40, 1.
 Opus intestinum quid 531, 2.
 ὄρεα quod anni tempus 343, 2. 394, 1. 501, 1.
 Orci tunica quid 1021, 2.
 Orchis unde dicta 1157, 2.
 Orchis Theophrasti quæ 1157, 2. 1158, 1. 1159, 1.

I N D E X

- An fatyrion 1158, 2.
 Orchidis genera 1157, 2.
 Orchis cynosorchis unde dicta
 ibid. 1158, 1.
 Ejus descriptio 1158, 2.
 Orchis ferapias unde dicta 1158,
 1.
 Est Theophrasti 1159, 1.
 Ejus descriptio 1158, 2.
 Orchidis radici duplex & diversa
 inest facultas. Ejus ratio
 1158, 1.
 Ordine quomodo differunt plan-
 ta 2, 2.
 Oreoselinum an cherefolium
 807, 2. 808, 2.
 Non est petroselinum 808, 2.
 An veel gutta ibid.
 Ejus descriptio 808, 1.
 Oribasii codex corrigitur 1022, 1.
 ὀρυζία quid 539, 1.
 Origanum 546, 2.
 Unde dictum 562, 2. 1.
 Quando provenit 731, 1. 732,
 2. 735, 1.
 An orontium 562, 1. 2.
 An cunila gallinacea ibid.
 Heracleoticum 563, 1. 2. 564.
 1. 565, 1.
 Sylvestre 564, 1.
 Onitis 565, 1.
 Anglicanum ibid.
 An hyfopus veterum 728, 2.
 Adversus vipers valet 563, 1.
 Origani quot genera 563, 1. 564.
 1. 549, 2.
 Semen 795, 2.
 Oris halitum commendat citri
 cortex 343, 2.
 ὀρυζία quid 601, 2. 602, 1.
 Unde dictus ibid.
 Est brassicæ cymus ibid.
 Ormenum quid 975, 2.
 An in cibus locum habet ibid.
 Orminum 601, 1.
 Ornithogalli descriptio 681, 2.
 870, 2.
 Non est bulbocastanum ibid.
 An asphodelus 870, 2.
 ὀρυζία quid 184, 2.
 Ornus 123, 1.
 Ubi magis adolescit 87, 2.
 Nō est fraxinus humilis 184, 2.
 Ornus & fraxinus maxime
 manna fundunt 150, 1. 2.
 Oriza 347, 2.
 An trumentum an legumen
 362, 2.
 Locis palustribus & aquosis
 nascitur 362, 1.
 Apud Batavos granum non
 profert 363, 1.
 Ex India originem traxit ibid.
 Orizæ dotes & usus 360, 1.
 Descriptio 362, 2.
 Ex oriza vinum & aquavitæ
 363, 1.
 Orobus unde dictus 923, 1.
 Boves faginat ibid.
 Melior quis 923, 2.
 Cur lustralis dictus ibid.
 Parnonicus non est astraga-
 lus 920, 1.
 Orobi notæ 923, 1.
 Pannonici descriptio 919, 1.
 Pannonici & ciceris differen-
 tia 920, 1.
 Oruntium an origanum 562, 2.
 Orobanche 950, 1. 947, 2.
 Unde dicta 951, 1.
 Duplex ibid.
 Theophrasti descriptio 952, 1.
 Dioscoridis descriptio 951, 1.
 An aphace 951, 2. 952, 2.
 Ortus & occasus siderum dupli-
 citer consideratur 579, 1.
 Ortyx 843, 2.
 Os leonis Collumellæ anthyr-
 rhinum 1175, 1.
 An aquilegium ibid.
 Offa cranii disrupta quomodo
 dignoscit Hippocrat. 869, 2.
 ὄστρεα quid 36, 1.
 Ostrea 122, 2. 138, 2.
 Ejus descriptio 164, 2.
 Ostrys 41, 2.
 Quæ arbor sit 177, 2.
 Non est lillach ibid.
 Non est carpinus ibid.
 Non est syringa cerulea ibid.
 Est syringa 163, 2.
 Othlis quid 264, 2.
 Ova irrita quæ & quomodo fiant
 57, 1.
 Ovidii codex corrigitur 477, 2.
 ὀξυς 568, 1.
 Oxalis 800, 2.
 Unde dicta 801, 1.
 An oxylapathum ibid.
 Est acetosa ibid.
 Veterum an acetosa 802, 1.
 Ejus genera 801, 1.
 Oxali vita sustentatur ibid.
 Oxæa campen dicta 469, 2.
 ὄξυς aliquando ramum, aliquan-
 do nodū significat 6, 1. 12, 1.
 Ejus etymon 5, 1.
 Oxya in aqua diutissime durat
 521, 2.
 Quomodo differt ab abiete
 160, 2.
 Humidissima 533, 2.
 An cerrus 171, 2.
 An fagus ibid.
 Ubi maxima 538, 2.
 Ejus descriptio 159, 2.
 Oxyacanthæ nomen diversus spi-
 næ generib. tribuitur 261, 1.
 Ejus descriptio 263, 1.
 Oxyacantha non est berberis
 261, 1.
 In quo differunt 262, 1.
 Non est aqui folium ibid.
 Theophrasti & Dioscoridis an
 eadem 263, 1.
 Oxycantha & oxyacanthos dif-
 ferunt 262, 1.
 Oxycedrus 124, 2. 196, 2. 369, 1.
 Est perpetuo folio 124, 2.
 Est cedrus lycia 199, 1.
 Ubi nascitur ibid.
 Ejus descriptio ibid.
 Theophrasti est juniperus ma-
 jor Montspeliensium 198, 2.
 Oxycedri folia 53, 1.
 Viscum 199, 1.
 Oxylapathi descriptio 800, 2.
 Unde dictum ibid.
 An ὀξυπέφυτον Theocriti ibid.
 ὀξυπέφυτον quæ 1083, 1.
 ὀξυπέφυτον 11, 1. 12, 1.

P

- Padus frutex est 284, 2.
 Gaudet umbrosis locis 283, 2.
Paerts bloemen 938, 1.
Paesch bloemen 768, 1.
 Pala arbor 352, 1.
 πάλαιον quid 316, 2.
 πάλαιον offa 317, 1.
 Palea tritici cur melior hordei
 931, 2. 933, 1.
 Paliurus 17, 2. 19. 42. 122, 2. 304.
 1. 321, 2. 545, 2.
 Quando germinat 103, 2.
 Quando fructificat ibid.
 Theophrasti est tertia species
 Rhamni 250, 2.
 Ad sepem utilis 265, 2.
 Non est agrifolium ibid. 323, 1.
 Non est rhamni species ibid.
 Est Ziziphus sylvestris 323, 1.
 Africana 323, 1. 326, 1.
 An fit Athanæi 326, 1.
 Non est jujuba ibid.
 An agrifolium ibid.
 Descriptio Ioā: a Leone 326, 2.
 Non est lotus Polybii 327, 2.
 Athanæi spinosa 327, 2.
 Agathoclis an nabca 330, 2.
 Pau-

- Paliuri quot genera 265, 2.
 Descriptio 249, 2. 321, 2.
 Folia 53, 1.
 Palladii error 166, 2.
 Codex corrigitur 110, 1.
 Palladius & Dioscorides concili-
 antur 733, 1.
 Palladæ carmen corrigitur 329,
 1.
 Palleoli in Epithymo 568, 1.
 Palleolum 569, 1.
 Pallidus color 896, 2.
 Pallor non semper aut solum in
 albo colore 696, 2.
 Palma 15, 2. 17, 2. 19, 1. 43, 2.
 124, 2. 540, 2.
 Sata unico exit folio 12, 2.
 Perpetuo est folio 124, 2.
 Non profert adnata 43, 2.
 Mas floret, fœmina non 65, 2.
 Ex femine tantum exit 74, 2.
 An virgis feri potest 75, 2.
 In Græcia sterilis est 79, 2.
 Ubi fructus maturos fert ibid.
 Quam terram amat 87, 2. 90, 2.
 An fimo dilectatur 90, 2. 87, 2.
 102, 1.
 Quando transferenda ibid.
 Novella fructum sine osse pro-
 ducit 90, 2. 102, 1.
 Humilis quæ 90, 2.
 Fœmina sine flore fructum
 edit 90, 2. 93, 1. 116, 2.
 Unde dicta 96, 1.
 Arborem & fructum denotat
 ibid.
 Quando matura 97, 1.
 In Delo longæva 489, 2.
 Cur facilius ascendendum 99,
 1.
 In terra falsa optime provenit
 101, 1.
 Gaudet rigari 102, 1.
 Quando osse carere dicitur
 ibid.
 Fœmina sterelis quando a
 mare fit fructifera 103, 1. 2.
 114, 2.
 Rivos amat 105, 2.
 Locis humectis non gaudet
 105, 1.
 Quomodo magis fructificat
 113, 2.
 Ne fructum amittat ibid.
 — Maris beneficio perficitur 115,
 2.
 Mas florem producit, non fru-
 ctum ibid.
 Fœmina fructum non florem
 producit 116, 2.
 Mas quomodo fructifera di-
 catur ibid.
 Deciso cacumine tota interit
 505, 2.
 Est semper virens 423, 2.
 Palma meliorem & pinguiorem
 terram respuit 87, 2.
 Quando sterilefcit 494, 2. 498,
 1.
 Unico folio germinat 911, 2.
 Difficuler ardet 542, 2.
 Pondus valde sustinet 530, 2.
 Incurvatur in diversum ab o-
 nere & ejus causa 531, 1. 2.
 Adelphis quæ 106, 1.
 Ægyptia an reliquis præferen-
 da 102, 2.
 Cariota unde dicta 105, 2.
 Nō est dactylus vulgaris 107, 1.
 Ubi reperitur 107, 2.
 Cœcas dicta 90, 2. 95, 1.
 Ejus descriptio 90, 2.
 Margarides 95, 1. 107, 2.
 Marina 404, 2.
 Nicolai unde dicta 106, 1.
 Patetos unde dicta 106, 1.
 Regia 95, 1.
 Thebaica an tamarindus 102,
 2.
 Palma arbor ad vivum expres-
 sa 99, 1.
 Edule quid habet 109, 1.
 Palmæ medulla 23, 2.
 Folia 48, 2. 49, 2. 52, 2.
 Satio 100, 1.
 Satio ex ossibus 92, 2. 94, 1.
 Ex trunco 90, 2.
 Ex pluribus ossibus simul jun-
 ctis coalescit caudex unus
 ibid.
 Prima germinatio 99, 2.
 Os ipsum est semen 100, 2.
 Ossa plura cur simul serantur
 100, 1.
 Prima pullulatio plura notan-
 da habet quæ in cæteris non
 observantur 101, 1.
 Descriptio 100, 2.
 Latitudo 89, 1.
 Vitalis vis ubi sita 102, 1.
 Materies qualis 518, 2. 520,
 2.
 Maris & fœminæ amor mu-
 tuus 103, 1. 119, 2.
 Fructus icon 104, 1.
 Non est myrobalanus 98, 1.
 Descriptio ex Theophrasto 9,
 2.
 Maris & fœminæ differentia
 105, 1.
 Fructus qui reservari possunt.
 90, 2. 91, 1.
 Qui recentes vescuntur ibid.
 Palmarum proventus in Africa
 321, 2.
 In terra falsuginosa ibid. 331,
 2.
 Arbores quibus locis steriles
 aut fructifere 129, 2.
 Differentia 105, 2.
 Differentia non in stipite, sed
 in coma 107, 2.
 Differentia inter Egiptiam &
 Judaicam 106, 1, 2.
 Genera tria 102, 1. 107, 2.
 Differunt foli differentia 102,
 1.
 Genera duo 101, 2.
 Discrimina plura 90, 2.
 Cariotarum genera tria 106, 1.
 Palmulæ ex Alexandria multos
 durant annos 93, 2.
 Palmitarum radix & mirabilis
 ejus Historia ibid.
 Palmeum vinum 101, 2.
 Palma Christi an satyrion ery-
 throninus 1171, 1.
 Ad orchidum classem est re-
 ferenda ibid.
 Palmes quid 104, 2.
 Palmus duplex 413, 1.
 Major & minor 88, 2.
 Paludapium veterum est apium
 officinarum 804, 1. 2.
 Ejus descriptio & vires 795,
 2.
 Palustria quæ 453, 2.
 Palustris herba terram non at-
 tingens 424, 2.
 Pampini quid 144, 1.
 Panax 1117, 2.
 Panax Chironium 1069, 2. 1072,
 1.
 Ejus descriptio 1072, 1.
 An centaurium 1072, 2.
 An vino gratiam conciliat
 ibid.
 An herba Doria 1073, 1.
 An helenium ibid.
 An flos solis 1073, 2.
 Unde dictum 1074, 1.
 Panax Æsculapium 1069, 2.
 Unde dictum 1074, 1.
 Ejus descriptio ibid.
 Quomodo antiquitus effodi-
 endum 1041, 2.
 Panax Herculeum 1069, 2.
 Unde dictum 1074, 2.
 Ejus descriptio ibid.
 An syriacum 1075, 1.

I N D E X.

- Confundit utrumque Plinius
ibid.
- An spondylium 1075, 2.
- Ejus radix & radices vires
1076, 1.
- Ejus semen an cibus aptum ibid.
- Panax syriacum 1069, 2.
- Panax syriacum & heracleum
an idem 1071, 1. 2.
- Panax peregrinum 16, 2. 965, 2.
- Panax olusatris aut pastinacæ fo-
lio 1071, 2.
- Ejus descriptio ibid.
- An syriacum 1072, 1.
- Cur minus odoratum ibid.
- Panax nomen multis plantis
commune 1071, 1.
- Unde dictum ibid.
- Panaces 564, 1. 2.
- Panacis vires 1059, 1. 1052, 2.
- Varia genera 1069, 2. 1071, 1.
- Panactum 564, 2.
- Panactos ibid.
- Panathanæa festum 311, 2.
- Panocratum an scillie scemina
875, 2.
- Ejus descriptio ibid.
- Ejus vires 876, 1.
- An venenatum ibid.
- Cur sic dictum ibid.
- Cur cichorium sic dictum 876,
1.
- Pannicula tectoria 472, 1.
- Panniculæ quid 930, 1.
- πανός* quid 169, 2. 930, 1.
- Panicum 941, 2.
- Panicum unde dictum 929, 2.
- Cur *μελίνη* dictum ibid.
- Quot diebus perficitur 913, 1.
- Panici genera 930, 1.
- Indici descriptio ibid.
- Notæ ex Theophrasto 929, 2.
- Papaver 965, 2.
- An semper viret 45, 2. 48, 2.
- Cur inter *αιφουλα* numeratur
47, 2. 1098, 2.
- Inter condimenta locum ha-
bet 920, 2.
- Batavis *Quel* cur dictum 1097,
2.
- Cereri cur gratum ibid.
- Cur thelacitis dictum 1021, 2.
1098, 2.
- Papaver cornutum 1093, 2.
- Corniculatum unde dictum
1100, 2.
- Ejus descriptio ibid 1101, 2.
- An ejus folia nigra 1101, 1.
- Ejus varia genera ibid.
- Quando ferendum 1101, 2.
- Papaver erraticum 1093, 2.
- Unde dictum 1101, 2.
- Rhœas unde dictum ibid.
- Ubi nascitur 1102, 1.
- Ejus genera ibid.
- Ejus descriptio 1101, 2.
- Rhoias an anemone 703, 2.
704, 2.
- Non est argemone 708, 1.
- Heracleum 1093, 2.
- Papaver Heracleum unde di-
ctum 1102, 2.
- Spumeum cur dictum ibid.
- An ceblegonon antiquorum
ibid.
- An gratiola 1103, 1.
- An behen album ibid.
- An cyanus vulgaris ibid.
- Ejus descriptio 1102, 2.
- Papaver syriacum erraticum an
anemone lutea 1102, 1.
- Papaver hortense 1098, 2.
- Sylvestre ibid.
- Rhœas ibid 1099, 1.
- Papaveris genera quot 1098, 1.
2.
- Quot antiquis 1099, 1.
- Quot recentioribus ibid.
- Sylvestris genera 1093, 2.
- Vulgaris descriptio & varie-
tas 1099, 2.
- Sylvestris descriptio ibid.
- Flores quando minacem stre-
pitum edunt 1098, 1.
- Succus an omnis albus 1098,
2.
- Caput *καδιά* dictum ibid.
- Flos omnis facile decidit 1101,
2.
- Folio quomodo se amari ama-
tores judicabant 703, 1.
- Papavere & sesamo sparsum
quid 920, 2.
- Papiliones 402, 2.
- Papiliones fiunt ex erucis 84, 1.
- Pappas peruvianum an arichad-
na 38, 2.
- Papyri descriptio 423, 2. 431, 1.
- Ufus 423, 2.
- Radix qualis 429, 1.
- Ejus usus 423, 2.
- Coma 431, 1.
- Icon Salmafio missa 432, 1.
- Papyrus vox multa significat
429, 2.
- Duplex 428, 2.
- Dupliciter consideratur 433,
1.
- Ubi provenit 423, 2.
- An sari 428, 2.
- Ægyptia unde dicta ibid 435,
2.
- Ægyptia 550, 2.
- Altera Italiæ familiaris 430,
1.
- χαίτην* fert 430, 2.
- E papyro coronæ 431, 2.
- E papyro navigia 432, 1.
- Papyrus tam crudam quam
elixam manducarunt 423, 2.
- Par differt ab æquali 3, 2.
- παρβλάστηται* radices 27, 1.
- παρβλάστηται* 324, 2.
- Parasitica herba 157, 2.
- Pardalianche 1136, 2.
- Paridis herba an aconitum 1157,
1.
- Parietaria cur vitraria dicta 724,
816, 2.
- Cur *Glascrupt* dicta 725, 1.
- Cur perdicium dicta 724, 2.
833, 2. 816, 2.
- Cur helxine dicta 816, 2.
- Cur fideritis dicta ibid.
- Cur heraclea dicta ibid.
- Cur asyrium dicta ibid.
- Cur elitis dicta ibid.
- Cur clybatis dicta ibid.
- Cur fanitas agrestis dicta ibid.
- Cur urseolaria dicta ibid.
- Cur muralis dicta ibid.
- Cur polyonimum dicta ibid.
- Cur parthemium dicta ibid.
- Parietariæ descriptio 724, 1. 725,
1. 816, 2.
- Paris Alixander in certaminibus
victor 253, 1.
- Ubi judex inter Deas idid.
- Hedera coronatus 322, 2.
- Qua lauro coronatus 560, 2.
- Paronychia an ruta muraria
882, 2.
- Partes plantarum similes quæ 5,
2.
- An ex particulis similibus con-
stent ibid.
- Parthemium an cotula foetida
687, 1.
- Est amaracum Galeni 546, 2.
688, 1.
- Est matricaria 687, 1.
- παρβένιον* nomen pluribus plantis
donatum 816, 1. 833, 2.
- An omnes mulieribus morbis
medeantur ibid.
- Matricaria dictum 816, 1. 833,
2.
- Mercurialis dictum ibid.
- Parietaria dictum ibid.
- Unde dictum 833, 2.

- Est anthemion Theophrasti
 ibid.
 Ejus descriptio Dioscoridis
 816, 2.
 Passus quid 349, 2.
 πύσσαλον quid 73, 2.
 πασσαλον quid 72, 2.
 Pastellus quid 725, 2.
 Modus conficiendi ibid.
 Pastinaca 1117, 2. 1171, 2.
 Unde dicta 1120, 2.
 Quomodo feritur 1124, 1.
 Vulgaris an elaphoboscum
 ibid.
 Recentiorum & ejus genera
 1123, 1.
 Tenni folio est σαφιλίνον vete-
 rum ibid.
 Lati folia est ελαφοβοσκον vete-
 rum ibid: 1124, 1.
 Ejus descriptio & unde dicta
 ibid.
 Latifolia an sisarum ibid.
 Vulgaris an sisarum 1123,
 2.
 An daucus 1122, 1.
 Croceo colore 1122, 2.
 Ejus descriptio & seminandi
 modus ibid.
 σαφιλίνος cur dicta ibid.
 Sylvestris an chora vel cora
 1120, 2.
 Cur ceras dicta ibid.
 Pastinacæ genera tria Theophra-
 sto 1122, 2.
 Antiquis 1121, 2.
 Sylvestris descriptio ibid.
 Pastinaca piscis unde dictus 1120
 1.
 Pastinum quid 1120, 2.
 Pausaniæ locus enarratur 175,
 1.
 Codex corrigitur 239, 1.
 Pausia oliya an sit præmadia Ni-
 candri 314, 2.
 An sit stemphelide Athenæi
 ibid.
 Pecudes silphium amant 599,
 1.
 Pecus an amara gustet 945, 1.
 Pectines arborum 513, 1.
 Pecten veneris an antriscus 826,
 1.
 An scandix ibid.
 Pediculus in plantis quid 6, 2. 7,
 1. 8, 1. 28, 1.
 Ex quibus constat 54, 2.
 Pediculum non omnes plantæ
 habent 2, 2.
 Pediculo non uno modo hærent
 folia 51, 2.
 Pediculos & pulices necare-
 1082, 1.
 Pelasgum unde dictum 560, 2.
 πήρανον 1. ruta unde dictum 797,
 1.
 πήγμα 42, 1.
 Pelibossa an lysimachium 698,
 2.
 Descriptio & usus ibid.
 Pelta quid 350, 1.
 πελικάν quid 477, 1.
 πελικάνια ibid.
 πιμυξ quid 60, 1.
 Penæ error 463, 1.
Penninck Bloem 768, 1.
 πήνιον quid 614, 1.
 Pentaphyllon unde dictum 1112,
 2.
 Pentaphyllon fragiferum 1113,
 1.
 Ejus descriptio ibid.
 Hippocratis quale ibid.
 Theophrasti quale 1113, 2.
 Repens ibid.
 Pentaphylli candidi descriptio
 1113, 1.
 Peplion quid 614, 1.
 Peplus unde dictus 1090, 1.
 Ejus descriptio ibid.
 Peplis unde dicta 1090, 2.
 Ejus descriptio ibid.
 An portulaca Sylvestris 1091,
 1.
 Pepo an cucumis magna 701,
 2.
 A melopepono distinguitur
 782, 1.
 Est e genere cucumeris ibid.
 Ejus descriptio 782, 2.
 πέπων quid botanicis 781, 1.
 πέπων quid botanicis 228, 1.
 Perdicium quid 38, 1.
 Cur dictum 36, 2.
 Parietaria dictum 816, 1. 2.
 833, 2.
 Non est parietaria 38, 1.
 Non est condrilla ibid.
 Per foliata 51, 1.
 Perforata an hypericum 1048,
 2.
 Permutatio & mutatio in quo
 differunt 796, 1.
 Pericarpium quid 10, 1. 628, 2.
 Ejus definitio ibid.
 Periclymenum quomodo anti-
 quitus colligendum 1041,
 2.
 Periclymenum & clymenum an
 idem 1163, 1.

- Est matrifylva dicta ibid.
 Periclymeni descriptio 1163, 1.
 2.
 Genera quot 1163, 2.
 περιπίπτεον 19, 2.
 περιβρίπτεον ibid.
 πέλοσος & ἀφείρεσις in quo differunt
 82, 1.
 περιάμμος quid 254, 1. 255, 1.
 περιάπτεον quid ibid.
 περίπτεον 368, 1.
 Perlaro non est arudarach 325,
 2.
 Perfarum frugalitas 764, 1.
 Eorum cadavera cur duref-
 cant 764, 2.
 Persicaria virginiana 364, 1.
 Persicaria an Britannica 676, 2.
 Ejus descriptio ibid.
 Persii locus explicatur 752, 1.
 Persea Clusi ex America descrip-
 tio 297, 2.
 Persea & Persica an eadem ar-
 bor 125, 1. 2. 126, 2.
 Quomodo differunt 125, 2.
 178, 2.
 Persea. ejus descriptio 286, 2.
 296, 2.
 Ubi venenata 295, 2. 297, 1.
 Ubi nascitur 1118, 2.
 Ejus historia 295, 2.
 A quo in Ægyptum translata
 296, 1.
 An sit belenium ibid.
 Omni anni tempore fructum
 fert ibid.
 Persica 124, 1. 2.
 Ejus flos 63, 1.
 Osse sata fructus fert melio-
 res, si cultura accedat 78,
 2. 79, 1.
 Cito enascitur, citò senescit
 129, 1.
 Ejus descriptio 126, 1.
 Ejus fructus an venenatus in
 Persia 115, 1. 128, 1.
 Persicum Suevy 126, 2.
 Cloaty ibid.
 Duracenum unde dictum 127,
 2. 128, 2.
 Rhodacenum quomodo ru-
 brum reddatur 127, 2.
 Persicum malum in Persia pecu-
 liare 322, 2.
 Persicum malum & nux Persi-
 ca diversa sunt 127, 1. 225,
 2.
 Persicum malum, an ad pruno-
 norum classem referri de-
 beat 127, 2.

- Persicum præcoccum & malum
 armeniacum an unum sit ge-
 nus 128, 1.
 Divi Joannis differt a reliquis
 ibid.
 Amigdalodes 128, 2.
 Muscatum 128, 1.
 Nucipersicum quomodo sit
 128, 2.
 Populare ibid.
 Persicorum quot genera 127, 2.
 128, 2.
 Personata 884, 2.
 Perspicuum quid 24, 2.
 Pervinca 39, 1.
 Pes anserinus est species atripli-
 cis 740, 2.
 Pes columbinus 30, 2.
 Petasites unde dicta 441, 2.
 An aron Ægyptium 860, 2.
 πῆλον quid 718, 1.
 πῆσον quid 441, 2.
 Petroselino vulgo dicto an ma-
 res fœmineque sterilecant
 803, 1.
 Petroselinum vulgare est apium
 veterum 804, 1.
 Petroselinum unde dictum 808, 2.
 Quomodo calculum frangit
 809, 1.
 Codimentum cur dictum ibid.
 Est stomacho gratum ibid.
 Alexandrinum an hipposeli-
 num 806, 1.
 Cur Macedonicum dictum 806, 2.
 Petroselinum Macedonicum pa-
 rum in Macedonia gignitur
 809, 1.
 Ex aliis locis etiam advehitur
 ibid.
 An imperatoria ibid.
 An pimpinella vulgata sangui-
 forba 809, 2.
 An petroselinum vulgare ibid.
 An Helioselinum ibid.
 An a Fuschio descriptum sit ve-
 rum ibid.
 An a Lobelio descriptum sit
 verum ibid.
 An petroselinum ex Epiro sit
 verum 810, 1.
 πίνος pinus dicitur 163, 2. 164, 1.
 26, 2.
 An larix 123, 1.
 Peucedanum unde dictum 164, 1.
 1186, 1.
 Peucedani descriptio 1186, 2.
 Liquor quomodo excipitur
 ibid.
 Radix an liquor efficacior ibid.
 Radix officinarum an adulte-
 rina ibid.
 Radicis descriptio ibid.
 Radix quamdiu durat 1112, 2.
 Peucedanum 1117, 2. 1178, 2.
 πῆσιος in quibus a fungo differt
 28, 1. 29, 2.
 φανός duas diversas plantas deno-
 tat 924, 1.
 Legumen unde dictum ibid.
 Phagus Græcorum & fagus lati-
 norum an una eademque
 planta 152, 1.
 Phagus quod quercus genus
 152, 2.
 Non est esculus ibid.
 φαλάκρος quid 258, 1.
 Phalangii descriptio 872, 1.
 Phalangium vulgare an Diosco-
 ridis ibid.
 Virginianum 873, 1.
 φαλάγγιον quid 358, 1.
 Phalaris unde dicta 930, 1.
 Ejus descriptio 930, 2.
 Phalæne animalculum 125, 1.
 Pharmacopœorum nugę de col-
 ligendis herbis 1041, 2.
 Pharmacopœorum error 792,
 1.
 Phantasię quid 1078, 2.
 φασκόν quid 147, 2.
 Phascus 155, 1. 156, 1.
 Unde provenit ibid.
 Phaselus & phaseolus differunt
 925, 2.
 Phaseolus 954, 1.
 Unde dictus 925, 1.
 Ligno longo cur affigatur
 926, 1.
 Phascoli descriptio 926, 1.
 Genera 937, 2.
 Varietas 926, 2.
 Phavorini error 231, 1. 502, 2.
 600, 2. 610, 1. 614, 635,
 1.
 Codex corrigitur 360, 2. 394.
 2. 407, 2. 635, 1.
 Phaulia oliva 315, 1.
 Pheos 545, 2. 547, 2. 588, 2.
 φήν Theophrasti non est fagus
 148, 1.
 Unde dicta 151, 2. 161, 1.
 φήλη immaturus ficus 382, 1.
 φήσιος 600, 1.
 Unde dicta 633, 1.
 φήσιος & φήσιος differunt 633, 1. 463,
 2.
 Phellodrys 124, 2.
 Ejus descriptio 234, 2.
 Etymon 241, 2.
 Genera quinque ibid.
 Est perpetuo folio 124, 2.
 Pheutuma an anthirrhinum mi-
 nus 1176, 2.
 Ejus descriptio, unde dictum
 ibid.
 Philica quomodo germinet 130,
 2.
 Quomodo fructificat ibid.
 Est alternus Plinii 532, 1.
 Ad quę utilis 534, 2.
 Philicę materies qualis 350, 2.
 Philtrum daucus sylvestris 1122,
 2.
 Philyrea 45, 1.
 Ejus descriptio 177, 2. 179,
 1.
 Ejus varia genera 177, 2.
 Vera 179, 1.
 Philyrea & cypros differunt
 177, 2.
 Philyrus & philyrea differunt
 ibid.
 Plinius confundit 180, 2.
 Philyra est tilia 179, 2.
 Ejus cortex pro papyro ibid.
 Unde dicta 180, 2.
 An nota Dioscoridi 516, 1.
 Philyra 122, 2. 123, 1. 45, 1.
 φιλύρα quę 118, 2.
 φιλύρα quid 151, 2.
 φήσιος & φήσιος differunt 463, 2.
 633, 1.
 φήσιος papyrus ex qua fiunt vestes
 463, 1.
 Phleum quid 454, 2.
 Ubi nascitur ibid.
 Non est sagittalis 464, 1.
 Describitur 630, 2.
 Est stirps palustris 634, 1.
 Differt a stoebe ibid.
 Phleus 19, 2. 545, 2.
 φλόγιον unde dictum 699, 2.
 An auricula ursi ibid.
 Phlomos verbascum cur dictum
 856, 2.
 φόνειος unde dicta 96, 1.
 Arborem & fructum denotat
 ibid.
 De Phœnice ave historia fabu-
 losa 984, 2.
 φόνειος ο βάλανος 96, 1. 2.
 Non est dactylus maturus 97,
 1.
 φόνειον virgultum 11, 1.
 Cremium latinis dicitur 12, 1.
 Unde nomen habet ibid.
 Phy unde dictum 1025, 1.
 Valeriana cur dictum ibid.
 An valeriana major ibid.