



Clematis indica poliphylla maior,
flore clauato, fructu colocinthidis

Fr. Carolus Plumier Minimus Botanicus Regius delineav.



*Clematis Indica fructu
citriformi, folijs. oblongis.*

Fr. Carolus Plumier Minimus Botanicus Regius delinea.




*Clematis Indica alia poliphylla,
flore crispato.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit



*Clematis indica, latifolia, flore
clauato, fructu maliformi.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.




Clematis indica flore
clavato suaverubente, fructu
hexagono, coccineo, folio
bicorni.

Fr. Carolus Plumier minimus Botanicus Regius delineavit.



Clematis Indica, Folio hederaceo major, fructu olivæ formi.

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.




Clematis indica, folio angusto, trifido fructu olivæ formi.



Fr. C. P. m. b. r. d.

Clematis indica, hirsuta, foetida.



Clematis Indica, Flore puniceo, folio lanato.



Clematis Indica, Flore minimo pallido.

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.



Clematis indica alba, flore minore pallido.



Clematis indica, polianthos odoratissima.

E.C.P.M.b.r.del.




*Clematis pentaphylla, pediculis alatis,
fructu racemoso, tricocco et coccineo.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit




*Clematis anguloso
folio, aceris fructu.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit



*Clematis baccifera, glabra et villosa,
rotundo et umbilicato folio*

Fr. Carol. Plumier Minim. Botan. Regius delineav.



Clematis quadri folia, flore digitalis luteo, claviculis aduncis, siliquis longissimis, semine alato.

Fr. Carolus Plumier Minimus Botanic. Regius delineav.



XCV

*Apocynum majus, scandens, siliqua
oblonga, tumida et glabra.*

Fr. Carolus Plumier minimus Botanicus Regius delineavit




Apocynum scandens, flore nerij, albo.

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.




Bryonia racemosa, folijs ficulneis

Fr. Carolus Plumier Minimus Botanicus Regius delineavit



*Bryonia fructu alato,
folijs auriculatis.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.



Eucumis triphyllus, fructu variegato.



*Colocynthis flore albo, fimbriato,
fructu oblongo.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.



Lupulus folio trilido, fructu tricocco et hispido.



Convolvulus luteus, polyanthos




Convolvulus coccineus, folio anguloso


Fr. Carolus Plumier minimus Botanicus Regius delineavit.




*Convolvulus marinus
catharticus folio rotundo, flore
purpureo.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.




Convolvulus maritimus catharticus folijs acetosae,
 flore nuceo.

Fr. Carolus Plunier Minimus Botanicus Regius delineavit



*Aristolochia longa, scandens,
folijs, ferri equini effigie.*

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.



Phascolus siliquis latis,
hispidis et rugosis, fructu nigro.

Fr. Carolus Plumier Minimus Botanicus Regius delineavit.

CVIII



Phaseolus amcleypeato, flore
 clypeato, siliquis nigris et
 angulosis.



Fr. Carolus Plumier Minimus Botanicus Regius delineavit









PLANTES
DE
L'AMERIQUE

